Royal 3inc.

Bill to:

Ryaan Transportation

- ,
- ,

Invoice Date: 12/07/2023 Invoice #: 16311 Terms: NET 30 Due Date: 01/07/2024

Date	Customer Ref #	Origin - Destination	Quantity	Rate	Amount
12/06/2023		1411 Pidco Drive, Plymouth, IN, USA - 5851 Guion Rd, Indianapolis, IN, USA			
			1	\$500.00	\$500.00

TOTAL \$500.00

PLEASE NOTE

The right to payment under this invoice has been assigned to Compass payment Solutions LLC (CFS) and all payments hereunder are to be directed to the assignee at the address noted below. Remittances to other than CFS do not constitute payment of this invoice. CFS must be given notification of any claims, agreements or merchandise returns which would affect the payment of all or part of this Invoice on the due date. COMPASS FUNDING SOLUTIONS LLC P.O.BOX 205154 DALLAS, TX 75320-5154 Tel: 844-899-8092

Ryaan Transportation

PO BOX 189 Little Elm, TX, USA 75068 Phone: 800-578-1743 Fax: 219-529-6282

Dispatcher:	Yvonne A	LOAD #	16311
Phone #:	800-578-1743 x438	Ship Date:	2023-12-06
Fax #:	219-529-6282	Today's Date:	2023-12-06
Email:	trucks32@ryaantrans.c	om	
W/O:			

Carrier	Phone #	Fax #	Equipment	Agreed Amount	Load Status
ZIGI FREIGHT INC	630-485-7370	630-485-6980	53' Van	\$500.00 USD	Open
Shipper 1	Date:	2023-12-06	Purchase Order		
Pregis 1411 Pidco Dr	Time:		Major Intersection	on: CALL AHEAI INSTRUTION	
Plymouth, IN, 46563 Phone: 574-935-6182	Туре:	TL	Shipping Hours:	BY APPT BY	3PM SHARP
1 1010: 07 4 000 0102	Quantit	•	Appointment:	Yes	
	Weight:		Description:	Paper, Mailer	
	Notes:	PICK UP IS A	T 8PM SHARP BY A S	PPT CAL AHEAD	FOR
Shipper Notes:	DRIVEF TO PICI THEN D FROM (THERE	MUST HAUL THE (UP / DELIVER TH RIVER HAS TO PA CUSTOMER. # ALL IS ANY SEAL ON	3PM SHARP CALL LEGAL WEIGHT. # IIS LOAD. # IF DRIV AY \$250 # DRIVER PICKUP NUMBER TRAILER, DON'T B VER MUST INFORM	# DRIVER MUST E /ER BACK OF IN / MUST GET THE S S MUST BE ON B REAK UNTIL THE	BE ON TIME ANY CASE SIGNED BOL OL # IF DELIVERY
Consignee 1	Date:	2023-12-07	Purchase Order	#:	
Fastenal Company - ICORP 5851 Guion Rd	Time:		Major Intersection	on: CALL AHEAD INSTRUCTIO	
Indianapolis, IN, 46254 Phone: 800-267-5374	Туре:	TL	Receiving Hours	BY APPT BY	7AM SHARP
Phone: 800-267-5374	Quantit	y: 1	Appointment:	Yes	
	Weight:	45000 lbs	Description:	Foam, Microl Paper, Mailer	Foam, Bubble, rs
	Notes:	DELIVERY IS	AT 7AM SHARP BY S	APPT CALL AHE	AD FOR
Consignee Notes:	NUMBE DRIVEF DRIVEF RESCH RUNNIN PLACEI UNLOAI	RS MUST BE ON MUST BE ON TIM BACK OF IN ANY MISS THE APPO EDULING. #MUST IG BEHIND!!!! ATT ON THEIR TRAIL DING. ATTN: DRIV	E SIGNED BOL FRO BOL. #DELIVERY IS AE. # DELIVERY BY CASE THEN DRIV INTMENT THEN DF CALL 30 MIN BEFO N: DRIVERS WILL LERS IN INDY DUR YERS WILL HAVE G NDY DURING LOAD	S BY APPT MAKE AAPT BY 7AM SI ER HAS TO PAY S IVER HAS TO PA DRE APPT IF YOU HAVE GLAD-HAN ING LOADING AN LAD-HAND LOCK	SURE HARP. # IF \$350. # IF Y \$350 FOR J ARE D LOCKS D S PLACED

Dispatch Notes:



Ryaan Transportation

PO BOX 189 Little Elm, TX, USA 75068 Phone: 800-578-1743 Fax: 219-529-6282

Dispatcher:	Yvonne A	LOAD #	16311
Phone #:	800-578-1743 x438	Ship Date:	2023-12-06
Fax #:	219-529-6282	Today's Date:	2023-12-06
Email:	trucks32@ryaantrans.c	om	
W/O:			

IMPORTANT NOTES:-

Please send all POD at - ap@ryaantrans.com

• ALL BOLS ARE DUE 24 HOURS AFTER DELIVERY TIME. PLEASE REMIT YOUR COPIES TODAY TO AVOID RATE REDUCTION FEES THAT ARE NOW APPLICABLE.

• The load should only be completed by the tendered carrier, double brokered loads will not be paid and Ryaan transportation will not be responsible to pay any third-party carrier

• MC# must match and will be checked by the shipper. The driver will be turned away if the tendered MC# doesn't match the truck. (No Tonu will be paid).

• The CARRIER must send PICS of POD same day for crosscheck purpose that Consignment is delivered safely and nothing is wrong with consignment. All Paperwork must be submitted within 48 hours of delivery or \$100 fine Complete paperwork required. Must include ALL pages of each BOL.

• We will not pay until we receive BOP/POD. If shipper does not scale on site, driver must ask where the nearest scale is available. Driver/Carrier is responsible for hauling legal weight & load security.

• By signing this agreement or by picking up and taking possession of the shipment, **CARRIER** agrees to all the terms and conditions as outlined in this rate confirmation. No oral agreements exist.

• The CARRIER and its drivers are responsible for accepting Load tracking request before starting trip.

• The CARRIER and its drivers are responsible for verifying the contents, counts, conditions, loading, weight,

proper weight distribution per axle, blocking, bracing, and securement of each load for transportation.

• The CARRIER and its drivers responsible for attaching a seal provided by the shipper to each shipment and ensuring the seal is not tampered or broken during transit. Bills of Lading (BOL) must indicate. The Shipments which are preloaded and sealed or whereas the driver is not permitted on the dock to witness the loading or counts are required to be marked on the BOL.

• **The CARRIER** and its drivers are responsible if the bills are not marked appropriately (as stated) and the load delivers short, your company will be claimed /or short paid the value of the product even if the Seal is marked "In Tact".

• The CARRIER and its drivers responsible for All trailers shall be inspected before loading to ensure compliance with standard food safety. Due to federal, state and local regulations which govern food grade commodities, if the shipment container is damaged, breached, exposed to outside elements, or the seal is broken during shipment the customer may reject the entire shipment

• **The CARRIER** and its drivers responsible for maintain Reefer Temperature. Always refer to BOL for the required reefer temperature. Such stated temperature on the BOL is to be continuously maintained. If BOL temperature is different than RYAAN TRANS Confirmation sheet CARRIER shall notify RYAAN TRANS immediately.

• **The CARRIER** and its drivers responsible for notifying RYAAN TRANS within 24 hours of any accessorial charges or Lumper fees. ACCESSORIAL RECEIPTS, INCLUDING LUMPERS, must be submitted with original paperwork for REIMBURSEMENT.

• The CARRIER Requests for detention or layover must be submitted within 24hrs. Loading or Unloading Detention starts after 4 hours and payout once get approved by shipper. Carrier must provide a written certification of detention time signed by the responsible party indicating time in and time out on the BOL.

• The CARRIER and its drivers responsible for REPORTING AND NOTIFICATION to RYAAN TRANS for all event of any accident, theft, delay, or other situation overage, shortage, and damage to immediately. And also noted on the POD, so that we can notify the Customer. It is agreed that Ryaan Trans has the right to hold any payment owed to the carrier in the matter of an unresolved claim that has not been settled.

• Back off on loads after accepting load tender can lead to serious deductions if we are charged by our clients with proof.!! By signing the Rate Confirmation, you are accepting these terms for load mentioned on load tender. If we require driver logs to verify in any case of any delay and we are questioned by our customer, the carrier should agree to provide any asked documents related to the case.

• The carrier must have tracking or should setup with us for live tracking. (Mandate for Reefer loads)

After office hour please contact: ksmith@ryaantrans.com or call on 1-800-578-1743, 209-488-5331.

Carrier Pay: Full Truckload: \$500.00, # of Units: , TOTAL: \$500.00 USD



Rate & Load Confirmation

Ryaan Transportation Dispatcher: Yvonne A LOAD # 16311 PO BOX 189 Little Elm, TX, USA 75068 Phone: 800-578-1743 Phone #: 800-578-1743 x438 Ship Date: 2023-12-06 Fax #: 219-529-6282 Today's Date: 2023-12-06 Fax: 219-529-6282 Email: trucks32@ryaantrans.com W/O:

Accepted By: George Pavkovic	Date: 12/06/2023	Signature:	
Driver Name: Dorde	Cell #: 551 444 2280	Truck #: 555	



RECEIVED subject to individually determined rates or contracts that have been agreed upon in writing between the carrier and shipper, if applicable, otherwise to the rates, classifications and rules that have been established by the carrier and are available to the shipper on request. The shipper hereby certifies that he/she is familer with all the terms and conditions of the NMFC Uniform Straight Bill of Lading. Including those on the back thereof and the said terms and conditions are hereby agreed to by the shipper and accepted for him/herself and his/her assigns.

SHIPPER Pregis Plymouth Plant 1411 PIDCO DRIVE PLYMOUTH IN 46563 Telephone No.: (574)935-6121	CONSIGNEE FASTENAL-CANTON 65 SHAWMUT RD UNIT 3 CANTON MA 02021	DATE BOL# CARR TRLR# SEAL# PRO# Freight Terms	12/06/2023 598226-0001 CUSTOMER PICK UP 94926 10861734 2 skids COLLECT
		Vents Reqd	NO

NO. PKGS.	HZD MAT	DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS - NMFC	WEIGHT in LBs	CLASS	Subject to section 7 of conditions of applicable of lading if this shipment is to be delivered to the
18	-	BUBBLE WRAP (BUBBLE PAK) < 2LB PER CU FT-149260SUB1	156	400	consignee without recourse on the consignor, the
	ant.	Pregis Order# Customer Po# Consignee Po# 1017497 BYMA1849			consignor will sign the following statement The carrier shall not make delivery of the shipment
18	2011		156		without payment A freightand all other lawful charges
Notes:					(Signature Consignor)



Polyethylene foam is a Non Regulated Material per the D.O.T but may contain residual blowing agent. The Blowing agent can be released.

an ignition source is present, the released blowing agent can be flammable. By following the simple guidelines below, you can safety

transport polyethylene foam.

1. Any trailer vents should be left open

2. When opening doors and/or unloading polyethylene foam, extinguish all sources of possible ignition such as cigarettes, matches and

lighters.

3. Never use a lighter and/or other ignition source to see inside a trailer which may contain foam.

4. Allow air circulation into the trailer for ten minutes after opening door before foam is unloaded.

I have read and understand the above safety precautions for the shipment of polyethylene feam.

Driver Name	Driver Sign Date Carrier	
	2.Carrier Copy	

RECEIVED subject to individually determined rates or contracts that have been agreed upon in writing between the carrier and shipper, if applicable, otherwise to the rates, classifications and rules that have been carrier and are available to the shipper on request. The shipper hereby certifies that he/she is familer with all the terms and conditions of the NMFC Uniform Straight Bill of Lading. Including those on the back there and conditions are hereby agreed to bythe shipper and accepted for him/herself and his/her assigns.

SHIPPER Pregis Plymouth Plant 1411 PIDCO DRIVE PLYMOUTH IN 46563 Telephone No.: (574)935-6121	CONSIGNEE FASTENAL-WINONA FASTENAL-COMPANY, MN 2001 THEURER BLVD WINONA MN 55987	DATE BOL# CARR TRLR# SEAL# PRO# Freight Terms	12/06/2023 599947-0001 CUSTOMER PICK UP 94926 10861734 1 skid COLLECT		
		Vents Reqd	NO		

NO. PKGS.

Driver Name

NZD

	Section .	MAT	a second in the second of the second of the second se	and the state and so the	her with	lading if this shipment is to be delivered to the
	21	1127	BAGS&ENVELOPES NOI OR MAILERS <3# PER CU-20488 SUB1	237	300	consignee without recourse on the consignor, the
		at an	Pregis Order# Customer Po# Consignee Po# 1027421 110473871	Company in the second line		consignor will sign the following statement: The carrier shall not make delivery of the shipment
	21			237		without may men of freight and all other lawful charges
1	Notes:	17.11		No and a state of the second s	A second s	(Signature of Consignor)

SHIPPERS CERTIFICATION
This is to certify that the above named materials are
properly classified, described, packaged marked and
labeled.and are in proper condition fortransportation
according to the applicable regulations of the
departmentof transportation.

POLYETHYLENE FOAM SAFETY PRECAUTIONS FOR TRUCKERS

Shippers Signature_

Polyethylene foam is a Non Regulated Material per the D.O.T but may contain residual blowing agent. The Blowing agent can be released if

an ignition source is present, the released blowing agent can be flammable. By following the simple guidelines below, you can safety

transport polyethylene foam.

1. Any trailer vents should be left open

2. When opening doors and/or unloading polyethylene foam, extinguish all sources of possible ignition such as cigarettes, matches and fighters.

2. Never use a lighter and/or other ignition source to see inside a trailer which may contain foam.

4. Allow air circulation into the trailer for ten minutes after opening door before foam is unloaded

I have read and understand the above safety precautions for the shipment of polyethylene foam.

Driver Sign Date

Carrier

2.Carrier Copy

RECEIVED subject to individually determined rates or contracts that have been agreed upon in writing between the carrier and shipper, if applicable, otherwise to the rates, classifications and rules that have been established by the carrier and are available to the shipper on request. The shipper hereby certifies that he/she is familer with all the terms and conditions of the NMFC Uniform Straight Bill of Lading. Including those on the back

and conditions are hereby agreed to bythe shipper and accepted for him/herself and his/her assigns.

SHIPPER Pregis Plymouth Plant 1411 PIDCO DRIVE PLYMOUTH IN 46563 Telephone No.: (574)935-6121	CONSIGNEE FASTENAL-FORT MYERS FL FASTENAL-FORT MYERS FL 16850 ORIOLE RD STE 5 FORT MYERS FL 33912	DATE BOL# CARR TRLR# SEAL# PRO# Freight Terms	12/06/2023 599943-0001 CUSTOMER PICK UP 942926 10861734 3 skids COLLECT
		Vents Reqd	NO

11	C. S. S. S.		WEIGHT in LBs	CLASS	Subject to section 7 of conditions of applicable of
NO. PKGS.	HZD	DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS - NMFC		CLAU C	

- Carrie	manite	MAT	I have that my too by the second of the second	and the state of the second second second	and the second states of	lading, if this shipment is to be delivered to me
Tak	24	2.1	EXPANDED PLASTIC ARTICLES (< 1# / CUFT)-157320SUB1	456	400	consignee without recourse on the consignor the
-	for any a		Pregis Order# Customer Po# Consignee Po# 1009642 FEFL18439		and an interest of	consignor will sign the following statement: The carrier shall not make delivery of the shipment
	24			456		without payment of freight and all other lawful charges
Note	es:	A Side		Porte and an interview was to be a		ISignative of Consignation

SHIPPERS CERTIFICATION. This is to certify that the above named materials are properly classified.described.packaged marked and labeled, and are in proper condition fortransportation according to the applicable regulations of the departmentof transportation.

POLYETHYLENE FOAM SAFETY PRECAUTIONS FOR TRUCKERS

Shippers Signature

Polyethylene foam is a Non Regulated Material per the D.O.T but may contain residual blowing agent. The Biowing agent can be released. an ignition source is present, the released blowing agent can be flammable. By following the simple guidelines below, you can safely

V

transport polyethylene foam.

1. Any trailer vents should be left open

2. When opening doors and/or unloading polyethylene foam, extinguish all sources of possible ignition such as cigarettes, matches and

lighters.

3. Never use a lighter and/or other ignition source to see inside a trailer which may contain foam.

4. Allow air circulation into the trailer for ten minutes after opening door before foam is unloaded.

I have read and understand the above safety precautions for the shipment of polyethylene foam.

Driver Sign Date

Carrier

2.Carrier Copy

Scanned with CamScanner

Driver Name

RECEIVED subject to individually determined rates or contracts that have been agreed upon in writing between the carrier and shipper, if applicable, otherwise to the rates, classifications and rules that have been established by the carrier and are available to the shipper on request. The shipper hereby certifies that he/she is familer with all the terms and conditions of the NMFC Uniform Straight Bill of Lading. Including those on the back thereof and the said terms and conditions are hereby agreed to by the shipper and accepted for him/herself and his/her assigns.

SHIPPER Pregis Plymouth Plant 1411 PIDCO DRIVE PLYMOUTH IN 46563 Telephone No.: (574)935-6121	CONSIGNEE FASTENAL-CHANHASSEN FASTENAL-CHANHASSEN 1725 LAKE DR W CHANHASSEN MN 55317	BOL# CARR TRLR# SEAL# PRO# Freight Terms	599949-0001 CUSTOMER PICK UP 94926 10861734 1 skid COLLECT	
		Vents Reqd	NO	

NO. PKGS.	HZD	DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS - NMFC	WEIGHT in LBs	CLASS	Subject to section 7 of conditions of applicable of lading, if this shipment is to be delivered to the
10		BAGS&ENVELOPES NOI OR MAILERS <3# PER CU-20488 SUB1	60	300	consignee without recourse on the consignor, the
		Pregis Order# Customer Po# Consignee Po# 1022239 STLO60038			consignor will sign the following statement. The carrier shall not make delivery of the shipment
10			60		without payment Arreight and all other lawful charges

	Der	4-
Notes:	(Signature) C	onsignor



POLYETHYLENE FOAM SAFETY PRECAUTIONS FOR TRUCKERS

Polyethylene foam is a Non Regulated Material per the D.O.T but may contain residual blowing agent. The Blowing agent can be released if

an ignition source is present, the released blowing agent can be flammable. By following the simple guidelines below, you can safely

transport polyethylene foam.

1. Any trailer vents should be left open

2. When opening doors and/or unloading polyethylene foam, extinguish all sources of possible ignition such as cigarettes, matches and

lighters.

 3. Never use a lighter and/or other ignition source to see inside a trailer which may contain foam.
 4. Allow air circulation into the trailer for ten minutes after opening door before foam is unloaded.

 1 have read and understand the above safety precautions for the shipment of polyethylene foam.

 Driver Name

 Driver Sign
 Date

 Carrier

 2. Carrier Copy

RECEIVED subject to individually determined rates or contracts that have been agreed upon in writing between the carrier and shipper, if applicable, otherwise to the rates, classifications and rules that have been established by the carrier and are available to the shipper on request. The shipper hereby certifies that he/she is familer with all the terms and conditions of the NMFC Uniform Straight Bill of Lading. Including those on the back thereof and the said terms and conditions are hereby agreed to by the shipper and accepted for him/herself and his/her assigns.

SHIPPER Pregis Plymouth Plant 1411 PIDCO DRIVE PLYMOUTH IN 46563 Telephone No.: (574)935-6121	CONSIGNEE FASTENAL-CHANHASSEN FASTENAL-CHANHASSEN 1725 LAKE DR W CHANHASSEN MN 55317	DATE BOL# CARR TRLR# SEAL# PRO# Freight Terms Vents Reqd	12/06/2023 599949-0001 CUSTOMER PICK UP 94926 10861734 1 skid COLLECT
---	--	---	---

O. PKGS.	HZD	DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS - NMFC	WEIGHT in LBs	CLASS	Subject to section 7 of conditions of applicable of lading, if this shipment is to be delivered to the
10	_	BAGS&ENVELOPES NOI OR MAILERS <3# PER CU-20488 SUB1	60	300	consignee without recourse on the consignor, the
* *		Pregis Order# Customer Po# Consignee Po# 1022239 STLO60038			consignor will sign the following statement: The carrier shall not make delivery of the shipment
10			60		without payment Arreight and all other lawful charges

SHIPPERS CERTIFICATION: This is to certify that the above named materials are properly classified.described.packaged marked and labeled.and are in proper condition fortransportation according to the applicable regulations of the departmentof transportation.

Left 12.7.23 Shippers Signature_

POLYETHYLENE FOAM SAFETY PRECAUTIONS FOR TRUCKERS Polyethylene foam is a Non Regulated Material per the D.O.T but may contain residual blowing agent. The Blowing agent can be released. If

an ignition source is present, the released blowing agent can be flammable. By following the simple guidelines below, you can safely

transport polyethylene foam.

1. Any trailer vents should be left open

2. When opening doors and/or unloading polyethylene foam, extinguish all sources of possible ignition such as cigarettes, matches and lighters.

3. Never use a lighter and/or other ignition source to see inside a trailer which may contain foam.

4. Allow air circulation into the trailer for ten minutes after opening door before foam is unloaded.

I have read and understand the above safety precautions for the shipment of polyethylene foam.

Driver Sign Date

Carrier

2.Carrier Copy

and a second second

Driver Name

RECEIVED subject to individually determined rates or contracts that have been agreed upon in writing between the carrier and shipper, if applicable, otherwise to the rates, classifications and rules that have been established is carrier and are available to the shipper on request. The shipper hereby certifies that he/she is familer with all the terms and conditions of the NMFC Uniform Straight Bill of Lading. Including those on the back thereof and the s and conditions are hereby agreed to bythe shipper and accepted for him/herself and his/her assigns.

SHIPPER	CONSIGNEE	DATE BOL#	12/06/2023 599943-0001	
Pregis Plymouth Plant 1411 PIDCO DRIVE PLYMOUTH IN 46563 Telephone No.: (574)935-6121	FASTENAL-FORT MYERS FL FASTENAL-FORT MYERS FL 16850 ORIOLE RD STE 5 FORT MYERS FL 33912	CARR TRLR# SEAL# PRO# Freight Terms	CUSTOMER PICK UP 942926 10861734 3 skids COLLECT	
		Vents Reqd	NO	

NO. PKGS.	DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS - NMFC	WEIGHT in LBs	CLASS	Subject to section 7 of conditions of applic lading, if this shipment is to be delivered to
24	EXPANDED PLASTIC ARTICLES (< 1# / CUFT)-157320SUB1	456	400	consignee without recourse on the consign
	Pregis Order# Customer Po# Consignee Po# 1009642 FEFL18439			consignor will sign the following statemen The carrier shall not make delivery of the s
24		456		per
24 Notes:		456		In

T-JA 12.7-23

SHIPPERS CERTIFICATION. This is to certify that the above named material properly classified, described, packaged marklabeled, and are in proper condition fortranspoaccording to the applicable regulations of the departmentof transportation.

	Shippers Signature
Service States and State	
POLYETHYLENE FOAM	SAFETY PRECAUTIONS FOR TRUCKERS
Polyethylene foam is a N	on Regulated Material per the D.O.T but may contain residual blowing agent. The Blowing agent can be re
an ignition source is pre-	sent, the released blowing agent can be flammable. By following the simple guidelines below, you can sa
transport polyethylene fo	am.
1. Any trailer vents should	d be left open
2. When opening doors a	nd/or unloading polyethylene foam, extinguish all sources of possible ignition such as cigarettes, match-
lighters	
3. Never use a lighter and	Vor other ignition source to see inside a trailer which may contain foam.
4. Allow air circulation in	to the trailer for ten minutes after opening door before foam is unloaded.
I have read and understa	nd the above safety precautions for the shipment of polyethylene foam.
Driver Sign Date	Carrier

2.Carrier Copy

Scanned with CamScanner

Driver Name

RECEIVED subject to individually determined rates or contracts that have been agreed upon in writing between the carrier and shipper, if applicable, otherwise to the rates, classifications and rules that have been established by the carrier and are available to the shipper on request. The shipper hereby certifies that he/she is familer with all the terms and conditions of the NMFC Uniform Straight Bill of Lading. Including those on the back thereof and the said terms and conditions are hereby agreed to by the shipper and accepted for him/herself and his/her assigns.

SHIPPER Pregis Plymouth Plant 1411 PIDCO DRIVE PLYMOUTH IN 46563	CONSIGNEE FASTENAL-WINONA FASTENAL-COMPANY, MN 2001 THEURER BLVD WINONA MN 55987	DATE BOL# CARR TRLR# SEAL# PRO#	12/06/2023 599947-0001 CUSTOMER PICK UP 94926 10861734 1 skid
Telephone No.: (574)935-6121		Freight Terms Vents Reqd	COLLECT

NO. PKGS.	HZD	DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS - NMFC	WEIGHT in LBs	CLASS	Subject to section 7 of conditions of applicable of lading, if this shipment is to be delivered to the
21		BAGS&ENVELOPES NOI OR MAILERS <3# PER CU-20488 SUB1	237	300	consignee without recourse on the consignor, the
		Pregis Order# Customer Po# Consignee Po# 1027421 110473871			consignor will sign the following statement: The carrier shall not make delivery of the shipment
21			237		without daymen of freight and all other lawful charge
Nata	-	and the second of the second o			(Signature of Consignor)

Notes:

SHIPPERS CERTIFICATION

This is to certify that the above named materials are properly classified, described, packaged marked and labeled, and are in proper condition fortransportation

according to the applicable regulations of the

departmentol transportation.

lighters.
2. When opening doors and/or unloading polyethylene foam, extinguish all sources of possible ignition such as cigarettes, matches and
1. Any trailer vents should be left open
an ignition source is present, the released blowing agent can be flammable. By following the simple guidelines below, you can safety transport polyethylene foam.
Polyethylene foam is a Non Regulated Material per the D.O.T but may contain residual blowing agent. The Blowing agent can be released
POLYETHYLENE FOAM SAFETY PRECAUTIONS FOR TRUCKERS



RECEIVED subject to individualy determined rates or contracts that have been agreed upon in writing between the carrier and shipper, if applicable, otherwise to the rates, classifications and rules that have been established by the carrier and are available to the shipper on request. The shipper hereby certifies that he/she is familer with all the terms and conditions of the NMFC Uniform Straight Bill of Lading. Including those on the back thereof and the said terms and conditions are hereby agreed to bythe shipper and accepted for him/herself and his/her assigns.

SHIPPER Pregis Plymouth Plant 1411 PIDCO DRIVE PLYMOUTH IN 46563 Telephone No.: (574)935-6121	CONSIGNEE FASTENAL-CANTON 65 SHAWMUT RD UNIT 3 CANTON MA 02021	DATE BOL# CARR TRLR# SEAL# PRO# Freight Terms	12/06/2023 598226-0001 CUSTOMER PICK UP 94926 10861734 2 skids COLLECT
		Vents Reqd	NO

 1	1.	The state of the s	
a second as		C1 444	A structure of a description of each share of

NO. PKGS.	MAT	DESCRIPTION OF ARTICLES, SPECIAL MARKS AND EXCEPTIONS - NMFC	WEIGHT in LBs	CLASS	Subject to section 7 of conditions of applicable of lading, if this shipment is to be delivered to the
18		BUBBLE WRAP (BUBBLE PAK) < 2LB PER CU FT-149260SUB1	156	400	consignee without recourse on the consignor, the
		Pregis Order# Customer Po# Consignee Po# 1017497 BYMA1849		Carlos and Carlos	consignor will sign the following statement: The carrier shall not make delivery of the shipment
18			156		without payment of freight and all other lawful charges.
	-	and the second of the second sec	the book with the set of		(Signature Consignor)

Notes:

SHIPPERS CERTIFICATION

properly classified, described, packaged marked and

This is to certify that the above named materials are

labeled, and are in proper condition fortransportation

according to the applicable regulations of the

departmentol transportation.

1	Shippers Signature
1	Shippers Signature
	POLYETHYLENE FOAM SAFETY PRECAUTIONS FOR TRUCKERS
	Polyethylene foam is a Non Regulated Material per the D.O.T but may contain residual blowing agent. The Blowing agent can be released
	an ignition source is present, the released blowing agent can be flammable. By following the simple guidelines below. you can safely
	transport polyethylene foam.
	1. Any trailer vents should be left open
	2. When opening doors and/or unloading polyethylene foam, extinguish all sources of possible ignition such as cigarettes, matches an
	lighters.

3. Never use a lighter and/or other ignition source to see inside a trailer which may contain foam.

4. Allow air circulation into the trailer for ten minutes after opening door before foam is unloaded.

I have read and understand the above safety precautions for the shipment of polyethylene foam.

Driver Sign Date

Carrier

12-2-23

2.Carrier Copy

Scanned with CamScanner

Driver Name