



Bill to:  
TQL

,  
,  
,

Invoice Date: 01/22/2024

Invoice #: 26783551

Terms: NET 30

Due Date: 02/22/2024

<b>TOTAL</b>
--------------

\$0.00
--------

**PLEASE NOTE**

The right to payment under this invoice has been assigned to Compass payment Solutions LLC (CFS) and all payments hereunder are to be directed to the assignee at the address noted below.

Remittances to other than CFS do not constitute payment of this invoice. CFS must be given notification of any claims, agreements or merchandise returns which would affect the payment of all or part of this Invoice on the due date.

**COMPASS FUNDING SOLUTIONS LLC**

**P.O.BOX 205154**

**DALLAS, TX 75320-5154**

**Tel: 844-899-8092**



## TQL RATE CONFIRMATION FOR PO# 26783551

FIND YOUR NEXT LOAD BY VISITING  
[CARRIERDASHBOARD.TQL.COM](https://carrierdashboard.tql.com)

TO ENSURE PROMPT PAYMENT, SUBMIT THIS RATE CONFIRMATION, COMPLETE BOL(S)/POD, RECEIPTS AND OTHER APPLICABLE PAPERWORK WITHIN 24 HOURS OF DELIVERY TO [CINVOICES@TQL.COM](mailto:CINVOICES@TQL.COM). FOR OTHER OPTIONS, SEE NEXT PAGE.

### TQL CONTACT INFO

Name	Phone	Email	Fax
Cody Goldschmidt	800-580-3101 x53114	cgoldschmidt@TQL.com	5139473585

### CARRIER CONTACT

Office Staffed 24/7

MC#/DOT#	Name	Phone	Terms	Fax
086875 / 3119062	Brz (il)	708-303-5150	28DAYS	630-485-0000

#### Address

COMPASS FUNDING SOLUTIONS PO BOX 205154 DALLAS, TX 75320-5154

Dispatcher	Driver	Truck #	Trailer #
john d	Jose	824	PTLZ 244740

### LOAD INFORMATION

Rate	Type	Unit	Quantity	Total
\$3,000.00	Line Haul	Flat	1	\$3,000.00

Rates that are based on weight or count will be calculated from the quantities loaded.

**Total: \$3,000.00 USD**

Mode	Trailer Type	Trailer Size	Linear Feet	Temperature	Pallet/Case Count	Hazmat	Load Requirements
FTL	Van	53 ft			0 pallets/0 cases	Non-Hazardous	
Special Temp Instructions						LxWxH	

Pick-up Location	Date	Time
Easton, PA	1/19/2024	FCFS 07:00 to 13:00

#### Commodities:

Pick Up #	Quantity	Unit	Commodity	Notes
1	1	Truckload	Building Materials	

Delivery Location	Date	Time
Justin, TX	1/22/2024	Appt 08:00

### CARRIER RESPONSIBLE FOR

Unloading	None w/ valid unloading receipt	Pallet Exchange	None	Estimated Weight	40000
-----------	---------------------------------	-----------------	------	------------------	-------



T Q Y L



**Note to  
Carrier**

**DRIVER MUST ACCEPT TRACKING/// TRACKING MUST BE KEPT ON FROM PICKUP THROUGH DELIVERY IN ORDER TO RECEIVE DETENTION // FAILURE TO ADHERE WILL RESULT IN FORFEITING DETENTION**

**ALL FLATBED/STEPDECK LOADS REQUIRE TARPS. IF DRIVER DOESN'T TARP IN SHIPPERS YARD, \$250 WILL BE DEDUCTED AND POTENTIAL CLAIMS WILL BE ASSESSED. ALL NORTH DAKOTA DELIVERIES WILL OCCUR AT A JOBSITE WITHIN A REASONABLE DISTANCE FROM TRUCK STOP. DRIVER IS RESPONSIBLE FOR MILES FROM TRUCK STOP TO JOBSITE**



T Q Y L





If this box is checked, Carrier is required to mail original paperwork to TQL at the below address.

**CARRIER INVOICE #**

**FOR STANDARD MAIL**

TQL  
PO Box 799  
Milford, OH 45150

**OVERNIGHT INVOICING**

TQL  
1701 Edison Drive  
Milford, OH 45150

**QUICK PAY**

If your default payment terms are not Quick Pay and you would like Quick Pay on this load, please check one of the boxes below. Send your invoice to the Quick Pay email or fax listed below or via one of the document scanning options.

☐ 1 Day Quick Pay 5%

☐ 7 Day Quick Pay 3%

**METHODS TO SUBMIT PAPERWORK**

Submit completed and signed paperwork within 24 hours of delivery.

**EMAIL**

Quick Pay - [Quickpay@tql.com](mailto:Quickpay@tql.com)  
Standard - [cinvoices@tql.com](mailto:cinvoices@tql.com)

**DOCUMENT SCANNING**

[TQL Carrier Dashboard](#) - Send paperwork  
for FREE via our web and mobile app

**FAX**

Quick Pay - 513-688-8895  
Standard - 513-688-8782

**TRANSFLO Express** allows you to scan and send invoices  
and POD's to TQL for \$3.50 from participating truck stops.

TQL must approve all accessorial terms/charges in advance and in writing. Payment of detention is determined on a load-by-load basis. Unauthorized charges will not be paid. Detention payment does not begin for at least 3 hours unless otherwise agreed to in writing. To qualify for additional compensation, the Carrier MUST notify TQL at least 30 minutes before beginning detention time and when arriving-on-time/departing from all shippers/receivers (unless the shipper/receiver will notate check in/out times on the paperwork).



**BOOK SELECT LOADS ONLINE WITH BOOK IT NOW**  
**ON TQL CARRIER DASHBOARD**

**SIGN IN >**

**USE TQL TRACKING**  
TO CUT DOWN ON CHECK CALLS



THIS IS AN AGREEMENT BETWEEN TQL AND CARRIER. CARRIER SHALL HAUL THE LOAD AT THE RATE ABOVE. CARRIER SHALL CALL TQL FOR LOAD INFORMATION. IF LOAD IS CHANGED OR CANCELED BY TQL, NO "TRUCK ORDER NOT USED" WILL BE PAID UNLESS TQL HAS PROVIDED THE CARRIER WITH LOAD DETAILS (PICK-UP NUMBER, SHIPPER NAME/ADDRESS AND DRIVER INFORMATION SHEET) AND APPROVED THE CARRIER TO BEGIN DRIVING TOWARDS THE PICK-UP LOCATION. THE SAFE, LEGAL AND PROPER OPERATION OF CARRIER SUPERSEDES ANY REQUEST, DEMAND, PREFERENCE, INSTRUCTION OR INFORMATION PROVIDED BY TQL OR ITS CUSTOMERS WITH RESPECT TO ANY SHIPMENT. IF ANY EMPLOYEE OF TQL OR ITS CUSTOMER REQUESTS, DEMANDS, OR INSTRUCTS CARRIER TO TAKE ANY ACTION THAT VIOLATES ANY LAW, CARRIER SHALL REFUSE TO TRANSPORT THE LOAD AND IMMEDIATELY CONTACT TQL BEFORE TAKING ANY FURTHER ACTION. CARRIER AGREES THAT WHEN IT CHOOSES TO TRANSPORT A LOAD IT DOES SO ON ITS OWN VOLITION, EXERCISING ITS OWN DISCRETION WITHOUT COERCION OR UNDUE INFLUENCE BY ANY INDIVIDUAL OR ENTITY. BY SIGNING THIS RATE CONFIRMATION AND/OR PERFORMING SERVICES FOR BROKER, CARRIER AFFIRMS THAT IT MAINTAINS KNOWLEDGE OF AND COMPLIANCE WITH ALL FEDERAL, STATE, AND LOCAL LAWS AND REGULATIONS, WHICH INCLUDES, BUT IS NOT LIMITED TO, ANY LAWS OR REGULATIONS RELATED TO CARB COMPLIANCE, THE CALIFORNIA TRANSPORT REFRIGERATION UNIT (TRU) OR AIRBORNE TOXIC CONTROL MEASURE (ATCM). CARRIER AFFIRMS THAT ALL OF ITS APPLICABLE EQUIPMENT TRAVELLING TO, FROM, OR WITHIN CALIFORNIA IS IN COMPLIANCE WITH CARB RULES AND REGULATIONS OR ANY OTHER SIMILAR REGULATIONS IN OTHER STATES WHEN TRAVELLING TO, FROM, OR WITHIN SUCH OTHER STATES. CARRIER FURTHER AFFIRMS THAT ALL EQUIPMENT IN ITS FLEET, INCLUDING ANY TRU EQUIPMENT, FURNISHED WILL BE IN COMPLIANCE WITH THE IN-USE REQUIREMENTS OF ALL OF CALIFORNIA'S TRU REGULATIONS AND, IF APPLICABLE, ANY ADDITIONAL REQUIREMENTS REQUIRED OF BROKER'S CUSTOMER. CARRIER WILL BE RESPONSIBLE FOR ANY AND ALL FINES ASSESSED AGAINST ANY PARTY FOR CARRIER'S FAILURE TO ADHERE, IN WHOLE OR IN PART, TO ANY REGULATION OR LAWS. THIS RATE CONFIRMATION IS INCLUSIVE OF ALL CHARGES.

IF THIS SHIPMENT RELATES TO A GOVERNMENT OR QUASI-GOVERNMENT CONTRACT (WHICH MAY INCLUDE, WITHOUT LIMITATION, FEDERAL, STATE, MUNICIPAL, OR POSTAL CONTRACTS), THEN THE SHIPMENT IS SUBJECT TO THE NOTICES AND COMPLIANCE REQUIREMENTS FOUND AT [HTTPS://WWW.TQL.COM/GOVERNMENT-CONTRACTOR-NOTICES.PDF](https://www.tql.com/government-contractor-notices.pdf) OR A HARD COPY WILL BE PROVIDED UPON WRITTEN REQUEST TO [COMPLIANCE@TQL.COM](mailto:COMPLIANCE@TQL.COM).

BY SIGNING THIS DOCUMENT, THE CARRIER AND ITS DRIVER AGREE THAT THEY MAY LEGALLY RECEIVE SMS (TEXT) MESSAGES ORIGINATING FROM TQL. RESPONDING TO OR READING A TQL SMS MESSAGE WHILE DRIVING A TRUCK OR MOTOR VEHICLE CAN CAUSE SERIOUS INJURY, DEATH, OR PROPERTY DAMAGE TO YOU OR OTHERS. DO NOT READ OR REPLY TO A MESSAGE UNLESS YOUR VEHICLE IS STATIONARY AND PARKED. THE CARRIER, DRIVER, AND ANY OTHER EMPLOYEE AND/OR AGENT FOR CARRIER ASSUME ALL RESPONSIBILITY FOR ABIDING BY THESE INSTRUCTIONS AND AGREE THAT THEY WILL COMPLY WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL LAWS INCLUDING, BUT NOT LIMITED TO: RECEIVING, READING AND/OR SENDING SMS MESSAGES, PHONE CALLS, AND/OR ANY OTHER INFORMATION TO OR FROM THE BROKER. CARRIER AGREES TO INDEMNIFY AND HOLD TQL HARMLESS TO THE FULLEST EXTENT PERMITTED BY LAW FOR ANY AND ALL CLAIMS OF ANY NATURE ARISING OUT OF OR RELATING TO THE HAULING OF THIS LOAD, THE VIOLATION OF THE TERMS OF THE BROKER-CARRIER AGREEMENT OR THIS RATE CONFIRMATION.



T Q Y L





---

Carrier Representative Signature

\*By electronically signing below and acknowledging acceptance, I confirm I have the authority to act on behalf of, and bind the undersigned individual and/or entity and have agreed to the terms

Name\* S/ **John Djordjevic**





# DRIVER/CARRIER INFORMATION SHEET TQL PO# 26783551

Pickup Dates

1/19/24

Delivery Dates

1/22/24

## TQL CONTACT INFO

Name	Phone	Email	Fax
Cody Goldschmidt	800-580-3101 x53114	cgoldschmidt@TQL.com	5139473585

## CARRIER CONTACT

Name	Dispatcher	Driver
Brz (il)	sTEve	Jose

## LOAD INFORMATION

Mode	Trailer Type	Trailer Size	Temperature	Pallet/Case Count	Hazmat	Load Requirements
FTL	Van	53 ft		0 pallets/0 cases	Non-Hazardous	

Special Temp Instructions

## CARRIER RESPONSIBLE FOR

Unloading	None w/ valid unloading receipt	Pallet Exchange	None	Estimated Weight	40000
-----------	---------------------------------	-----------------	------	------------------	-------

## PICKUPS

Shed	City	State	Zip	PU#	Date	Time
VICTAULIC (EASTON, PA)	Easton	PA	18045	Justin, TX	1/19/2024	FCFS 07:00 to 13:00
	Information:					
	157 Commerce Park Drive Easton PA 18045					
	Commodities:					
	Quantity	Unit	Commodity			Notes
	1	Truckload	Building Materials			

## DROPS

Consignee	City	State	Zip	Delivery PO	Date	Time
VICTAULIC (JUSTIN, TX)	Justin	TX	76247		1/22/2024	Appt 08:00
<div>Information:</div> <div>Victaulic</div> <div>15550 Blue Mound Rd, Justin, TX 76247, USA</div>						



**Note to  
Carrier**

**DRIVER MUST ACCEPT TRACKING/// TRACKING MUST BE KEPT ON FROM PICKUP THROUGH DELIVERY IN ORDER TO  
RECEIVE DETENTION // FAILURE TO ADHERE WILL RESULT IN FORFEITING DETENTION**

**ALL FLATBED/STEPDECK LOADS REQUIRE TARPS. IF DRIVER DOESN'T TARP IN SHIPPERS YARD, \$250 WILL BE DEDUCTED  
AND POTENTIAL CLAIMS WILL BE ASSESSED. ALL NORTH DAKOTA DELIVERIES WILL OCCUR AT A JOBSITE WITHIN A  
REASONABLE DISTANCE FROM TRUCK STOP. DRIVER IS RESPONSIBLE FOR MILES FROM TRUCK STOP TO JOBSITE**

TQL PO# 26783551

THIS AGREEMENT IS SUBJECT TO THE TERMS OF THE BROKER/CARRIER  
AGREEMENTS SIGNED BY THE CARRIER AND TQL. THIS AGREEMENT IS AN  
ADDENDUM TO THE BROKER/CARRIER AGREEMENT. THIS DOCUMENT IS ONLY FOR  
INFORMATIONAL PURPOSES.



DATE/TIME PRINTED 2024-01-19 13:23:18	CUSTOMER PO NUMBER Planned Resup	WEB NUMBER	ORDER NUMBER 424875	PACK SET 918195
PRINTED BY CW_DF2	ETCW50S1	SHIP VIA TQL	FOB COMMERCE PARK SHIPPING	
				PAGE 2

BOL PTLZ244740-DT-240

S  
O B Victaulic Company  
L Y P.O Box 31  
D Y Easton, PA 18044-0031

999999 79  
S VICTAULIC COMPANY  
H DT WHS  
I 15550 Blue Mound Road  
P  
O  
E Justin  
D TX 76247 USA

LINE #	QTY ORD	QTY SHIP	DESCRIPTION				KANBAN/LP
KANBAN SUMMARY							
			<u>Kanban</u>	<u>Weight</u>	<u>Kanban</u>	<u>Weight</u>	
			N09086451	356.00 Lbs	N09086452	111.50 Lbs	
			N09086449	356.00 Lbs	N09086448	356.00 Lbs	
			N09237067	1134.40 Lbs	N09237070	1134.40 Lbs	
ANY DISCREPANCIES OR SHORTAGES MUST BE REPORTED TO VICTAULIC SYSTEMS							

ANY DISCREPANCIES OR SHORTAGES MUST BE REPORTED TO VICTAULIC WITHIN 10 DAYS OF RECEIPT OF MATERIAL  
PLEASE CONTACT 1-800-PICK-VIC (1-800-742-5842)

## PACKING LIST

IMPORTANT - Please note the grade gasket being supplied and make certain that it is suited for the intended service.  
Grade "E" (green stripe) is recommended for hot water and most building service applications - Grade "T" (orange  
Stripe) for most petroleum applications - other grades for special applications. When in doubt as to the proper gasket  
consult VICTAULIC.





DATE/TIME PRINTED	CUSTOMER PO NUMBER	WEB NUMBER	ORDER NUMBER	PACK SET
2024-01-19 13:23:17	Planned Resup		391450	918195
PRINTED BY	SHIP VIA			
CW_DF2	ETCW50S1 TQL			

BOL PTLZ244740-DT-240

Victaulic Company  
S  
O P.O. Box 31  
L V Easton, PA 18044-0031  
D


999999 79  
S VICTAULIC COMPANY  
H DT WHS  
I T 15550 Blue Mound Road  
P O  
E Justin  
D TX 76247 USA

LINE #	QTY ORD	QTY SHIP	DESCRIPTION	KANBAN/LP
175	180	180	3 90 ELL 10 ORG	EA
552	50	50	Vic Part# F030010P00 3 TEE V20 ORG	EA
553	100	100	Vic Part# F030V20P00 3 TEE V20 ORG	EA
			Vic Part# F030V20P00	
Total Net Weight 1630.00 Lbs				
KANBAN SUMMARY				
Weight				Weight
N09028632				N09016674
N09028638				280.00 Lbs
				530.00 Lbs

ANY DISCREPANCIES OR SHORTAGES MUST BE REPORTED TO VICTAULIC WITHIN 10 DAYS OF RECEIPT OF MATERIAL  
PLEASE CONTACT 1-800-PICK-VIC (1-800-742-5842)

PACKING LIST

IMPORTANT - Please note the grade gasket being supplied and make certain that it is suited for the intended service  
Grade "E" (green stripe) is recommended for hot water and most building service applications - Grade "T" (orange  
stripe) for most petroleum applications - other grades for special applications. When in doubt as to the proper gasket  
consult VICTAULIC



DATE/TIME PRINTED 2024-01-19 13:23:18	CUSTOMER PO NUMBER Planned Resup	WEB NUMBER	ORDER NUMBER 439651	PACK SET 918195
PRINTED BY CW_DF2	SHIP VIA ETCW50S1 TQL	FOB COMMERCE PARK SHIPPING		
BOL PTL2244740-DT-240		PAGE 3		

999999 79  
 VICTAULIC COMPANY  
 S  
 H DT WHS  
 I T 15550 Blue Mound Road  
 P O  
 E Justin  
 D TX 76247 USA

Victaulic Company  
 8 P.O. Box 31  
 15 Easton, PA 18044-0031

LINE #	QTY ORD	QTY SHIP	DESCRIPTION	KANBAN/LP
452	250	250	1 1/2 CPL 005H E TYPE A VP ORG 48.3MM	EA N09340372
462	250	250	Vic Part# L014005PE0 1 1/2 CPL 005H E TYPE A VP ORG 48.3MM	EA N09340373
464	75	75	Vic Part# L014005PE0 8 CPL 005H E TYPE A VP ORG 219.1MM	EA N09356482
465	75	75	Vic Part# L080005PE0 8 CPL 005H E TYPE A VP ORG 219.1MM	EA N09356483
466	75	75	Vic Part# L080005PE0 8 CPL 005H E TYPE A VP ORG 219.1MM	EA N09356484
467	75	75	Vic Part# L080005PE0 8 CPL 005H E TYPE A VP ORG 219.1MM	EA N09356485
Total Net Weight 17959.22 Lbs				
KANBAN SUMMARY				
		Weight	Kanban	Weight
		433.00 Lbs	N09281682	433.00 Lbs
		433.00 Lbs	N09281680	433.00 Lbs
		433.00 Lbs	N09281684	433.00 Lbs
		433.00 Lbs	N09281685	433.00 Lbs
		433.00 Lbs	N09281688	433.00 Lbs
		547.00 Lbs	N09082578	547.00 Lbs
		433.00 Lbs	N09281689	433.00 Lbs
		869.87 Lbs	N09324505	869.87 Lbs
		869.87 Lbs	N09324507	869.87 Lbs
		433.00 Lbs	N09340364	433.00 Lbs
		433.00 Lbs	N09340366	433.00 Lbs
		433.00 Lbs	N09340368	433.00 Lbs
		433.00 Lbs	N09340370	433.00 Lbs
		433.00 Lbs	N09340372	433.00 Lbs

ANY DISCREPANCIES OR SHORTAGES MUST BE REPORTED TO VICTAULIC WITHIN 10 DAYS OF RECEIPT OF MATERIAL  
 PLEASE CONTACT 1-800-PICK-VIC (1-800-742-5842)

## PACKING LIST

IMPORTANT - Please note the grade gasket being supplied and make certain that it is suited for the intended service.  
 Grade "E" (green stripe) is recommended for hot water and most building service applications - Grade "T" (orange  
 stripe) is recommended for petroleum applications - other grades for special applications. When in doubt as to the proper gasket  
 consult VICTAULIC.





DATE/TIME PRINTED	CUSTOMER PO NUMBER	WEB NUMBER	ORDER NUMBER	PACK SET
2024-01-19 13:23:18	Planned Resup		439651	918195
PRINTED BY	SHIP VIA	FOB		
CW_DF2	ETCW50S1 TQL	COMMERCE PARK SHIPPING		

BOL PTLZ244740-DT-240

PAGE 2

S Victaulic Company  
O B P.O Box 31  
L Y Easton, PA 18044-0031  
D


999999 79  
S VICTAULIC COMPANY  
H DT WHS  
I 15550 Blue Mound Road  
P  
T  
O  
E  
D Justin  
TX 76247 USA

LINE #	QTY ORD	QTY SHIP	DESCRIPTION		KANBAN/LP
414	75	75	8 CPL 005H E TYPE A VP ORG 219.1MM Vic Part# L080005PE0	EA	N09324504
419	75	75	8 CPL 005H E TYPE A VP ORG 219.1MM Vic Part# L080005PE0	EA	N09324505
422	75	75	8 CPL 005H E TYPE A VP ORG 219.1MM Vic Part# L080005PE0	EA	N09324506
425	75	75	8 CPL 005H E TYPE A VP ORG 219.1MM Vic Part# L080005PE0	EA	N09324507
429	75	75	8 CPL 005H E TYPE A VP ORG 219.1MM Vic Part# L080005PE0	EA	N09324508
430	250	250	1 1/2 CPL 005H E TYPE A VP ORG 48.3MM Vic Part# L014005PE0	EA	N09340364
431	250	250	1 1/2 CPL 005H E TYPE A VP ORG 48.3MM Vic Part# L014005PE0	EA	N09340365
432	250	250	1 1/2 CPL 005H E TYPE A VP ORG 48.3MM Vic Part# L014005PE0	EA	N09340366
435	250	250	1 1/2 CPL 005H E TYPE A VP ORG 48.3MM Vic Part# L014005PE0	EA	N09340367
439	250	250	1 1/2 CPL 005H E TYPE A VP ORG 48.3MM Vic Part# L014005PE0	EA	N09340368
440	250	250	1 1/2 CPL 005H E TYPE A VP ORG 48.3MM Vic Part# L014005PE0	EA	N09340369
441	250	250	1 1/2 CPL 005H E TYPE A VP ORG 48.3MM Vic Part# L014005PE0	EA	N09340370
442	250	250	1 1/2 CPL 005H E TYPE A VP ORG 48.3MM Vic Part# L014005PE0	EA	N09340371

ANY DISCREPANCIES OR SHORTAGES MUST BE REPORTED TO VICTAULIC WITHIN 10 DAYS OF RECEIPT OF MATERIAL  
PLEASE CONTACT 1-800-PICK-VIC (1-800-742-5842)

## PACKING LIST

IMPORTANT - Please note the grade gasket being supplied and make certain that it is suited for the intended service.  
Grade "E" (green stripe) is recommended for hot water and most building service applications - Grade "T" (orange  
Stripe) for most petroleum applications - other grades for special applications. When in doubt as to the proper gasket  
consult VICTAULIC





DATE/TIME PRINTED	CUSTOMER PO NUMBER	WEB NUMBER	ORDER NUMBER	PACK SET
2024-01-19 13:23:17	Planned Resup		366919	918195
PRINTED BY	SHIP VIA	FOB		
CW_DF2	ETCW50S1	TQL		
COMMERCE PARK SHIPPING				

BOL PTLZ244740-DT-240

PAGE 2

S Victaulic Company  
O B P.O Box 31  
L Y Easton, PA 18044-0031  
D

999999 79  
S VICTAULIC COMPANY  
H DT WHS  
I 15550 Blue Mound Road  
P  
O  
E Justin  
D TX 76247 USA

LINE #	QTY ORD	QTY SHIP	DESCRIPTION	KANBAN/LP
623	36	36	6 90 ELL V10 ORG EA	N08986238
			Vic Part# F060V10P00	
626	36	36	6 90 ELL V10 ORG EA	N08986246
			Vic Part# F060V10P00	
627	36	36	6 90 ELL V10 ORG EA	N08986250
			Vic Part# F060V10P00	
628	36	36	6 90 ELL V10 ORG EA	N08986242
			Vic Part# F060V10P00	
629	36	36	6 90 ELL V10 ORG EA	N08986248
			Vic Part# F060V10P00	
630	36	36	6 90 ELL V10 ORG EA	N08986254
			Vic Part# F060V10P00	
631	36	36	6 90 ELL V10 ORG EA	N08986224
			Vic Part# F060V10P00	
655	36	36	6 90 ELL V10 ORG EA	N08986252
			Vic Part# F060V10P00	
673	32	32	8 45 ELL V11 ORG EA	N08986607
			Vic Part# F080V11P00	
687	20	20	5 90 ELL V10 ORG EA	N08950045
			Vic Part# F050V10P00	
692	397	397	3 45 ELL V11 ORG EA	N09016649
			Vic Part# F030V11P00	
702	32	32	8 45 ELL V11 ORG EA	N08986609
			Vic Part# F080V11P00	
Total Net Weight			11067.46 Lbs	

ANY DISCREPANCIES OR SHORTAGES MUST BE REPORTED TO VICTAULIC WITHIN 10 DAYS OF RECEIPT OF MATERIAL  
PLEASE CONTACT 1-800-PICK-VIC (1-800-742-5842)

## PACKING LIST

IMPORTANT - Please note the grade gasket being supplied and make certain that it is suited for the intended service.  
Grade "E" (green stripe) is recommended for hot water and most building service applications - Grade "T" (orange stripe) for most petroleum applications - other grades for special applications. When in doubt as to the proper gasket consult VICTAULIC.





DATE/TIME PRINTED	CUSTOMER PO NUMBER	WEB NUMBER	ORDER NUMBER	PACK SET
2024-01-19 13:23:18	Planned Resup		439651	918195
PRINTED BY	SHIP VIA	FOB		
CW_DF2	ETCW50S1	TQL		
COMMERCE PARK SHIPPING				PAGE 1

BOL PTLZ244740-DT-240

S Victaulic Company  
O B P.O Box 31  
L Y Easton, PA 18044-0031  
D

999999 79  
S VICTAULIC COMPANY  
H DT WHS  
I 15550 Blue Mound Road  
P  
O  
E Justin  
D TX 76247 USA

LINE #	QTY ORD	QTY SHIP	DESCRIPTION	EA	KANBAN/LP
396	250	250	1 1/2 CPL 005H E TYPE A VP ORG 48.3MM Vic Part# L014005PE0	EA	N09281682
397	250	250	1 1/2 CPL 005H E TYPE A VP ORG 48.3MM Vic Part# L014005PE0	EA	N09281683
398	250	250	1 1/2 CPL 005H E TYPE A VP ORG 48.3MM Vic Part# L014005PE0	EA	N09281680
399	250	250	1 1/2 CPL 005H E TYPE A VP ORG 48.3MM Vic Part# L014005PE0	EA	N09281681
400	250	250	1 1/2 CPL 005H E TYPE A VP ORG 48.3MM Vic Part# L014005PE0	EA	N09281684
402	250	250	1 1/2 CPL 005H E TYPE A VP ORG 48.3MM Vic Part# L014005PE0	EA	N09281686
403	250	250	1 1/2 CPL 005H E TYPE A VP ORG 48.3MM Vic Part# L014005PE0	EA	N09281685
406	250	250	1 1/2 CPL 005H E TYPE A VP ORG 48.3MM Vic Part# L014005PE0	EA	N09281687
407	250	250	1 1/2 CPL 005H E TYPE A VP ORG 48.3MM Vic Part# L014005PE0	EA	N09281688
408	67	67	4x2 MEC-T 920N E ORG NPT FEM 114.3x60.3MM; 2 FEM Vic Part# CD2992NPE0	EA	N09082580
409	100	100	4x2 MEC-T 920N E ORG NPT FEM 114.3x60.3MM; 2 FEM Vic Part# CD2992NPE0	EA	N09082578
412	100	100	4x2 MEC-T 920N E ORG NPT FEM 114.3x60.3MM; 2 FEM Vic Part# CD2992NPE0	EA	N09082579
413	250	250	1 1/2 CPL 005H E TYPE A VP ORG 48.3MM Vic Part# L014005PE0	EA	N09281689

ANY DISCREPANCIES OR SHORTAGES MUST BE REPORTED TO VICTAULIC WITHIN 10 DAYS OF RECEIPT OF MATERIAL  
PLEASE CONTACT 1-800-PICK-VIC (1-800-742-5842)

## PACKING LIST

IMPORTANT - Please note the grade gasket being supplied and make certain that it is suited for the intended service.  
Grade "E" (green stripe) is recommended for hot water and most building service applications - Grade "T" (orange  
Stripe) for most petroleum applications - other grades for special applications. When in doubt as to the proper gasket  
consult VICTAULIC.





DATE/TIME PRINTED	2024-01-19 13:23:18	CUSTOMER PO NUMBER	Planned Resup	WEB NUMBER	ORDER NUMBER	PACK SET
PRINTED BY	ETCW50S1	SHIP VIA	TOL	FOS	COMMERCE PARK SHIPPING	
CW_DF2						

BOL PTLZ244740-DT-240

999999 79  
VICTAULIC COMPANY  
DT WHS  
15550 Blue Mound Road  
T  
Justin  
TX 76247  
USA

S  
O B P.O Box 31  
Ly Easton, PA 18044-0031


S  
H  
I  
P  
P  
O  
D

LINE #	QTY ORD	QTY SHIP	DESCRIPTION	DESCRIPTION	DESCRIPTION
458	88	88	4x2 1/2 MEC-T 920 E ORG GRV	EA	N09082456
459	88	88	114.3x73MM HOLE SIZE VIC Part# CD35920PE1 4x2 1/2 MEC-T 920 E ORG GRV	EA	N09082455
473	22	22	114.3x73MM HOLE SIZE VIC Part# CD35920PE1 6 90 ETL 10DR ORG MCH 1 TAP	EA	N09082405
474	22	22	DRN VIC Part# F060010PDR 6 90 ETL 10DR ORG MCH 1 TAP	EA	N09230350
643	4	4	DRN VIC Part# F060010PDR 10 BFV VIC 300MS E GO HW	EA	N09086451
644	1	1	273MM VIC Part# V100761SE3 10 BFV VIC 300MS E GO HW	EA	N09086452
647	4	4	273MM VIC Part# V100761SE3 10 BFV VIC 300MS E GO HW	EA	N09086449
648	4	4	273MM VIC Part# V100761SE3 10 BFV VIC 300MS E GO HW	EA	N09086448
694	600	600	60.3MM 2 CPL 005H E TYPE A VP ORG VIC Part# L020005PBE0	EA	N09237067
700	600	600	60.3MM 2 CPL 005H E TYPE A VP ORG VIC Part# L020005PBE0	EA	N09237070
Total Net Weight			5395.90 Lbs		
KANBAN SUMMARY			Weight		
KANBAN			N09082455		
N09082456			538.60 Lbs		
N09082405			435.20 Lbs		
			Weight		
			N09230350		
			435.20 Lbs		
			538.60 Lbs		
			435.20 Lbs		

ANY DISCREPANCIES OR SHORTAGES MUST BE REPORTED TO VICTAULIC WITHIN 10 DAYS OF RECEIPT OF MATERIAL  
PLEASE CONTACT 1-800-PICK-VIC (1-800-742-5842)

## PACKING LIST

IMPORTANT - Please note the grade gasket being supplied and make certain that it is suited for the intended service.  
Grade "E" (green stripe) is recommended for hot water and most building service applications - Grade "T" (orange stripe) for most petroleum applications - other grades for special applications. When in doubt as to the proper gasket consult VICTAULIC.






109899



## WARNING



### OVERLOAD HAZARD

Overloaded trailer may result in serious injury or death.  
Never exceed Gross Vehicle Weight Rating (GVWR).  
Before loading the trailer, verify the cargo capacity in VIN/Serial No. tag for maximum load.



DATE/TIME PRINTED 2024-01-19 13:23:17	CUSTOMER PO NUMBER Planned Resup	WEB NUMBER	ORDER NUMBER 366919	PACK SET 918195
PRINTED BY CW_DF2	ETCW50S1	SHIP VIA TQL	FOB COMMERCE PARK SHIPPING	
				PAGE 1

BOL PTLZ244740-DT-240

S  
O B Victaulic Company  
L Y P.O Box 31  
D Easton, PA 18044-0031


999999 79  
VICTAULIC COMPANY  
DT WHS  
15550 Blue Mound Road  
Justin  
TX 76247 USA

LINE #	QTY ORD	QTY SHIP	DESCRIPTION	EA	KANBAN/LP
353	200	200	2 CPL 005H E TYPE A VP ORG 60.3MM Vic Part# L020005PE0	EA	N08943715
583	36	36	6 90 ELL V10 ORG Vic Part# F060V10P00	EA	N08986220
584	36	36	6 90 ELL V10 ORG Vic Part# F060V10P00	EA	N08986212
586	36	36	6 90 ELL V10 ORG Vic Part# F060V10P00	EA	N08986216
600	36	36	6 90 ELL V10 ORG Vic Part# F060V10P00	EA	N08986222
613	36	36	6 90 ELL V10 ORG Vic Part# F060V10P00	EA	N08986226
616	36	36	6 90 ELL V10 ORG Vic Part# F060V10P00	EA	N08986228
617	36	36	6 90 ELL V10 ORG Vic Part# F060V10P00	EA	N08986230
618	36	36	6 90 ELL V10 ORG Vic Part# F060V10P00	EA	N08986244
619	36	36	6 90 ELL V10 ORG Vic Part# F060V10P00	EA	N08986236
620	36	36	6 90 ELL V10 ORG Vic Part# F060V10P00	EA	N08986234
621	36	36	6 90 ELL V10 ORG Vic Part# F060V10P00	EA	N08986232
622	36	36	6 90 ELL V10 ORG Vic Part# F060V10P00	EA	N08986240

ANY DISCREPANCIES OR SHORTAGES MUST BE REPORTED TO VICTAULIC WITHIN 10 DAYS OF RECEIPT OF MATERIAL  
PLEASE CONTACT 1-800-PICK-VIC (1-800-742-5842)

## PACKING LIST

IMPORTANT - Please note the grade gasket being supplied and make certain that it is suited for the intended service.  
Grade "E" (green stripe) is recommended for hot water and most building service applications - Grade "T" (orange  
Stripe) for most petroleum applications - other grades for special applications. When in doubt as to the proper gasket  
consult VICTAULIC.





THIS SHIPPING ORDER MUST BE LEGIBLY FILLED IN, IN INK, IN INDELEBIL PENCIL OR IN CARBON, AND RETAINED BY THE AGENT.

BL NO. PTLZ244740-DT-240

RECEIVED, subject to the classifications and tariffs in effect on the date of issue of the Original Bill of Lading, the property described below, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated below, which said carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract, agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier on the route to said destination. It is mutually agreed, as to each carrier of all or any portion of said property over all or any portion of said route to destination, and as to each party at any time interested in all or any of said property, that every service to be performed hereunder shall be subject to all the terms and conditions of the Uniform Domestic Straight Bill of Lading set forth (1) in Official, Southern, Western and Illinois Freight Classifications in effect on the date hereof, if this is a rail or rail-water shipment, or (2) in the applicable motor carrier classification or tariff if this is a motor carrier shipment. Shipper hereby certifies that he is familiar with all the terms and conditions of the said Bill of Lading, including those on the back thereof, set forth in the classification or tariff which governs the transportation of this shipment, and the said terms and conditions are hereby agreed to by the shipper and accepted for himself and his assigns.



VICTAULIC COMPANY  
157 COMMERCE PARK DRIVE  
EASTON, PA 18045

Shipment #

BL NO. PTLZ244740-DT-240  
PRO NO. DT

Date: 2024-01-19  
Carrier: TQL

Trailer Number: PTLZ244740 Seal Number: 109899

Ship To:  
VICTAULIC COMPANY

Freight Terms:

15550 Blue Mound Road

Justin

TX 76247

SPECIAL INSTRUCTIONS TO CARRIER:

ORDER/WH:  
366919 DT 391450 DT 407371 DT 424875 DT  
439651 DT 413101 DT

Description of Articles, Special Marks and Exceptions Weight Class

51460 Pipe and Pipe Couplings and Fittings, 39548.58 50.0

74 Pieces \*\*TOTALS\*\* LB  
Gross Weight 39548.58 LB

\*Weight is subject to correction\*



PTLZ244740-DT-240

CARRIER NOTE:  
ATTACH DUPLICATE COPY  
OF B/L TO FREIGHT BILL  
AND SEND TO:  
Victaulic Company  
c/o Data2Logistics  
PO Box 61050  
Fort Myers, FL 33906 USA

BILL OF LADING NO. AND  
VICTAULIC REFERENCE NOS.  
MUST APPEAR ON FREIGHT BILL  
DRIVER SIGN HERE

Received for by:

CARRIER: \_\_\_\_\_

DRIVER: \_\_\_\_\_

DEPARTURE TIME: \_\_\_\_\_

DATE: \_\_\_\_\_

SEAL#: \_\_\_\_\_

Subject to Section 7 of Conditions of Applicable  
Bill of Lading, if this shipment is to be delivered to  
the consignee without recourse on the consignor,  
the consignor shall sign the following statement:

The carrier shall not make delivery of this  
shipment without payment of freight and all other  
lawful charges.

Per \_\_\_\_\_  
(SIGNATURE OF SHIPPER)

SHIPPING ORDER

CARRIER'S COPY

PERMANENT P.O. ADDRESS OF SHIPPER  
4901 KESSLERSVILLE ROAD  
EASTON, PA 18040

CARRIER NOTE: APPLY ALL APPLICABLE DISCOUNTS AND ALLOWANCES - SHOW ON FREIGHT BILL



**THIS MEMORANDUM** is an acknowledgment that a Bill of Lading has been issued and is not the Original Bill of Lading, nor a copy or duplicate, covering the property named herein, and is intended solely for filing or record.

RECEIVED, subject to the classifications and tariffs in effect on the date of issue of the Original Bill of Lading, the property described below, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned, and destined as indicated below, which said carrier (the word carrier being understood throughout this contract as meaning any person or corporation in possession of the property under the contract), agrees to carry to its usual place of delivery at said destination, if on its route, otherwise to deliver to another carrier on the route to said destination. It is mutually agreed, as to each carrier of all or any of said property over all or any portion of said route to destination, and as to each party at any time interested in all or any of said property, that every service to be performed hereunder shall be subject to all the terms and conditions of the Uniform Domestic Straight Bill of Lading set forth (1) in Official, Southern, Western and Illinois Freight Classifications in effect on the date hereof; if this is a rail or rail-water shipment, or (2) in the applicable motor carrier classification or tariff if this is a motor carrier shipment.

Shipper hereby certifies that he is familiar with all the terms and conditions of the said Bill of Lading, including those on the back thereof, set forth in the classification or tariff which governs the transportation of this shipment, and the said terms and conditions are hereby agreed to by the shipper and accepted for himself and his assigns.



VICTAULIC COMPANY  
157 COMMERCE PARK DRIVE  
EASTON, PA 18045

BL NO. PTLZ244740-DT-240

Shipment #

BL NO. PTLZ244740-DT-240  
PRO NO. DT

Date: 2024-01-19

Carrier: TQL

Trailer Number: PTLZ244740

Seal Number: 109899

Ship To:  
VICTAULIC COMPANY

Freight Terms:

15550 Blue Mound Road

Justin

TX 76247

SPECIAL INSTRUCTIONS TO CARRIER:

ORDER/WH:

366919 DT 391450 DT 407371 DT 424875 DT  
439651 DT 413101 DT

Description of Articles, Special Marks and Exceptions Weight Class

51460	Pipe and Pipe Couplings and Fittings,	39548.58	50.0
74	Pieces		
	**TOTALS** LB		
	Gross Weight	39548.58	LB

\*Weight is subject to correction\*



PTLZ244740-DT-240

CARRIER NOTE  
ATTACH DUPLICATE COPY  
OF B/L TO FREIGHT BILL  
AND SEND TO  
Victaulic Company  
c/o Data2Logistics  
PO Box 61050  
Fort Myers, FL 33906 USA

BILL OF LADING NO. AND  
VICTAULIC REFERENCE NOS  
MUST APPEAR ON FREIGHT BILL  
DRIVER SIGN HERE

Received for by

CARRIER

DRIVER

DEPARTURE TIME

DATE

SEAL#

Subject to Section 7 of Conditions of Applicable  
Bill of Lading, if this shipment is to be delivered to  
the consignee without recourse on the consignor  
the consignor shall sign the following statement:

The carrier shall not make delivery of this  
shipment without payment of freight and all other  
lawful charges.

Victaulic  
Bel  
SIGNATURE OF SHIPPER

DUPLICATE

3

CARRIER MATCHING COPY

PERMANENT P.O. ADDRESS OF SHIPPER  
4901 KESSLERSVILLE ROAD  
EASTON, PA 18040

CARRIER NOTE: APPLY ALL APPLICABLE DISCOUNTS AND ALLOWANCES - SHOW ON FREIGHT BILL



DATE/TIME PRINTED	CUSTOMER PO NUMBER	WEB NUMBER	ORDER NUMBER	PACK SET
2024-01-19 13:23:17	Planned Resup		366919	918195
PRINTED BY	SHIP VIA	FOR		
CW_DF2	ETCW50S1 TOL	COMMERCE PARK SHIPPING		
BOL PTLZ244740-DT-240		PAGE 3		

Victaulic Company  
8 P.O. Box 31  
LY Easton, PA 18044-0031


999999 79  
VICTAULIC COMPANY  
DT WHS  
T 15550 Blue Mound Road  
Justin  
TX 76247 USA

LINE #	QTY ORD	QTY SHIP	DESCRIPTION	KANBAN/LP																																																																						
			<table><tr><th>KANBAN</th><th>SUMMARY</th><th>Weight</th><th>Kanban</th><th>Weight</th></tr><tr><td>N08943715</td><td></td><td>388.80 Lbs</td><td>N08986220</td><td>414.28 Lbs</td></tr><tr><td>N08986212</td><td></td><td>414.28 Lbs</td><td>N08986216</td><td>414.28 Lbs</td></tr><tr><td>N08986222</td><td></td><td>414.28 Lbs</td><td>N08986226</td><td>414.28 Lbs</td></tr><tr><td>N08986228</td><td></td><td>414.28 Lbs</td><td>N08986230</td><td>414.28 Lbs</td></tr><tr><td>N08986244</td><td></td><td>414.28 Lbs</td><td>N08986236</td><td>414.28 Lbs</td></tr><tr><td>N08986234</td><td></td><td>414.28 Lbs</td><td>N08986232</td><td>414.28 Lbs</td></tr><tr><td>N08986240</td><td></td><td>414.28 Lbs</td><td>N08986238</td><td>414.28 Lbs</td></tr><tr><td>N08986246</td><td></td><td>414.28 Lbs</td><td>N08986250</td><td>414.28 Lbs</td></tr><tr><td>N08986242</td><td></td><td>414.28 Lbs</td><td>N08986248</td><td>414.28 Lbs</td></tr><tr><td>N08986254</td><td></td><td>414.28 Lbs</td><td>N08986224</td><td>414.28 Lbs</td></tr><tr><td>N08986252</td><td></td><td>414.28 Lbs</td><td>N08986607</td><td>635.08 Lbs</td></tr><tr><td>N08950045</td><td></td><td>172.80 Lbs</td><td>N09016649</td><td>950.10 Lbs</td></tr><tr><td>N08986609</td><td></td><td>635.08 Lbs</td><td></td><td></td></tr></table>	KANBAN	SUMMARY	Weight	Kanban	Weight	N08943715		388.80 Lbs	N08986220	414.28 Lbs	N08986212		414.28 Lbs	N08986216	414.28 Lbs	N08986222		414.28 Lbs	N08986226	414.28 Lbs	N08986228		414.28 Lbs	N08986230	414.28 Lbs	N08986244		414.28 Lbs	N08986236	414.28 Lbs	N08986234		414.28 Lbs	N08986232	414.28 Lbs	N08986240		414.28 Lbs	N08986238	414.28 Lbs	N08986246		414.28 Lbs	N08986250	414.28 Lbs	N08986242		414.28 Lbs	N08986248	414.28 Lbs	N08986254		414.28 Lbs	N08986224	414.28 Lbs	N08986252		414.28 Lbs	N08986607	635.08 Lbs	N08950045		172.80 Lbs	N09016649	950.10 Lbs	N08986609		635.08 Lbs			
KANBAN	SUMMARY	Weight	Kanban	Weight																																																																						
N08943715		388.80 Lbs	N08986220	414.28 Lbs																																																																						
N08986212		414.28 Lbs	N08986216	414.28 Lbs																																																																						
N08986222		414.28 Lbs	N08986226	414.28 Lbs																																																																						
N08986228		414.28 Lbs	N08986230	414.28 Lbs																																																																						
N08986244		414.28 Lbs	N08986236	414.28 Lbs																																																																						
N08986234		414.28 Lbs	N08986232	414.28 Lbs																																																																						
N08986240		414.28 Lbs	N08986238	414.28 Lbs																																																																						
N08986246		414.28 Lbs	N08986250	414.28 Lbs																																																																						
N08986242		414.28 Lbs	N08986248	414.28 Lbs																																																																						
N08986254		414.28 Lbs	N08986224	414.28 Lbs																																																																						
N08986252		414.28 Lbs	N08986607	635.08 Lbs																																																																						
N08950045		172.80 Lbs	N09016649	950.10 Lbs																																																																						
N08986609		635.08 Lbs																																																																								

ANY DISCREPANCIES OR SHORTAGES MUST BE REPORTED TO VICTAULIC WITHIN 10 DAYS OF RECEIPT OF MATERIAL  
PLEASE CONTACT 1-800-PICK-VC (1-800-742-5842)

## PACKING LIST

IMPORTANT - Please note the grade gasket being supplied and make certain that it is suited for the intended service.  
Grade "E" (green stripe) is recommended for hot water applications - Grade "T" (orange stripe) for most petroleum applications - other grades for special applications. When in doubt as to the proper gasket consult VICTAULIC.



DATE/TIME PRINTED	CUSTOMER PO NUMBER	WEB NUMBER	ORDER NUMBER	PACK SET
2024-01-19 13:23:18	Planned Resup		407371	918195
PRINTED BY	SHIP VIA	FOB		
CW_DF2	ETCW50S1 TQL	COMMERCE PARK SHIPPING		

BOL PTLZ244740-DT-240	999999 79	PAGE	1
S VICTAULIC COMPANY			
H DT WHS			
I T 15550 Blue Mound Road			
P O			
E Justin			
D TX 76247 USA			

S Victaulic Company
O B.P.O Box 31
L v Easton, PA 18044-0031
D

LINE #	QTY ORD	QTY SHIP	DESCRIPTION	KANBAN/LP
146	180	180	3 90 ELL 10 ORG	EA
			Vic Part# F030010P00	
			Total Net Weight 820.00 Lbs	
			KANBAN SUMMARY	
			Kanban Weight Kanban Weight	
			N09028634 820.00 Lbs	

ANY DISCREPANCIES OR SHORTAGES MUST BE REPORTED TO VICTAULIC WITHIN 10 DAYS OF RECEIPT OF MATERIAL  
PLEASE CONTACT 1-800-PICK-VIC (1-800-742-5842)

PACKING LIST

IMPORTANT -- Please note the grade gasket being supplied and make certain that it is suited for the intended service.  
Grade "E" (orange stripe) is recommended for hot water and most building service applications -- Grade "T" (orange stripe) for most petro-chem applications -- other grades for special applications. When in doubt as to the proper gasket consult VICTAULIC.





DATE/TIME PRINTED	CUSTOMER PO NUMBER	WEB NUMBER	ORDER NUMBER	PACK SET
2024-01-19 13:23:18	Planned Resup		439651	918195
PRINTED BY	SHIP VIA	FOB		
CW_DF2	ETCW50S1 TQL	COMMERCE PARK SHIPPING		

BOL PTLZ244740-DT-240

PAGE

4

Victaulic Company  
O B P.O Box 31  
L Y Easton, PA 18044-0031

999999 79  
S VICTAULIC COMPANY  
H DT WHS  
P T 15550 Blue Mound Road  
P O  
E Justin  
D TX 76247 USA

LINE #	QTY ORD	QTY SHIP	DESCRIPTION	KANBAN/LP
			KANBAN SUMMARY	
			Kanban Weight Kanban Weight	
			N09356482 869.87 Lbs N09356483 869.87 Lbs	
			N09356484 869.87 Lbs N09356485 869.87 Lbs	

ANY DISCREPANCIES OR SHORTAGES MUST BE REPORTED TO VICTAULIC WITHIN 10 DAYS OF RECEIPT OF MATERIAL  
PLEASE CONTACT 1-800-PICK-VIC (1-800-742-5842)

PACKING LIST

IMPORTANT - Please note the grade gasket being supplied and make certain that it is suited for the intended service  
Grade "E" (orange) is recommended for hot water and most building service applications - Grade "T" (orange  
Stripe) for most petroleum applications - other grades for special applications. When in doubt as to the proper gasket  
consult VICTAULIC





DATE/TIME PRINTED 2024-01-19 13:23:18	CUSTOMER PO NUMBER Planned Resup	WEB NUMBER	ORDER NUMBER 413101	PACK SET 918195
PRINTED BY CW_DF2	ETCW50S1	SHIP VIA TQL	FOB COMMERCE PARK SHIPPING	
BOL PTLZ244740-DT-240				PAGE 1

S Victaulic Company  
O B P.O Box 31  
L Y Easton, PA 18044-0031  
D

999999 79  
S VICTAULIC COMPANY  
H DT WHS  
I 15550 Blue Mound Road  
P T  
E O  
D Justin  
TX 76247 USA

LINE #	QTY ORD	QTY SHIP	DESCRIPTION	KANBAN/LP
36	100	100	3 TEE V20 ORG EA	N09098687
			Vic Part# F030V20P00	
37	800	800	2 CPL 005H E TYPE A VP ORG EA	N09099214
			60.3MM	
			Vic Part# L0200005PE0	
55	59	59	6 45 ELL 11 ORG EA	N09099384
			Vic Part# F060011P00	
			Total Net Weight 2676.00 Lbs	
KANBAN SUMMARY				
		<u>Kanban</u>	<u>Weight</u>	<u>Kanban</u> <u>Weight</u>
		N09098687	537.00 Lbs	N09099214 1500.20 Lbs
		N09099384	638.80 Lbs	

ANY DISCREPANCIES OR SHORTAGES MUST BE REPORTED TO VICTAULIC WITHIN 10 DAYS OF RECEIPT OF MATERIAL  
PLEASE CONTACT 1-800-PICK-VIC (1-800-742-5842)

## PACKING LIST

IMPORTANT - Please note the grade gasket being supplied and make certain that it is suited for the intended service.  
Grade "E" (green stripe) is recommended for hot water and most building service applications - Grade "T" (orange  
Stripe) for most petroleum applications - other grades for special applications. When in doubt as to the proper gasket  
consult VICTAULIC.





BL NO. PTLZ244740-DT-24C

[illegible]

VICTAULIC COMPANY  
157 COMMERCE PARK DRIVE  
EASTON, PA 18045

BL NO. PTLZ244740-DT-240  
PRO NO. DT

Trailer Number: PTLZ244740 Seal Number: 109893

### Freight Terms

TX 76247

ORDER/WH:  
366919 DT 391450 DT 407371 DT 424875 DT  
439651 DT 413101 DT

51460	Pipe and Pipe Couplings and Fittings,	39548.58	50.0
-------	---------------------------------------	----------	------

\* \* TOTALS \* \*

Gross Weight 39548.58 LB

\*Weight is subject to correction\*



PTLZ244740-DT-240

1-22-24  
JERRIN ADAMS

CARRIER'S COPY

PERMANENT P.O. ADDRESS OF SHIPPER  
4901 KESSLERSVILLE ROAD  
EASTON, PA 18040

CARRIER NOTE: APPLY ALL APPLICABLE DISCOUNTS AND ALLOWANCES - SHOW ON FREIGHT BILL