Royal 3inc.

Bill to: ECHO GLOBAL LOGISTICS(ECHO)

Invoice Date: 01/26/2024 Invoice #: 56742617 Terms: NET 30 Due Date: 02/26/2024

Date	Customer Ref #	Origin - Destination	Quantity	Rate	Amount
01/25/2024		800 FREMONT ST, WISCONSIN RAPIDS WI 54495 - 761 SPACE DRIVE, ALPHA OH 45301			
			1	\$2,000.00	\$2,000.00

TOTAL \$2,000.00

, ,

> PLEASE NOTE The right to payment under this invoice has been assigned to Compass payment Solutions LLC (CFS) and all payments hereunder are to be directed to the assignee at the address noted below. Remittances to other than CFS do not constitute payment of this invoice. CFS must be given notification of any claims, agreements or merchandise returns which would affect the payment of all or part of this Invoice on the due date. COMPASS FUNDING SOLUTIONS LLC P.O.BOX 205154 DALLAS, TX 75320-5154 Tel: 844-899-8092





LOAD CONFIRMATION 24/7 DRIVER SUPPORT (855) 786-3246

Report All Issues, Delays and Additional Charges Immediately to 24/7 Driver Support Electronic Tracking Must Be Provided Throughout Transit

ORDER 56742617						
RZ	***ORDER NUMBER(S) MUST APPEAR ON ALL BILLING***					
olin Bickler	MODE: TL					
312) 784-7490						
	TRAILER TYPE: Van 53' TRAILER #:					
58.11 Miles	Equipment Notes:					
	blin Bickler 12) 784-7490 blin.Bickler@echo.com					

Pursuant to our verbal agreement of 1/25/2024 between Echo Global Logistics, hereafter referred to as ECHO, and BRZ, MC086875/DOT3119062, hereafter referred to as CARRIER. Both parties agree that Broker's load number 56742617, moving on 01/26/2024 from WISCONSIN RAPIDS, WI to ALPHA, OH (number of stops shown below) will move at the following rate:

Service for Load # 56742617	Amount	Rate	Extended	PAY	SUMMARY
Line Haul	1.00	\$2,000.00	\$2,000.00	Line Haul	\$2,000.00
		Total	\$2,000.00	Total:	\$2,000.00

BY MEANS OF EITHER SIGNING THIS LOAD CONFIRMATION OR ITS PROVISION OF SERVICE, CARRIER ACKNOWLEDGES AND AGREES THAT IT WILL TRANSPORT THE LOAD SUBJECT TO THE TERMS AND CONDITIONS OF ITS CARRIER AGREEMENT (THE "AGREEMENT") WITH ECHO AND THAT IT AGREES TO COMPLY WITH THE TERMS OF THIS LOAD CONFIRMATION. CARRIER AGREES THAT THE SHIPPER AND CONSIGNEE ARE EACH A THIRD-PARTY BENEFICIARY OF THE AGREEMENT AND THE TERMS OF THIS LOAD CONFIRMATION.

- 1. Echo tenders this Load as a broker only and Carrier accepts this Load as the motor carrier responsible for its transportation. This Load Confirmation governs the rate for this Load as of the date specified and hereby amends and is incorporated by reference and becomes part of the Agreement. Carrier represents and warrants that it agrees to the rate herein, said mutually agreed upon rates are reasonable and compensatory, that the freight would not have been tendered to Carrier at higher rates, and that no shipments handled under such rates will subsequently be subject to a later claim of undercharges.
- 2. All travel directions provided by Echo are for informational purposes only. It is Carrier's sole responsibility to lawfully and safely operate all vehicles and their contents over any road, highway, bridge and/or or route in strict compliance with all applicable laws, rules and regulations. Carrier shall provide electronic tracking throughout transit of the Load. Carrier must immediately advise Echo if any delivery schedules, specifications, instructions, or requirements cannot be legally accomplished or if the avoidance of any fines, penalties or deductions would require or result in the violation of any laws or regulations. Carrier agrees to be CARB compliant when traveling to, from or through California and shall indemnify Echo and its customers from any loss or damage resulting from Carrier's failure to so comply.
- 3. Only the Carrier identified in this Load Confirmation is authorized to transport this shipment. Compensation may be withheld if this Load is double-brokered, moved by rail, consolidated with any other freight or if the agreed terms hereunder are not satisfied. Carrier agrees, and authorizes its factoring company, if any, to reimburse Echo for all amounts paid on this Load if it is transported by any carrier other than the Carrier identified herein. Carrier waives

all rights to payment from the shipper and/or consignee.

- 4. Carrier hereby confirms current and valid insurance coverage without exclusions in conflict with this Load, in amounts no less than the following: one million dollars (\$1,000,000) auto liability coverage, one million dollars (\$1,000,000) general liability coverage, \$100,000.00 cargo coverage, and workers compensation as required by law. If carrier's insurance policy contains a schedule of covered vehicles, Carrier will only transport this shipment using a vehicle that is listed as a scheduled vehicle on their insurance policy. Carrier further confirms that its cargo insurance covers the Item(s) listed below without exclusion.
- 5. Carrier confirms that the driver assigned to this load is licensed, qualified and has available hours of service sufficient to pick up, transport and deliver this Load as required hereunder. Driver is responsible for an accurate count of crates, pallets/skids, and pieces.
- 6. Trailer seals must be applied, with the seal number noted on the bill of lading, prior to departure from the shipper. A seal may not be broken with prior written approval from Echo management. Failure to deliver at the designated consignee with the proper seal intact will result in a claim for full value of the Load.

Pickup						
SONOCO TC WISCONSIN RAPIDS PLANT	PKU# 0119644					
800 FREMONT ST	Earliest: 01/25/2024 08:00					
WISCONSIN RAPIDS WI 54495	Latest: 01/25/2024 18:00					
NA	Weight: 45446					
: 0	Pallets: 18					
Item: Packaging-1100144994						

Pickup INSTRUCTIONS

Drop						
SONOCO ALPHA RPC	DELV# 1100144994					
761 SPACE DRIVE	Earliest: 01/26/2024 00:01					
ALPHA OH 45301	Latest: 01/26/2024 05:00					
NA	Weight: 45446					
: 0	Pallets: 18					
Item: Packaging-1100144994						
	Drop INSTRUCTIONS					

INVOICE PAYMENT REQUIREMENTS:

- SIGNED BOL / SIGNED DELIVERY RECEIPT / SIGNED RATE CONFIRMATION SHEET.
- LOAD / UNLOAD / LUMPER RECEIPTS MUST ACCOMPANY INVOICING OR THEY WILL NOT BE PAID.
- MUST REFERENCE LOAD # ON ALL CORRESPONDENCES.
- ALL ACCESSORIAL CHARGES MUST BE PRE-APPROVED & BILLED WITH RECEIPT & POD.

SUBMIT INVOICE TO:





INSTAPAY INSTAPAY@ECHO.COM InstaPay Payment - 1.9% Fee* IP Fax: (312) 784-2380 *Subject to terms and conditions as outlined in the Echo carrier packet

SIGNATURE:	

DATE:___

Charles I.						TN	AS ID:	1011	66856	
6						all all all	BILL (OF LA	DING	
2	. ST	RAIGHT BILL	OF LADING	G SHORT FOR	M ORIGINAL		OL ID	- Participanti - Andre	0185	93
SONOC	0			GOTIABLE				e 01/2		
							fest II		and the second se	
Carrie	F	CHS ECHO G	LOBAL LOGIS	TICS		and the second second second second	and the second second second	0119	- 1-2	
RECEIVED, subject (contents and cont any person or corp on the route to sak interested in all or (1) in Uniform Frek shipment.	ct to the classifica dition of packages poration in posses d destination. I is any of said prope ght Classification	tions and lawfully filed tariffs in ei s unknown), marked, consigned, a sion of the property under the co- mutually agreed, as to each carri rty, that every service to be perfo s in effect on the date hereof, if th	Tect on the date of the issue of not destined as indicated belo ntract) agrees to carry to its u er of all or any of said propert rmed hereunder shall be subj is is a rail or rail-water shipme	of this Bill of Lading. The property descrit w which said carrier (the word carrier bei sual place of delivery at said destination, y over all or any portion of said route to cet to all the terms and conditions of the ent, or (2) in the applicable motor carrier of	ed below, in apparent good order, except as no ng understood throughout this contract as mean if on its route, otherwise to deliver to another ca estination, and as to each party to any time uniform Domestic Straight Bill of Lading set fort assification or tartiff if this is a motor carrier hereof, set forth in the classification or tartiff spted for himself and his assigns.	hing bill of ladii to the con consignor following s make deli payment o	ng, if this s isignee with the consistatement: very of this of freight a	of condition shipment is thout recou- ignor shall The carri- s shipment and all other co Proc	s to be de urse on th I sign the ier shall n t without er lawful c	ot harges.
From B360	S	ISCONSIN RAPI DNOCO - WISCO 0 3RD AVENUE	ONSIN RAPIDS	S, LLC	<u>/energy</u>	PRE	PAID-	o be prep , "To be I SHIPF	Prepaid.	Ser. and
		ISCONSIN RAP		54495 USA		to the pr	describe	t of the c d hereon	harges o	apply on the
Destinat		ONOCO - ALPHA		and the second		Per		t or Cas	to s Address of a dis	
D002	76	1 SPACE DRIVE				Vehic	le ID V	V9703	7	
	AL	-PHA, OH 4530 ⁻	1 USA			Sea Numb	No. of Contract of Contract	54848	10	
No. of Packages	Type Package	Descri	otion of Articles,	Special Marks, and Exce	ptions		2 4 4 4 4 4 4	oss ight	UOM	Rate
	g	Ref PO: 110014	4994	1						
18.00	Pallets	Not Corrug	gated Item 151	RD, N.O.I., CLASS 0 320 Fri 7:00 pm to 5:00 am	55		4	4,725	Lbs	
Commodity Code 191	G/L A	ccount Number 01801561002	Weight 44,725 Lbs	agreement. NOTE-Where the rate is dependent The agreed or dec For payment of prepaid fr freight bill with bill of ladin	g copy attached to: So	on the condition shipp d executes SLCU nol y a carrier by water, t is "carrier's or shipp ably to writing the apro-	per loads an lation. er's weight. eed or decla r to be not e	d consignee red value of xceeding	unloads; the propert	
	Pe	r Authorization		Sonoco P c/o Cass Inform P. O. B St. Louis, M	roducts ation Systems St ox 67 Ag	nipper, Per gent, Per		- 1 m		<u></u>
PD35040)	Per	rmanent postoff	ice address of shippe - 1 -	r, <u>HARTSVILLE SC</u>	USA.	BOL p	printed on:	01/25/	2024

Scanned with CamScanner

				and the second se							TMS ID): 101166856	
			Pro	ducing I	Mill:							MANIE	FEST
		1			N RAPI	DS					MA	NIFEST DATE	01/25/2024
	1					SHIP T	0.				1000	MANIFEST ID	19587
1		D TO:				D002	0.					BOL ID	B36018593
1	D00	2 IOCO - ALPH	IA -RPC				O - ALPH				Provide and	LOAD ID	0119644
Contraction of the second seco		000 - 7211					CE DRIV					CARRIER	ECHS
and a state of the		SPACE DRIV	F			, or or A		Б			ar y'	FOB	ORIGIN
		VERCREEK,		1	5 J 19	АТРИА	, OH 4530	01				VEHICLE ID	W97037
		· ERCILLER,	011 4545			ALL HA	, 01 4330	01		in the second	LOADE	D & CHECKED BY	And contraction of a second second
acking S	lip: K5	50119644				1.00		Sea	#: 55484	4810			
SKU: 109	-1633		REF:		SILLD		520 - 37						
Lot Numb	er	Shipped	Weight	MSF	Caliper	Basis Weight	Moisture AD	Sonoco	Sonoco Smoothne ss Btm	Cobb Cured-T(15 Sec)	Cobb Cured-B(15 Sec)		Jumbo ID
Lot Numb	er Ribbons	Shipped Qty	and the second second			Basis	Moisture	Sonoco Smoothne	Smoothne	Cured-T(Cured-B(
Lot Numb	er Ribbons Max.	Shipped	Weight		Caliper	Basis	Moisture AD	Sonoco Smoothne ss Top	Smoothne ss Btm	Cured-T(15 Sec)	Cured-B(15 Sec)		
Lot Numb	er Ribbons Max. Tgt.	Shipped	Weight		Caliper 0.019000	Basis Weight	Moisture AD 7.500000	Sonoco Smoothne ss Top 60.000000	Smoothne ss Btm 80.000000	Cured-T(15 Sec) 1.500000	Cured-B(15 Sec) 1.500000		
Lot Numb	er Ribbons Max. Tgt. Min.	Shipped Qty (II)	Weight (std lbs)		Caliper 0.019000 0.018000 0.017000	Basis Weight	Moisture AD 7.500000 6.00000 3.000000	Sonoco Smoothne ss Top 60.000000 40.000000	Smoothne ss Btm 80.000000 45,000000	Cured-T(15 Sec) 1.500000 0.500000 0.250000	Cured-B(15 Sec) 1.500000 0.500000 0.250000 0.48		ID PM4N4522
Lot Numb	er Ribbons Max. Tgt. Min. 0 11	Shipped	Weight (std lbs) 2,399	MSF	Caliper 0.019000 0.018000 0.017000 0.0184	Basis Weight 72.000000 72.60	Moisture AD 7.500000 6.00000 3.000000 5.88	Sonoco Smoothne ss Top 60.000000 40.000000 45.35	Smoothne ss Btm 80.000000 45.000000 555.73 55.73	Cured-T(<u>15 Sec</u>) 1.500000 0.500000 0.250000 0.57 0.57	Cured-B(15 Sec) 1.500000 0.500000 0.250000 0.48 0.48		ID PM4N4522 PM4N4522
Lot Numb becification N4522E020 N4522E109	er Ribbons Max. Tgt. Min. 0 11 9 11	Shipped Qty (1) 105,820.00	Weight (std lbs) 2,399 2,309	MSF 34.17	Caliper 0.019000 0.018000 0.017000 0.0184 0.0184	Basis Weight 72.000000 72.60 72.60	Moisture AD 7.500000 6.00000 3.000000 5.88 5.88	Sonoco Smoothne ss Top 60.000000 40.000000 45.35 45.35 45.35	Smoothne ss Btm 80.000000 45.000000 55.73 55.73 55.73	Cured-T(15 Sec) 1.500000 0.500000 0.250000 0.57 0.57 0.57	Cured-B(15 Sec) 1.500000 0.500000 0.250000 0.48 0.48 0.48		ID PM4N4522 PM4N4522 PM4N4522 PM4N4522
Lot Numb pecification N4522E020 N4522E100 N4522E120	Cr Ribbons Max. Tgt. Min. 0 11 9 11 0 11	Shipped Qty (II) 105,820.00 101,860.00	Weight (std lbs) 2,399	MSF 34.17 32.89	Caliper 0.019000 0.018000 0.017000 0.0184 0.0184	Basis Weight 72.000000 72.60 72.60	Moisture AD 7.500000 6.00000 3.000000 5.88 5.88 5.88 5.88	Sonoco Smoothne ss Top 60.000000 40.000000 40.000000 45.35 45.35 45.35 45.35	Smoothne ss Btm 80.000000 45.000000 55.73 55.73 55.73 55.73 55.73 55.73	Cured-T(15 Sec) 1.500000 0.500000 0.250000 0.57 0.57 0.57 0.57	Cured-B(15 Sec) 1.500000 0.500000 0.250000 0.48 0.48 0.48 0.48		ID PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522
Lot Numb secification N4522E020 N4522E100 N4522E120 N4522E200	Max. Tgt. Min. 11 9 11 0 11 9 11 9 11 9 11	Shipped Qty (II) 105,820.00 101,860.00 101,860.00	Weight (std lbs) 2,399 2,309 2,309 2,309 2,356	MSF 34.17 32.89 32.89	Caliper 0.019000 0.018000 0.017000 0.0184 0.0184 0.0184	Basis Weight 72.000000 72.60 72.60 72.60 72.60	Nioisture AD 7.500000 6.00000 3.000000 5.88 5.88 5.88 5.88 5.88 5.88 5.	Sonoco Smoothne ss Top 60.000000 40.000000 40.000000 45.35 45.35 45.35 45.35 45.35 45.35	Smoothne ss Btm 80.000000 45.000000 45.000000 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73	Cured-T(15 Sec) 1.500000 0.500000 0.250000 0.57 0.57 0.57 0.57 0.57	Cured-B(15 Sec) 1.500000 0.500000 0.250000 0.48 0.48 0.48 0.48 0.48 0.48		ID PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522
Lot Numb secification N4522E020 N4522E100 N4522E120 N4522E220 N4522E220	Max. Tgt. Min. 0 11 9 11 0 11 9 11 0 11 9 11 9 11 9 11 9 11 9 11 9 11 9 11	Shipped Qty (II) 105,820.00 101,860.00 101,860.00 103,950.00	Weight (std lbs) 2,399 2,309 2,309	MISIF 34.17 32.89 32.89 33.57 33.57 33.57	Caliper 0.019000 0.018000 0.017000 0.0184 0.0184 0.0184 0.0184	Basis Weight 72.000000 72.60 72.60 72.60 72.60 72.60 72.60 72.60	Noisture AD 7.500000 6.00000 3.000000 5.88 5.88 5.88 5.88 5.88 5.88 5.	Sonoco Smoothne ss Top 60.000000 40.000000 40.000000 45.35 45.35 45.35 45.35 45.35 45.35 45.35	Smoothne ss Btm 80.000000 45.000000 45.000000 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73	Cured-T(15 Sec) 1.500000 0.500000 0.250000 0.57 0.57 0.57 0.57 0.57 0.57	Cured-B(15 Sec) 1.500000 0.500000 0.250000 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48		ID PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522
Lot Numb becification N4522E02 N4522E10 N4522E10 N4522E20 N4522E20 N4522E20 N4522E20	Max. Tgt. Min. 0 11 9 11 0 11 9 11 9 11 9 11 9 11 9 11 9 11 9 11 9 11	Shipped Qty (II) 105,820.00 101,860.00 101,860.00 103,950.00 103,950.00	Weight (std lbs) 2,399 2,309 2,309 2,356 2,356	MISF 34.17 32.89 32.89 33.57 33.57 33.57 33.57	Caliper 0.019000 0.018000 0.017000 0.0184 0.0184 0.0184 0.0184 0.0184 0.0184 0.0184	Basis Weight 72.000000 72.60 72.60 72.60 72.60 72.60 72.60 72.60 72.60	Noisture AD 7.500000 6.00000 3.000000 5.88 5.88 5.88 5.88 5.88 5.88 5.	Sonoco Smoothne ss Top 60.000000 40.000000 40.000000 45.35 45.35 45.35 45.35 45.35 45.35 45.35 45.35	Smoothne ss Btm 80.000000 45.000000 45.000000 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73	Cured-T(15 Sec) 1.500000 0.500000 0.250000 0.250000 0.57 0.57 0.57 0.57 0.57 0.57 0.57	Cured-B(15 Sec) 1.500000 0.500000 0.250000 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48		ID PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522
Lot Numb ecification N4522E020 N4522E120 N4522E20 N4522E220 N4522E220 N4522E300 N4522E300 N4522E320	Max. Tgt. Min. 0 11 9 11 0 11 9 11 0 11 9 11 0 11 9 11 0 11 9 11 0 11 9 11 0 11	Shipped Qty (II) 105,820.00 101,860.00 103,950.00 103,950.00 103,950.00	Weight (std lbs) 2,399 2,309 2,309 2,356 2,356 2,356	MISF 34.17 32.89 32.89 33.57 33.57 33.57 33.57 33.57 32.82	Caliper 0.019000 0.018000 0.017000 0.0184 0.0184 0.0184 0.0184 0.0184 0.0184 0.0184 0.0184	Basis Weight 72.000000 72.60 72.60 72.60 72.60 72.60 72.60 72.60 72.60 72.60	Noisture AD 7.500000 6.00000 3.000000 5.88 5.88 5.88 5.88 5.88 5.88 5.	Sonoco Smoothne ss Top 60.000000 40.000000 40.000000 45.35 45.35 45.35 45.35 45.35 45.35 45.35 45.35 45.35	Smoothne ss Btm 80.000000 45.000000 45.000000 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73	Cured-T(15 Sec) 1.500000 0.500000 0.250000 0.57 0.57 0.57 0.57 0.57 0.57 0.57 0.57 0.57 0.57 0.57 0.57	Cured-B(15 Sec) 1.500000 0.500000 0.250000 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48		ID PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522
Lot Numb becification N4522E020 N4522E100 N4522E120 N4522E220 N4522E220 N4522E300 N4522E30 N4522E30 N4522E30	Max. Tgt. Min. 0 11 9 11 0 11 9 11 0 11 9 11 9 11 9 11 9 11 9 11 9 11 9 11 9 11 9 11 9 11	Shipped Qty (II) 105,820.00 101,860.00 103,950.00 103,950.00 103,950.00 103,950.00 103,950.00 101,640.00	Weight (std lbs) 2,399 2,309 2,309 2,356 2,356 2,356 2,356 2,356 2,356 2,304 2,304	MISF 34.17 32.89 32.89 33.57 33.57 33.57 33.57 32.82 32.82 32.82	Caliper 0.019000 0.018000 0.017000 0.0184 0.0184 0.0184 0.0184 0.0184 0.0184 0.0184 0.0184	Basis Weight 72.000000 72.60 72.60 72.60 72.60 72.60 72.60 72.60 72.60 72.60 72.60	Noisture AD 7.500000 6.00000 3.000000 5.88 5.88 5.88 5.88 5.88 5.88 5.	Sonoco Smoothne ss Top 60.000000 40.000000 40.000000 45.35 45.35 45.35 45.35 45.35 45.35 45.35 45.35 45.35 45.35	Smoothne ss Btm 80.000000 45.000000 45.000000 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73	Cured-T(15 Sec) 1.500000 0.500000 0.250000 0.57 0.57 0.57 0.57 0.57 0.57 0.57	Cured-B(15 Sec) 1.500000 0.500000 0.250000 0.48		ID PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522
Lot Numb becification N4522E020 N4522E120 N4522E220 N4522E220 N4522E30 N4522E30 N4522E30 N4522E30 N4522E30 N4522E30 N4522E30 N4522E40 N4522E40	Max. Tgt. Min. 0 11 9 11 0 11 9 11 0 11 9 11 0 11 9 11 0 11 9 11 0 11 9 11 0 11 9 11 0 11	Shipped Qty (II) 105,820.00 101,860.00 103,950.00 103,950.00 103,950.00 103,950.00 101,640.00 101,640.00 106,590.00	Weight (std lbs) 2,399 2,309 2,309 2,356 2,356 2,356 2,356 2,356 2,356 2,304 2,304 2,304 2,304	MISF 34.17 32.89 32.89 33.57 33.57 33.57 33.57 32.82 32.82 32.82 32.82 34.42	Caliper 0.019000 0.018000 0.017000 0.0184 0.0184 0.0184 0.0184 0.0184 0.0184 0.0184 0.0184 0.0184 0.0184	Basis Weight 72.000000 72.60 72.60 72.60 72.60 72.60 72.60 72.60 72.60 72.60 72.60 72.60 72.60 72.60	Noisture AD 7.500000 6.000000 3.000000 5.88 5.88 5.88 5.88 5.88 5.88 5.	Sonoco Smoothne ss Top 60.000000 40.000000 40.000000 45.35 45.35 45.35 45.35 45.35 45.35 45.35 45.35 45.35 45.35 45.35 37.09	Smoothne ss Btm 80.000000 45.000000 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73	Cured-T(15 Sec) 1.500000 0.500000 0.250000 0.57 0.57 0.57 0.57 0.57 0.57 0.57	Curred-B(15 Sec) 1.500000 0.500000 0.250000 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.55		ID PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522
SKU: 109 Lot Numb pecification N4522E02 N4522E10 N4522E10 N4522E10 N4522E20 N4522E20 N4522E20 N4522E20 N4522E30 N4522E30 N4522E40 N4522E40 N4522E40 N4522E40 N4522E40	Max. Tgt. Min. 0 11 9 11 0 11 9 11 0 11 9 11 0 11 9 11 0 11 9 11 0 11 9 11 0 11 9 11 9 11 9 11 9 11	Shipped Qty (II) 105,820.00 101,860.00 103,950.00 103,950.00 103,950.00 103,950.00 103,950.00 101,640.00	Weight (std lbs) 2,399 2,309 2,309 2,356 2,356 2,356 2,356 2,356 2,356 2,304 2,304	MISF 34.17 32.89 32.89 33.57 33.57 33.57 33.57 32.82 32.82 32.82	Caliper 0.019000 0.018000 0.017000 0.0184 0.0184 0.0184 0.0184 0.0184 0.0184 0.0184 0.0184	Basis Weight 72.000000 72.60 72.60 72.60 72.60 72.60 72.60 72.60 72.60 72.60 72.60	Noisture AD 7.500000 6.00000 3.000000 5.88 5.88 5.88 5.88 5.88 5.88 5.	Sonoco Smoothne ss Top 60.000000 40.000000 45.35 45.35 45.35 45.35 45.35 45.35 45.35 45.35 45.35 45.35 45.35 37.09 37.09	Smoothne ss Btm 80.000000 45.000000 55.73	Cured-T(15 Sec) 1.500000 0.500000 0.250000 0.57 0.57 0.57 0.57 0.57 0.57 0.57	Cured-B(15 Sec) 1.500000 0.500000 0.250000 0.48		ID PM4N452 PM4N452 PM4N452 PM4N452 PM4N452 PM4N452 PM4N452 PM4N452 PM4N452 PM4N452 PM4N452

34.22

34.22

34.22

34.22

32.91

32.91

40.05

5.26

5.72

5.72

5.72

5.72

5.34

5.34

5.68

71.20

72.60

72.60

72.60

72.60

72.20

72.20

72.32

33.89

34.31

34.31

34.38

34.38

33.96

33.96

607.90

2,379

2,409

2,409

2,414

2,414

2,384

2,384

42,674

11

11

11

11

11

11

11

24N4522E609

24N4522F509

24N4522F520

24N4522F609

24N4522F620

24N4522F709

24N4522F720

SUBTOTAL

104,940.00

106,260.00

106,260.00

106,480.00

106,480.00

105,160.00

105,160.00

1,882,540.00

0.0178

0.0180

0.0180

0.0180

0.0180

0.0181

0.0181

0.0182

47.64

47.64

47.64

47.64

50.36

50.36

52.59

TOTAL			Ribbons: 198	Packages: 18
Tare Weight Shipment Weight	(std lbs) MSF 720 324 44,725 20,290	This certifies that the product the paper grade(s).	t conforms to the current	specifications for
	(LBS) (KGS)	Signed:	Date:	a consideration of the second

Scanned with CamScanner

1.15

1.15

1.15

1.15

1.50

1.50

0.76

Ribbons: 198

PM4N452214

PM4N452214

PM4N452214

PM4N452214

PM4N452215

PM4N452215

Packages: 18

1.20

1.20

1.20

1.20

1.67

1.67

0.81

E									6
5							LOFL		1000
SONOCO	, 3			SHORT FORM ORIGINAL GOTIABLE		BOL		860185	
			NOTINE	SOTIABLE		and the second sec	ate 01		24
O a series				100	anna an Anna Anna Anna	Manifes		9587	
Carrie	An	and the second sec	GLOBAL LOGIST	and a set of the set of		O his star sant	on 7 of condi	tions of an	oplicabi
person or corpo he route to said rested in all or a in Uniform Freig ment. pper hereby ce	destination destination any of said p th Classifica	session of the property under the is mutually agreed, as to each (roperty, that every service to be p ations in effect on the date hereof, he is familiar with all the terms	contract) agrees to carry to its usu carrier of all or any of said property enformed hereunder shall be subjec if this is a rail or raikwater shipment and conditions of the said bill of	This Bill of Lading. The property described below, in experient good order, except which said carrier (the word carrier being understood throughout this contract as al place of delivery at said destination. If on its route, otherwise to deliver to anoth over all or any portion of said route to destination, and as to each party to any tim at to all the terms and conditions of the Uniform Domestic Straight Bill of Lading sa . or (2) in the applicable motor carrier classification or tariff if this is a motor carrie lading, including those on the back thereof, set forth in the classification or eby agreed to by the shipper and accepted for himself and his assigns.	ne carrier et forth r	bill of lading, if to the consigner consignor, the following stater make delivery of payment of frei	this shipment e without rec consignor shi nent: The ca	ourse on to all sign the rrier shall r nt without her lawful o	he not charge
From 360		WISCONSIN RA SONOCO - WIS	CONSIN RAPIDS	, LLC		If charges a stamp	here, "To be	Prepaid	
		310 3RD AVENU WISCONSIN RA		4495 USA		Received \$ to the prepay property desc	ment of the ribed herec	charges n.	on the
estinat	ion	SONOCO - ALPI	HA -RPC	· · · · · · · · · · · · · · · · · · ·		Ag Per	ent or Ca	shier	
002		761 SPACE DRI				Vehicle ID	W9703	7	
			04.110.4			Seal	554848		in M.
	5.5	ALPHA, OH 453	UT USA			Numbers	004010		
No. of	Туре	Des	nintion of Articles C	sected Make and Evrentions		and the second second	Gross	UOM	Rat
ackages	Packa		inpuon of Articles, S	pecial Marks, and Exceptions			Veight		
	and the second	Ref PO: 1100	144994						
		in the second	and the second second			-	44 705		
18.00	Palle		D or FIBREBOAR rugated Item 1513	2D, N.O.I., CLASS 055			44,725	Lbs	
		NOLCON	ugated item 1513	520					
		0.4		5: 7:00 pm to 5:00 am					
		Customer rece	iving hours are Mon- I	-n 7.00 pin to 5.00 and					
			~ .1						
	199	1-26.	- 24						in it
	No.	1.0	1						
		1		1.47					
	1	Shaur	itai Cac	fel C					
	and the second				1				
									en e
		Test Barresson			4				
ommodity	G/	L Account Number	Malaht	Correct weight is *Shipper's imprint in lieu of stamp; not a					mmissic
Code	i sere sar		Weight	Subject to verification by the Weighing and Inspection Bureau according to NOTE: Where a truckload rate is depend			ads and consign	ee unloads;	
191	B	36001801561002	44,725 Lbs	"If the shipment moves between two the law requires that the bill of lading shall state wh	hether it is "Ca	arrier's or shipper's w	eight,"	of the prope	rty.
				NOTE-Where the rate is dependent on value, shippers are required to state a The agreed or declared value of the property is hereby spec per	ifically states	d by the shipper to be	not exceeding		
				For payment of prepaid freight charges, mail	1 Carlos			and and a second second	ar kora da
				freight bill with bill of lading copy attached to:	Sono	co Products	Company		
				Sonoco Products	a series and				
				c/o Cass Information Systems	Snipp	er, Per	and the		
		Per Authorization		P, O, Box 67	Agen	t, Per			din sta
Server Loladis	A Repairs	and the second	a presidente da la la compañía	St. Louis, MO 63166			an Sharkar		
Male Constant		the second and the second second second second second		fice address of shipper, _ HARTSVILLE,	CC	USA			

Scanned with CamScanner

				and the second sec							TMS ID): 101166856	
			Pro	ducing I	Mill:							MANIE	FEST
		1			N RAPI	DS					MA	NIFEST DATE	01/25/2024
	1					SHIP T	0.				1000	MANIFEST ID	19587
1		D TO:				D002	0.					BOL ID	B36018593
1	D00	2 IOCO - ALPH	IA -RPC				O - ALPH				Provide and	LOAD ID	0119644
Contraction of the second seco		000 - 7211					CE DRIV					CARRIER	ECHS
and a state of the		SPACE DRIV	F			, or or A		Б			ar y'	FOB	ORIGIN
		VERCREEK,		1	5 J 19	АТРИА	, OH 4530	01				VEHICLE ID	W97037
		· ERCILLER,	011 4040			ALL HA	, 01 4330	01		Anna Andrea	LOADE	D & CHECKED BY	And contraction of a second second
acking S	lip: K5	50119644				1.00		Sea	#: 55484	4810			
SKU: 109	-1633		REF:		SILLD		520 - 37						
Lot Numb	er	Shipped	Weight	MSF	Caliper	Basis Weight	Moisture AD	Sonoco	Sonoco Smoothne ss Btm	Cobb Cured-T(15 Sec)	Cobb Cured-B(15 Sec)		Jumbo ID
Lot Numb	er Ribbons	Shipped Qty	and the second second			Basis	Moisture	Sonoco Smoothne	Smoothne	Cured-T(Cured-B(
Lot Numb	er Ribbons Max.	Shipped	Weight		Caliper	Basis	Moisture AD	Sonoco Smoothne ss Top	Smoothne ss Btm	Cured-T(15 Sec)	Cured-B(15 Sec)		
Lot Numb	er Ribbons Max. Tgt.	Shipped	Weight		Caliper 0.019000	Basis Weight	Moisture AD 7.500000	Sonoco Smoothne ss Top 60.000000	Smoothne ss Btm 80.000000	Cured-T(15 Sec) 1.500000	Cured-B(15 Sec) 1.500000		
Lot Numb	er Ribbons Max. Tgt. Min.	Shipped Qty (II)	Weight (std lbs)		Caliper 0.019000 0.018000 0.017000	Basis Weight	Moisture AD 7.500000 6.00000 3.000000	Sonoco Smoothne ss Top 60.000000 40.000000	Smoothne ss Btm 80.000000 45,000000	Cured-T(15 Sec) 1.500000 0.500000 0.250000	Cured-B(15 Sec) 1.500000 0.500000 0.250000 0.48		ID PM4N4522
Lot Numb	er Ribbons Max. Tgt. Min. 0 11	Shipped	Weight (std lbs) 2,399	MSF	Caliper 0.019000 0.018000 0.017000 0.0184	Basis Weight 72.000000 72.60	Moisture AD 7.500000 6.00000 3.000000 5.88	Sonoco Smoothne ss Top 60.000000 40.000000 45.35	Smoothne ss Btm 80.000000 45.000000 555.73 55.73	Cured-T(<u>15 Sec</u>) 1.500000 0.500000 0.250000 0.57 0.57	Cured-B(15 Sec) 1.500000 0.500000 0.250000 0.48 0.48		ID PM4N4522 PM4N4522
Lot Numb becification N4522E020 N4522E109	er Ribbons Max. Tgt. Min. 0 11 9 11	Shipped Qty (1) 105,820.00	Weight (std lbs) 2,399 2,309	MSF 34.17	Caliper 0.019000 0.018000 0.017000 0.0184 0.0184	Basis Weight 72.000000 72.60 72.60	Moisture AD 7.500000 6.00000 3.000000 5.88 5.88	Sonoco Smoothne ss Top 60.000000 40.000000 45.35 45.35 45.35	Smoothne ss Btm 80.000000 45.000000 55.73 55.73 55.73	Cured-T(15 Sec) 1.500000 0.500000 0.250000 0.57 0.57 0.57	Cured-B(15 Sec) 1.500000 0.500000 0.250000 0.48 0.48 0.48		ID PM4N4522 PM4N4522 PM4N4522 PM4N4522
Lot Numb pecification N4522E020 N4522E100 N4522E120	Cr Ribbons Max. Tgt. Min. 0 11 9 11 0 11	Shipped Qty (II) 105,820.00 101,860.00	Weight (std lbs) 2,399	MSF 34.17 32.89	Caliper 0.019000 0.018000 0.017000 0.0184 0.0184	Basis Weight 72.000000 72.60 72.60	Moisture AD 7.500000 6.00000 3.000000 5.88 5.88 5.88 5.88	Sonoco Smoothne ss Top 60.000000 40.000000 40.000000 45.35 45.35 45.35 45.35	Smoothne ss Btm 80.000000 45.000000 55.73 55.73 55.73 55.73 55.73 55.73	Cured-T(15 Sec) 1.500000 0.500000 0.250000 0.57 0.57 0.57 0.57	Cured-B(15 Sec) 1.500000 0.500000 0.250000 0.48 0.48 0.48 0.48		ID PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522
Lot Numb secification N4522E020 N4522E100 N4522E120 N4522E120	Max. Tgt. Min. 11 9 11 0 11 9 11 9 11 9 11	Shipped Qty (II) 105,820.00 101,860.00 101,860.00	Weight (std lbs) 2,399 2,309 2,309 2,309 2,356	MSF 34.17 32.89 32.89	Caliper 0.019000 0.018000 0.017000 0.0184 0.0184 0.0184	Basis Weight 72.000000 72.60 72.60 72.60 72.60	Nioisture AD 7.500000 6.00000 3.000000 5.88 5.88 5.88 5.88 5.88 5.88 5.	Sonoco Smoothne ss Top 60.000000 40.000000 40.000000 45.35 45.35 45.35 45.35 45.35 45.35	Smoothne ss Btm 80.000000 45.000000 45.000000 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73	Cured-T(15 Sec) 1.500000 0.500000 0.250000 0.57 0.57 0.57 0.57 0.57	Cured-B(15 Sec) 1.500000 0.500000 0.250000 0.48 0.48 0.48 0.48 0.48 0.48		ID PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522
Lot Numb secification N4522E020 N4522E100 N4522E120 N4522E220 N4522E220	Max. Tgt. Min. 0 11 9 11 0 11 9 11 0 11 9 11 9 11 9 11 9 11 9 11 9 11 9 11	Shipped Qty (II) 105,820.00 101,860.00 101,860.00 103,950.00	Weight (std lbs) 2,399 2,309 2,309	MISIF 34.17 32.89 32.89 33.57 33.57 33.57	Caliper 0.019000 0.018000 0.017000 0.0184 0.0184 0.0184 0.0184	Basis Weight 72.000000 72.60 72.60 72.60 72.60 72.60 72.60 72.60	Noisture AD 7.500000 6.00000 3.000000 5.88 5.88 5.88 5.88 5.88 5.88 5.	Sonoco Smoothne ss Top 60.000000 40.000000 40.000000 45.35 45.35 45.35 45.35 45.35 45.35 45.35	Smoothne ss Btm 80.000000 45.000000 45.000000 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73	Cured-T(15 Sec) 1.500000 0.500000 0.250000 0.57 0.57 0.57 0.57 0.57 0.57	Cured-B(15 Sec) 1.500000 0.500000 0.250000 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48		ID PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522
Lot Numb becification N4522E02 N4522E10 N4522E10 N4522E20 N4522E20 N4522E20 N4522E20	Max. Tgt. Min. 0 11 9 11 0 11 9 11 9 11 9 11 9 11 9 11 9 11 9 11 9 11	Shipped Qty (II) 105,820.00 101,860.00 101,860.00 103,950.00 103,950.00	Weight (std lbs) 2,399 2,309 2,309 2,356 2,356	MISF 34.17 32.89 32.89 33.57 33.57 33.57 33.57	Caliper 0.019000 0.018000 0.017000 0.0184 0.0184 0.0184 0.0184 0.0184 0.0184 0.0184	Basis Weight 72.000000 72.60 72.60 72.60 72.60 72.60 72.60 72.60 72.60	Noisture AD 7.500000 6.00000 3.000000 5.88 5.88 5.88 5.88 5.88 5.88 5.	Sonoco Smoothne ss Top 60.000000 40.000000 40.000000 45.35 45.35 45.35 45.35 45.35 45.35 45.35 45.35	Smoothne ss Btm 80.000000 45.000000 45.000000 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73	Cured-T(15 Sec) 1.500000 0.500000 0.250000 0.250000 0.57 0.57 0.57 0.57 0.57 0.57 0.57	Cured-B(15 Sec) 1.500000 0.500000 0.250000 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48		ID PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522
Lot Numb ecification N4522E020 N4522E120 N4522E20 N4522E220 N4522E220 N4522E300 N4522E300 N4522E320	Max. Tgt. Min. 0 11 9 11 0 11 9 11 0 11 9 11 0 11 9 11 0 11 9 11 0 11 9 11 0 11	Shipped Qty (II) 105,820.00 101,860.00 103,950.00 103,950.00 103,950.00	Weight (std lbs) 2,399 2,309 2,309 2,356 2,356 2,356	MISF 34.17 32.89 32.89 33.57 33.57 33.57 33.57 33.57 32.82	Caliper 0.019000 0.018000 0.017000 0.0184 0.0184 0.0184 0.0184 0.0184 0.0184 0.0184 0.0184	Basis Weight 72.000000 72.60 72.60 72.60 72.60 72.60 72.60 72.60 72.60 72.60	Noisture AD 7.500000 6.00000 3.000000 5.88 5.88 5.88 5.88 5.88 5.88 5.	Sonoco Smoothne ss Top 60.000000 40.000000 40.000000 45.35 45.35 45.35 45.35 45.35 45.35 45.35 45.35 45.35	Smoothne ss Btm 80.000000 45.000000 45.000000 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73	Cured-T(15 Sec) 1.500000 0.500000 0.250000 0.57 0.57 0.57 0.57 0.57 0.57 0.57 0.57 0.57 0.57 0.57 0.57	Cured-B(15 Sec) 1.500000 0.500000 0.250000 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48		ID PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522
Lot Numb becification N4522E020 N4522E100 N4522E120 N4522E220 N4522E220 N4522E300 N4522E300 N4522E300 N4522E300 N4522E300	Max. Tgt. Min. 0 11 9 11 0 11 9 11 0 11 9 11 9 11 9 11 9 11 9 11 9 11 9 11 9 11 9 11 9 11	Shipped Qty (II) 105,820.00 101,860.00 103,950.00 103,950.00 103,950.00 103,950.00 103,950.00 101,640.00	Weight (std lbs) 2,399 2,309 2,309 2,356 2,356 2,356 2,356 2,356 2,356 2,304 2,304	MISF 34.17 32.89 32.89 33.57 33.57 33.57 33.57 32.82 32.82 32.82	Caliper 0.019000 0.018000 0.017000 0.0184 0.0184 0.0184 0.0184 0.0184 0.0184 0.0184 0.0184	Basis Weight 72.000000 72.60 72.60 72.60 72.60 72.60 72.60 72.60 72.60 72.60 72.60	Noisture AD 7.500000 6.00000 3.000000 5.88 5.88 5.88 5.88 5.88 5.88 5.	Sonoco Smoothne ss Top 60.000000 40.000000 40.000000 45.35 45.35 45.35 45.35 45.35 45.35 45.35 45.35 45.35 45.35	Smoothne ss Btm 80.000000 45.000000 45.000000 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73	Cured-T(15 Sec) 1.500000 0.500000 0.250000 0.57 0.57 0.57 0.57 0.57 0.57 0.57	Cured-B(15 Sec) 1.500000 0.500000 0.250000 0.48		ID PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522
Lot Numb becification N4522E020 N4522E120 N4522E220 N4522E220 N4522E30 N4522E30 N4522E30 N4522E30 N4522E30 N4522E30 N4522E30 N4522E40 N4522E40	Max. Tgt. Min. 0 11 9 11 0 11 9 11 0 11 9 11 0 11 9 11 0 11 9 11 0 11 9 11 0 11 9 11 0 11	Shipped Qty (II) 105,820.00 101,860.00 103,950.00 103,950.00 103,950.00 103,950.00 101,640.00 101,640.00 106,590.00	Weight (std lbs) 2,399 2,309 2,309 2,356 2,356 2,356 2,356 2,356 2,356 2,304 2,304 2,304 2,304	MISF 34.17 32.89 32.89 33.57 33.57 33.57 33.57 32.82 32.82 32.82 32.82 34.42	Caliper 0.019000 0.018000 0.017000 0.0184 0.0184 0.0184 0.0184 0.0184 0.0184 0.0184 0.0184 0.0184 0.0184	Basis Weight 72.000000 72.60 72.60 72.60 72.60 72.60 72.60 72.60 72.60 72.60 72.60 72.60 72.60 72.60	Noisture AD 7.500000 6.000000 3.000000 5.88 5.88 5.88 5.88 5.88 5.88 5.	Sonoco Smoothne ss Top 60.000000 40.000000 40.000000 45.35 45.35 45.35 45.35 45.35 45.35 45.35 45.35 45.35 45.35 45.35 37.09	Smoothne ss Btm 80.000000 45.000000 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73 55.73	Cured-T(15 Sec) 1.500000 0.500000 0.250000 0.57 0.57 0.57 0.57 0.57 0.57 0.57	Curred-B(15 Sec) 1.500000 0.500000 0.250000 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.48 0.55		ID PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522 PM4N4522
SKU: 109 Lot Numb pecification N4522E02 N4522E10 N4522E10 N4522E10 N4522E20 N4522E20 N4522E20 N4522E20 N4522E30 N4522E30 N4522E40 N4522E40 N4522E40 N4522E40 N4522E40	Max. Tgt. Min. 0 11 9 11 0 11 9 11 0 11 9 11 0 11 9 11 0 11 9 11 0 11 9 11 0 11 9 11 9 11 9 11 9 11	Shipped Qty (II) 105,820.00 101,860.00 103,950.00 103,950.00 103,950.00 103,950.00 103,950.00 101,640.00	Weight (std lbs) 2,399 2,309 2,309 2,356 2,356 2,356 2,356 2,356 2,356 2,304 2,304	MISF 34.17 32.89 32.89 33.57 33.57 33.57 33.57 32.82 32.82 32.82	Caliper 0.019000 0.018000 0.017000 0.0184 0.0184 0.0184 0.0184 0.0184 0.0184 0.0184 0.0184	Basis Weight 72.000000 72.60 72.60 72.60 72.60 72.60 72.60 72.60 72.60 72.60 72.60	Noisture AD 7.500000 6.00000 3.000000 5.88 5.88 5.88 5.88 5.88 5.88 5.	Sonoco Smoothne ss Top 60.000000 40.000000 45.35 45.35 45.35 45.35 45.35 45.35 45.35 45.35 45.35 45.35 45.35 37.09 37.09	Smoothne ss Btm 80.000000 45.000000 55.73	Cured-T(15 Sec) 1.500000 0.500000 0.250000 0.57 0.57 0.57 0.57 0.57 0.57 0.57	Cured-B(15 Sec) 1.500000 0.500000 0.250000 0.48		ID PM4N452 PM4N452 PM4N452 PM4N452 PM4N452 PM4N452 PM4N452 PM4N452 PM4N452 PM4N452 PM4N452

34.22

34.22

34.22

34.22

32.91

32.91

40.05

5.26

5.72

5.72

5.72

5.72

5.34

5.34

5.68

71.20

72.60

72.60

72.60

72.60

72.20

72.20

72.32

33.89

34.31

34.31

34.38

34.38

33.96

33.96

607.90

2,379

2,409

2,409

2,414

2,414

2,384

2,384

42,674

11

11

11

11

11

11

11

24N4522E609

24N4522F509

24N4522F520

24N4522F609

24N4522F620

24N4522F709

24N4522F720

SUBTOTAL

104,940.00

106,260.00

106,260.00

106,480.00

106,480.00

105,160.00

105,160.00

1,882,540.00

0.0178

0.0180

0.0180

0.0180

0.0180

0.0181

0.0181

0.0182

47.64

47.64

47.64

47.64

50.36

50.36

52.59

TOTAL			Ribbons: 198	Packages: 18
Tare Weight Shipment Weight	(std lbs) MSF 720 324 44,725 20,290	This certifies that the product the paper grade(s).	t conforms to the current	specifications for
	(LBS) (KGS)	Signed:	Date:	a consideration of the second

Scanned with CamScanner

1.15

1.15

1.15

1.15

1.50

1.50

0.76

Ribbons: 198

PM4N452214

PM4N452214

PM4N452214

PM4N452214

PM4N452215

PM4N452215

Packages: 18

1.20

1.20

1.20

1.20

1.67

1.67

0.81