

Bill to: CORPORATE TRAFFIC, INC. 2002 SOUTHSIDE BOULEVARD, Jacksonville, FL, 32216 Invoice Date: 03/13/2024 Invoice #: 756139 Terms: NET 30 Due Date: 04/13/2024

Date	Customer Ref #	Origin - Destination	Quantity	Rate	Amount
03/12/2024		2400 Spring Stuebner Rd, Spring, TX 77389, USA - 400 Clanton St, Opelika, AL 36801, USA			
			1	\$1,498.00	\$1,498.00

TOTAL

\$1,498.00

PLEASE NOTE

The right to payment under this invoice has been assigned to Compass payment Solutions LLC (CFS) and all payments hereunder are to be directed to the assignee at the address noted below. Remittances to other than CFS do not constitute payment of this invoice. CFS must be given notification of any claims, agreements or merchandise returns which would affect the payment of all or part of this Invoice on the due date. COMPASS FUNDING SOLUTIONS LLC P.O.BOX 205154 DALLAS, TX 75320-5154 Tel: 844-899-8092

D GR П П Μ Т L Ο Α Α Ξ Ν



Temperature Controlled: No

Carrier: BRZ

Driver:

Phone: 708-303-5150

Truck #:

Pallets: 20

Fax: 708-303-5150

Attention: STEVE Email: EDITH@RTBRZ.COM Trailer #:

Commodity: SPRY FOAM

Weight:

Pieces: 80

44,000.00

Required Equipment: 53' DRY VAN

DRIVER MUST CALL AT FOR DISPATCH ON TRIP # 756139

***** NOTES AND SPECIAL INSTRUCTIONS *****

-1***53' DRY VAN SWINGING DOORS REQUIRED FOR LOADING****

*TRACKING MUST BE SET UP OR NO ACCESSORIALS WILL APPLY**

TRUCKER TOOLS TRACKING REQUIRED, IF NOT KEPT ON FOR THE DURATION OF THE TRIP, THERE IS A \$100 FINE

PRODUCTION SHIPMENT, MUST DELIVER AS SCHEDULED OR LATE CHARGES MAY APPLY FOR DOWNTIME IN PRODUCTION \$100 FEE PER DELIVERY MISSED*

FOOD GRADE TRAILER REQUIRED**

TRAILER MUST BE CLEAN, DRY, ODOR FREE*

SEAL MUST BE INTACT, IF FOR ANY REASON THE SEAL IS NOT INTACT UPON ARRIVING AT DELIVERY IT WILL BE REJECTED AND WILL RESULT IN A CLAIM**

EMERGENCY # 904-716-7879**

Shipper #1							
Address:	HOLCIM 2400 SPRING STUEBNER RD SPRING, TX 77389	Pickup Date & Time: Pickup #:	3/12/2024 7:00:00AM To 3/12/2024 2:00:00PM SP031224-24220				
Directions	*Routing instructions, if any, are for informational purpor No Directions	ses only*					

Consignee #1 Delivery Date & Time: SENSIGREEN 3/13/2024 10:00:00AM To Address: 400 S CLANTON ST 3/13/2024 10:00:00AM OPELIKA, AL 36801 Delivery #: Directions: *Routing instructions, if any, are for informational purposes only* Drivers are required to have a MINIMUM of 3 or 4 load straps or Load Locks to be loaded, Drivers without the required loading equipment are subject to refusal.



3/12/2024 12:49:50PM

Rates & Instructions for Payment

Charge Description

Rate	Sub-Total
	\$1,498.00

Total Due (USD): \$1,498.00

Qty

We require legible copies of paperwork to process your payment. Please reference bill # <u>11448454</u> and <u>include this form with your</u> <u>invoice.</u>

E-Mail All Invoices & POD's to: carrierinvoices@corporatetraffic.com

E-Mail All Other Inquiries to: carrierinquiries@corporatetraffic.com

Terms & Conditions

BASE AMOUNT

Agreed Rates and Charges: Pursuant to Paragraph (III) titled "Rates and Charges" of the existing contract between the parties this rate confirmation shall be a modification of and addendum to said contract. Parties hereby mutually agree to the charges stated below and applying only to the shipment identified below. This rate confirmation includes all accessorial charges and surcharges. Including but not limited to stop-offs, unloading, or fuel surcharges.

Exclusive Use of Trailer: Shipment is booked as 'Exclusive Use'. Putting additional Freight with this shipment is prohibited. If carrier violates this condition it is agreed that, at Corporate Traffics sole discretion, carriers settlement may be offset/reduced.

<u>OS&D / Unloading Fees:</u> All OS&D / Unloading must be approved by Corporate Traffic at time of occurrence. B.O.L.'s must be marked 'Driver Unload' and a receipt must accompany original invoice. We will not honor or pay unloading fees that do not accompany the original invoice. Failure to notify Corporate Traffic regarding OS&D will result in carrier being held 100% responsible. Carrier authorizes Corporate Traffic to deduct any claims from agreed rates/settlement.

No Double Brokering: Carriers must use own equipment. Violation of this will result in payment being made directly to the actual carrier performing the work with this agreement being voided.

<u>Hours of Service</u>: The carrier acknowledges that driver has the available hours of service to make pickup and delivery as scheduled and will not require the Carrier to violate hours of service regulations as established by the FMCSA.

FSMA Transporting Guidelines

Carrier agrees and will ensure that shipments are being transported, pursuant to this Agreement, under conditions that are in compliance with the written food safety related instructions or requirements set forth in the Shipping Document, including any seal, temperature, quality control standards and delivery date requirements, will be considered "adulterated" within the meaning of the Food Drug & Cosmetic Act (21 U.S.C. §§ 342(a)(i)(4), 342(i)). Carrier understand that adulterated shipments may be refused by the Shipper, consignee or receiver upon their tender for delivery at destination, with or without inspection. Carrier will assume Full liability and Full Loss for loss or damage to cargo resulting from the breach of any of the foregoing requirements specified in this Section.

Required Documents

All BOL/POD's and accessorial receipts are required to be submitted 24-48 hours after delivery to the following email carrierinvoices@corporatetraffic.com

We only accept 1 invoice for each load and will not accept rebills so everything must be included on the initial invoice for

Signature & Return Information

FAX BACK TO: 904-493-3222

11448454

Rates, Terms, and Conditions Signed and Accepted by BRZ



3/12/2024 12:49:50PM

Date 3-12-24

Page 1

SHIP FROM	Bill of Lading Number:				
Holcim 2400 Spring Stuebner Rd Spring, TX 77389 Hours <u>7:30 am – 3:30 pm (CST)</u> Office # <u>713-239-0252</u> ***FIRST COME, FIRST SERVE (Appt not needed)***	SP031224 SEAL #	- 24220 7449			
SHIP TO	Broker:				
Sensigreen <u>400 S. Clanton St</u> <u>Opelika, AL 36801</u> Hours <u>7am to 3pm</u> Patrick <u>334-750-2488</u> OR Corey <u>334-663-2117</u> **APPOINTMENT REQUIRED**	Corporate Traffic Logistics 904-224-7292 or holcim@corporatetraffic.com Driver Name & Ph #: X 787-920-0497 Dohn Monten				
SPECIAL	INSTRUCTIONS				
DRY VAN					
PRODUC	TINFORMATION				
Description / LOT Number			# of packages		
Sucraseal LOT S24B067 (1) S24B082 (11) S24C005 (64)	S24C010 (4)		80		
01					
Pulled By:					
Checked By:	5				
COMMODITY DESCRIPTION - SPRAY POLYURETH	ANE FOAM LIQUID	Total Drums	80		
Commodities requiring special or additional care or attention in handling or stowing must be so marked and packaged as to		Total Pallets	20		
ensure safe transportation with ordinary care. See Section 2(e) of NMFC item 360		Total Weight (lbs)	44,075		

Note: Liability limitation for loss or damage in this shipment may be applicable. See 49 USC § 14706(c)(1)(A) and (B). Received, subject to individually determined rates or contracts that have been agreed upon in writing between the carrier and shipper, if applicable, otherwise to the rates, classifications, and rules that have been established by the carrier and are available to the shipper, on request, and to all applicable state and foderal regulations. Carrier Signature /PJtkup Date Receiver Signature/Receiving date Shipper Signaturg/Date sert This is to certify that the above-named materials are Receiver acknowledges receipt of packages listed Carrier acknowledges receipt of packages and required placares. Carrier certifies emergency response information on BOL properly classified, packaged, marked, and labeled, and was shade available and/or carrier has the DOT emergency are in proper condition for transportation according to response guidebook or equivalent documentation in the the applicable regulations of the DOT. vehicle. Property described above is received in good order, except as noted.



Solubility (Water) Solubility (Other) Partition Coefficient (n-Octanol/water) Auto Ignition Point (°C) Decomposition Temperature (°C) Kinematic Viscosity (cSt) Explosive properties Oxidizing properties

Other information

Soluble Not available. Not available. Not available. ~ 484 @ 25 °C Not explosive. Not oxidizing.

SECTION 10: STABILITY AND REACTIVITY

Reactivity Chemical stability Possibility of hazardous reactions

Conditions to avoid Incompatible materials Hazardous decomposition product(s) Stable under normal conditions.

Stable.

This product will react with isocyanates. The reaction is very exothermic and may produce excessive amounts of heat.

Incompatible materials.

Isocyanates.

Combustion or thermal decomposition will evolve toxic and irritant vapours; acrid smoke. Carbon monoxide, Carbon dioxide, nitrogen oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes: Inhalation, Skin Contact, Eye Contact

Information on toxicological effects (by analogy with similar materials):

Acute toxicity (estimated / calculated)Oral: LD50: > 2000 mg/kg (rat)
Dermal: LD50: > 2000 mg/kg (rabbit)
Inhalation: LC50: > 5 mg/L (4 hr) (rat) (aerosol)Corrosivity / IrritationCauses skin irritation. Causes serious eye damage.SensitizationNot to be expected.Repeated dose toxicityNot to be expected.MutagenicityNot to be expected.CarcinogenicityNot to be expected.

NTP	IARC	ACGIH	OSHA
No.	No.	No.	No.

Sucraseal™ 0.5 Spray Foam B-Component VER: 2015-12-22 Page 5 of 7

Toxicity for reproduction Other information Not to be expected. None known.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

Acute toxicity (estimated / calculated)

Long Term Toxicity

Persistence and degradability Bioaccumulative potential LC50(96 hour): >100 mg/l (fish) EC50(48 hour): >100 mg/l (Daphnia magna) EC50 (72 hour):> 100 mg/l (algae) Harmful to aquatic life with long lasting effects. No data. No data.



Sucraseal™ 0.5 Spray Foam B-Component VER: 2015-12-22 Page 3 of 7

Inhalation

Skin Contact

Eye Contact

Ingestion

Most important symptoms and effects, both acute and delayed

Indication of any immediate medical attention and special treatment needed Remove victim to fresh air and keep at rest in a position comfortable for breathing. If breathing is labored, administer oxygen. Get medical advice/attention if you feel unwell.

Take off immediately all contaminated clothing. Rinse skin with water/shower. Get immediate medical attention. Wash contaminated clothing before reuse.

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical attention.

Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

Causes severe skin burns and eye damage.

IF SWALLOWED: Immediately call a POISON CENTER/doctor.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media	
-Suitable Extinguishing Media -Unsuitable Extinguishing Media	Extinguish with water spray, dry chemical, sand or carbon dioxide. None anticipated.
Special hazards arising from the substance or mixture	None
Advice for fire-fighters	Fire fighters should wear complete protective clothing including self- contained breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	Put on protective equipment before entering danger area. Wear protective gloves/protective clothing/eye protection/face protection.
Environmental precautions	Contain spillages with sand, earth or any suitable adsorbent material. Do not allow to enter drains, sewers or watercourses.
Methods and material for containment and cleaning up	Contain spillages with sand, earth or any suitable adsorbent material. Transfer to a container for disposal or recovery. Wash the spillage area with water. If possible prevent water running into sewers.

Reference to other sections Additional Information None None

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Wear protective gloves/protective clothing/eye protection/face protection. Do not breathe dust/fume/gas/mist/vapours/spray.

Conditions for safe storage, including any incompatibilities

-Storage temperature

Store at room temperature. Keep container tightly closed and in a wellventilated place. Store locked up.

-Incompatible materials

Isocyanates

WestRock		CARRIER USE. For all shipments where WeetRock is responsible for finight asymetry please result involces to: WeetRock CP, LLC CID Cass information Bystems P.O. Box 67 Bit. Louis, MD 63166-0067			SIGN AND RETURN THIS COPY DRIVER'S RECEIPT SHIPPING MANIFEST (Delivery Receipt) RECEIPT #: 4264143175					
-				Master BOL 7	lumber: 426402421709		DATE 3/8/2024			
TEMPLE 78504-12	CIAS MCCE , TX 126	IOD GROU	UP - TEMPI	LE-LIB-DLVD-HL						
ACCOUNT	TRUMBLE/T		376	961	LOCATION	. 38	29343		21709	
TRALER		03251	b	CARRER	TRAKES	POA MUTION SC	LUTIONS	LOAD #		GN
		ALLET UND	ER EALINT,	SEAL MODURED ****	RY APPTS BAN & SOAM	DNLY, MUST	AFLERE	NCE PO FOR D	OVRY	
UNDER .	eignt	PrePa	id.							-
ND	POR /	ONDERED	DESCRIPT	DN.	h 🖌 an		Usria.	OTY/UNITS	TETR. COUNT	PYD
C9877034	4882754	12000	IDENT IF A	Dat Max Johnson		-		42/CA	120	c
			10 SHEA 10 PRODUCT 1	DESIGN HOL TODORS						
09677100	48327.55	42000	U 14 x 12 1	of More Jorned	유 김	1	5	28/CA	420	c
9877103	#82/54	40300	IDENTIAL MA STYLE DW CI 14 1/5 × 14 1/ PRODUCT CO	A MCF Janmard		3	4	SHICA	816	0
					PO0 4692	75ken	dor_]	West	CK	
ATS SHIPP	NED .	_			Date: 3/12 Temp. of Produ Total Ca Rec'd	act: [-		Middle	Nose	
Q2 4 Car4	n 8 4W				Total Cs Shert Total Cs Dama Total Cs Kopt: Other Refused	ge:	1	000		
ETS RECEI	VED.	1 3	TAL F72 40631	TOTAL UNITS	Pallets In Brigg of the bridged	SZ .	Heta O	PRCHER BY	E	
	DROFFED AT	WEST	ROCK SHIPP	ING SIGNATURE	Drivers Signatu Rocalivers Nam		t	Hate R	DEMMED	
WITTIN T		Page 1 of 1	2	SIGN AND RET	URN THIS COMP	ANY	10	Ter		



Sucraseal™ 0.5 Spray Foam B-Component VER: 2015-12-22 Page 1 of 7

SAFETY DATA SHEET

OSHA HCS (29 CFR 1910.1200)

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Chemical Name Product Name / Trade Name CAS No. Mixture Sucraseal™ 0.5 lb Spray Foam B-Component Mixture

Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) Uses Advised Against

Details of the supplier of the safety data sheet Company Identification Component for the manufacture of polyurethane polymers None

SES Foam LLC 4008 Louetta Road #538 Spring, Texas 77388 United States of America www.sesfoam.com

(713) 239-0252

Telephone

Emergency telephone number

CHEMTREC 24 hr. 1-800-424-9300 / 1 (703) 527-3887 (Collect calls accepted)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

OSHA HCS (29 CFR 1910.1200)

Skin Irrit. 2; Eye Dam. 1

Label elements

Hazard Symbol



Signal Word(s) Hazard Statement(s)

Precautionary Statement(s) Prevention

Response

DANGER

H315: Causes skin irritation. H318: Causes serious eye damage.

P260: Do not breathe dust/fume/gas/mist/vapours/spray.
P264: Wash (hands and exposed skin) thoroughly after handling.
P280: Wear protective gloves/protective clothing/eye protection/face protection.

P303 + P361 + P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P332+P313: If skin irritation occurs: Get medical advice/attention. P363: Wash contaminated clothing before reuse.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.





Date 3-12-24 BILL OF LADING – SHORT FORM – NOT NEGOTIABLE					
SHIP FROM	Bill of Lading Number:				
Holcim 2400 Spring Stuebner Rd Spring, TX 77389 Hours 7:30 am – 3:30 pm (CST) Office # 713-239-0252 ***FIRST COME, FIRST SERVE (Appt not needed)***	SP031224- SEAL # /069				
SHIP TO	Broker:		3		
Sensigreen 400 S. Clanton St Opelika, AL 36801 Hours 7am to 3pm Patrick 334-750-2488 OR Corey 334-663-2117 **APPOINTMENT REQUIRED**	Corporate Traffic Logistics 904-224-7292 o Driver Name & Ph #: X787-920-040 X John Monter	r holcim@corporatetra	affic.com		
SPEC	IAL INSTRUCTIONS				
DRY VAN					
PROD	UCT INFORMATION				
Description / LOT Number			# of packages		
Sucraseal LOT S24B067 (1) S24B082 (11) S24C005 (6	54) S24C010 (4)		80		
21		and the second sec			
Pulled By:					
Checked By:	\$. 				
COMMODITY DESCRIPTION - SPRAY POLYURE	THANE FOAM LIQUID	Total Drums	80		
Commodities requiring special or additional care or attention in handling or stowing must be so marked and packaged as to Total Pallets			20		
ensure safe transportation with ordinary care. See Section 2(e) of NMFC item 360					

Note: Liability limitation for loss or damage in this shipment may be applicable. See 49 USC § 14706(c)(1)(A) and (B).

Received, subject to individually determined rates or contracts that have been agreed upon in writing between the carrier and shipper, if applicable, otherwise to the rates, classifications, and rules that have been established by the carrier and are available to the shipper, on request, and to all applicable state and fod ral regulations.

Carrier Signature /Pitkup Date Shipper Signature/Date Receiver Signature/Receiving date ana This is to certify that the above-named materials are Carrier acknowledges receipt of packages and required Receiver acknowledges, receipt of packages listed placards. Carrier certifies emergency response information properly classified, packaged, marked, and labeled, and on BOL. was made available and/or carrier has the DOT emergency are in proper condition for transportation according to response guidebook or equivalent documentation in the the applicable regulations of the DOT. vehicle. Property described above is received in good order, except as noted.