

Bill to: ATS LOGISTICS PO Box 14218, Fremont, CA, 94539 Invoice Date: 03/29/2024 Invoice #: Order #8646263 Terms: NET 30 Due Date: 04/29/2024

Date	Customer Ref #	Origin - Destination	Quantity	Rate	Amount
03/28/2024		Robco, 215 Broadway, LAWRENCEBURG, IN 47025 - Seven Springs Warehouse, 426 Jerry Lane, CHECK, VA 24072			
			1	\$1,300.00	\$1,300.00

TOTAL	
\$1,300.00	

PLEASE NOTE

The right to payment under this invoice has been assigned to Compass payment Solutions LLC (CFS) and all payments hereunder are to be directed to the assignee at the address noted below. Remittances to other than CFS do not constitute payment of this invoice. CFS must be given notification of any claims, agreements or merchandise returns which would affect the payment of all or part of this Invoice on the due date. COMPASS FUNDING SOLUTIONS LLC P.O.BOX 205154 DALLAS, TX 75320-5154 Tel: 844-899-8092

	Load Confirmation and Rate Agreement 03/28/24 8:25 AM
highway maritime projects logistics	Contact: Ryan Rowe Phone: 320-299-7513 Email: ryanro@ats-inc.com Fax: 320-258-2812 Emergency cell: 864-561-0383
Carrier: RIKI TRANSPORTATION INC. RIKBUIL BRZ BURBANK, IL 60459	Contact: LINDA Phone: 708-852-5654 Fax:
Order # 8646263 Pieces: 0 Trailer: Van or Reefer (DAT) Commodity: PALPRO - EPSOM SALT (NON HAZ) BOL: PO 3258 Dimensions: Weight 44820.0 LB Length: 52 ft	Reference: PICKUP# 51155 Minimum Cargo Insurance: 100000.00 Width: 8 ft 6 in Height: 4 ft 0 in

Stop Number	Туре	Location / Notes	Pickup Time
1	Pickup	Robco 215 Broadway LAWRENCEBURG, IN 47025	03/28/24 9:00 AM 03/28/24 3:30 PM
Phone: 8	12-584-025	2	I
Needs a	head for a	pickup, call contact	
2	Delivery	Seven Springs Warehouse 426 Jerry Lane CHECK, VA 24072	03/29/24 8:00 AM 03/29/24 2:00 PM
Phone: 5	40-651-322	8	
1	except on F and we'll	ridays (0800-1200), but are flexible. Let us know set it up.	when you'd like to
Friday h	ours for r	eceiving - 0800-1200	
arrier Pay I	nformation:	Carrier Freight Pay: \$1,300.00	

Total Pay: \$1,300.00

Charges may apply for late pick-ups or deliveries. It is the driver's responsibility to make sure the load is safe, secure, and legal for transport. Driver is required to accept MacroPoint tracking when requested by broker. The above rate is for exclusive use of truck unless otherwise noted above and Double Brokering is strictly prohibited.

Carrier shall issue a uniform bill of lading (BOL) and perform all transportation services in accordance with the BOL to the extent such terms are not inconsistent with the Broker / Carrier Agreement. The BOL should contain shipper, consignee, shipment dates, description of the commodity and your company as the Motor Carrier.

How to get paid:

All paperwork should include Carrier Invoice, Rate Confirmation, all pages of signed BOL's with backup paperwork such as lumpers, scale tickets.

Submit your paperwork via one of the following options:

1. Transflo Velocity, Mobile+ or Express via smartphone or app. Visit https://www.transflo.com/broker-list/ or smartphone store to download the app. Use Broker ID: AGVSV (receive confirmation of delivery)



Order #8646263

Page 1 of 2

FOR YOUR NEXT LOAD PLEASE VISIT www.brokeredloads.com OR CLICK THE LINK TO REQUEST AN INVITE TO OUR MOBILE APP, ATS FREIGHTMATCH https://www.atsinc.com/carriers/ats-freightmatch

			on and Rate Agreement /24 8:25 AM
AIS		Phone: Email: Fax:	Ryan Rowe 320-299-7513 ryanro@ats-inc.com 320-258-2812
highway maritime projects logistics		Emergency cell:	804-301-0383
Carrier: RIKI TRANSPORTATION INC. BRZ BURBANK, IL 60459	RIKBUIL	Contact: LINDA Phone: 708-852-5 Fax:	5654
2. Email: workflow60@atsinc.com			

3. Fax: 320-258-2565

4. ATS FreightMatch App: Upload all your documents in the app by selecting the *Upload Documents* button under your load Carriers paid in 3-5 business days from processing date when paperwork is received within 10 days from delivery. All others NET 30 days.

The undersigned hereby acknowledges (this Load Confirmation) as correct and accepts the referenced shipment on behalf of the broker. It is agreed that the charges indicated above include all costs fees in connection with the shipment as described. A minimum of \$100,000.00 cargo insurance is required unless otherwise noted above, and in no way represents Carriers limit of Cargo Liability. This Load Confirmation and Rate Agreement is subject to the terms of the Broker/Carrier Agreement and creates a contract carriage shipment.

<u>1099 Tax Information</u>

Beginning with the 2018 tax year, ATS Logistics Services, Inc. dba Sureway Transportation Company will no longer issue an annual form 1099-MISC to carriers per IRC Code section 1.6041-3(C). ATS Logistics Services, Inc. dba Sureway Transportation Company payment summaries do include YTD Earnings. It is suggested that you retain these for your tax records. There will be a minimal charge for copies of annual payment information.

Drivers Name: SERAFIN	Cell Phone #: 581-352-08	335 Truck/Trailer #: 589 / w94948
Phone: 320-299-7513		Phone: 708-852-5654
Fax: 320-258-2812	_	Fax:
Ryan Rowe		E-Signed by: Linda Ferrer IP: 185.107.56.142 Timestamp: 03/28/2024 0825
ATS Logistics Services, Inc.		RIKI TRANSPORTATION INC. LINDA





Release Date:	3	8/6/2024	
CUSTOMER :	TBD		Maria Carlos Carlos
CUST REF.	JS-022224-A	SHIP DATE:	03/15/2024
PRODUCT:	Magnesium Sulfate - Tech	TRAILER NUMBER:	333
	PARTY CONTRACTOR OF THE PARTY OF THE PARTY OF	BILL OF LADING #:	JS-022224-A
SHELF LIFE:	3 Years 771024	PO NUMBER #:	JS-022224-A
CARRIER:		MANUFACTURED:	and the second se
	Zach Sutton	WANUFACTORED.	03/13/2027
UST. CONTACT:	zsution@promiermagnesia.com	EXPIRATION:	00/10/2021

I certify that this material meets all the requirements of the Giles Chemical sales specifications. Periodic testing has shown the samples to be consistently free of volatile organic impurities, Giles Chemical magnesium sulfate is manufactured under the guidelines of Current Good Manufacturing Practices (cGMP).

EPSOM SALT, Magn	esium Sulfate - He	ptahydrate,	Tech Grade
------------------	--------------------	-------------	------------

METHOD	TEST	LOWER	UPPER	Test Results
VISUAL	Appearance			Clear
LAB-500-001	Limit of Chloride	~~	200 ppm	< 200 ppm
LAB-500-001	Limit of Iron	~~	20 ppm	< 20 ppm
LAB-500-001	Selenium	~~	30 ppm	< 30 ppm
LAB-500-001	Heavy Metals (as Pb)	~~	10 ppm	< 10 ppm
LAB-500-001	pH (5% Solution)	5.0	9.2	6.08
LAB-500-001	Loss on Ignition	40.0	52.0	51.0%
LAB-500-001	Assay, % MgSO4 (Dry Basis)	99.0	100.5	99.4%
Calculated from Assay & LOI	% MgSO4 (As is Basis)	47.52	60.3	48.7%
LAB-500-001	ID, Magnesium	~~	~~~	Present
LAB-500-001	ID, Sulfate	~~	~	Present

CONTACT:

ANALYST:

SIGNATURE ON FILE

Quality Assurance Laboratory

Michelle Shank - Quality Manager

Check,	rings Far erry Lane VA 24072 51-3228	m		
Date: 3/28/2024 BILL OF	LADING		Reference: PC	D 3258
SHIP FROM		CONTRACTOR OF THE OWNER WATER OF THE OWNER OF THE OWNER WATER OF THE OWNER WATER OF THE OWNER WATER OF THE OWNER OWNER OF THE OWNER OWNE	НІР ТО	
Name: Robco	Name	Seven S	prings Farm	Supply
Address: 215 Broadway	Address	426 Jerry	Lane	
City/State/Zip: Lawrenceburg, IN 47025	City/State/Zip:	Check, VA	24072	
Contact: MIssy Struble/Cindy Kittle	Contact:	Scott - Pic	ckup# 51155	1
Phone: 800-566-1060		540-651-3	228	
	ORMATION			
Description	Class	# Pkgs	Pallet?	Weight
Epsom Salt - Tecnical Grade(882 x 50lb bags)	50 🔽	10	Yes No	
	50 💽	18		44820
Please call or emaiil for APPOINTMENT at		The second	Yes No	
Robco@robtruck.com				
			Yes No	
PICKUP# 51155 (REQUIRED)	•			
	Total # Pkgs:	18 Pallets	Total Weight:	11820
Pickup from Robco on 3/28 between 8am-3:30p	STRUCTIONIC			44020
- Receving hours are between 8:00 AM and 3:30	O PM Mand			
		So a local of the second s		
NO OVERNIGHT OR AFTER HOURS	PARKING A		PRIMOR	
			RINGS	
NO ADDITIONAL SERVICES OR DELI <u>PRIOR AUTHORIZATION</u> IS OBTAIN <u>NO</u> OVERNIGHT PARKIN Shipper's Signature:	VERY CHARGES	N SPRINGS EA	VLESS JRM.	
Driver's Signature:	ud H.	Luisa	ang 31	28/21/
For Internal Use Only 3 2.8 2 Carrier: ATS Logistics		108/		/
rier: BRZ TrK#	and the second se	voice #:	# W94	Done

	Giles Chemical, a divi	IES sion of Prem	ier Magnesia, LLC		
	200 Brown S	it. Greendale, : (812) 537-4 tificate of An	852		
	S AND AND AND AND A COMPANY	3/6/2024	ALL STATES		
Release Date: CUSTOMER :]		51012021			
CUSTOMER :	JS-022224-A	AND AND AND	SHIP DATE	03/15/2024	_
	Magnesium Sulfate - Tech		TRAILER NUMBER	333	_
SHELF LIFE:	3 Years		BILL OF LADING #	JS-022224-A	
LOT NUMBER:	771024		PO NUMBER #	JS-022224-A	_
CARRIER:			MANUFACTURED	03/13/2024	_
CUST. CONTACT:	Zach Sutton zsutton@premiermagnesia.com		EXPIRATION:	03/13/2027	_
the samples to be consi	al meets all the requirements of istently free of volatile organic in the guidelines of Current (EPSOM SALT, Magnesiun	mpurities. Giles C Good Manufactur	chemical magnesium su ring Practices (cGMP).	itate is manufactured unde	er
the samples to be consi E METHOD	istently free of volatile organic in the guidelines of Current (EPSOM SALT, Magnesiun TEST	mpurities. Giles C Good Manufactur n Sulfate - Hej LOWER	chemical magnesium su ring Practices (cGMP).	rade Test Results	
METHOD VISUAL	Istently free of volatile organic in the guidelines of Current (EPSOM SALT, Magnesiun TEST Appearance	mpurities, Giles C Good Manufactur n Sulfate - Hej	chemical magnesium su ring Practices (cGMP). ptahydrate, Tech G	rade	
METHOD VISUAL LAB-500-001	Istently free of volatile organic in the guidelines of Current of EPSOM SALT, Magnesium TEST Appearance Limit of Chloride	mpurities. Giles C Good Manufactur n Sulfate - Hej LOWER	chemical magnesium su ring Practices (cGMP). ptahydrate, Tech G	rade Test Results	
METHOD VISUAL LAB-500-001 LAB-500-001	Istently free of volatile organic in the guidelines of Current (EPSOM SALT, Magnesiun TEST Appearance	npurities. Giles C Good Manufactur n Sulfate - Hej LOWER	chemical magnesium su ring Practices (cGMP). ptahydrate, Tech G UPPER	rade Test Results Clear	
METHOD VISUAL LAB-500-001 LAB-500-001	Istently free of volatile organic in the guidelines of Current of EPSOM SALT, Magnesium TEST Appearance Limit of Chloride Limit of Iron Selenium	mpurities. Giles C Good Manufactur n Sulfate - Hej LOWER ~~	Chemical magnesium st ring Practices (cGMP). ptahydrate, Tech G UPPER ~~ 200 ppm	rade Test Results Clear < 200 ppm	
METHOD VISUAL LAB-500-001 LAB-500-001 LAB-500-001 LAB-500-001	Istently free of volatile organic in the guidelines of Current of EPSOM SALT, Magnesium TEST Appearance Limit of Chloride Limit of Iron Selenium Heavy Metals (as Pb)	mpurities. Giles C Good Manufactur n Sulfate - Hej LOWER ~~ ~~	Chemical magnesium st ring Practices (cGMP). ptahydrate, Tech G UPPER ~~ 200 ppm 20 ppm	rade Test Results Clear < 200 ppm < 20 ppm	
the samples to be consi E METHOD VISUAL LAB-500-001 LAB-500-001 LAB-500-001 LAB-500-001	Istently free of volatile organic in the guidelines of Current of EPSOM SALT, Magnesium TEST Appearance Limit of Chloride Limit of Iron Selenium	npurities. Giles C Good Manufactur n Sulfate - He LOWER 	Chemical magnesium suring Practices (cGMP). ptahydrate, Tech G UPPER ~~ 200 ppm 20 ppm 30 ppm	rade Test Results Clear < 200 ppm < 20 ppm < 30 ppm	
METHOD VISUAL LAB-500-001 LAB-500-001 LAB-500-001 LAB-500-001 LAB-500-001 LAB-500-001 LAB-500-001 LAB-500-001 LAB-500-001	Istently free of volatile organic in the guidelines of Current (EPSOM SALT, Magnesium TEST Appearance Limit of Chloride Limit of Iron Selenium Heavy Metals (as Pb) pH (5% Solution) Loss on Ignition	npurities. Giles C Good Manufactur n Sulfate - Hej LOWER 	Chemical magnesium suring Practices (cGMP). ptahydrate, Tech G UPPER ~~ 200 ppm 20 ppm 30 ppm 10 ppm	rade Test Results Clear < 200 ppm < 20 ppm < 30 ppm < 10 ppm	
METHOD VISUAL LAB-500-001	istently free of volatile organic in the guidelines of Current of EPSOM SALT, Magnesium TEST Appearance Limit of Chloride Limit of Iron Selenium Heavy Metals (as Pb) pH (5% Solution) Loss on Ignition Assay, % MgSO4 (Dry Basis)	n Sulfate - He LOWER 5.0	Chemical magnesium st ring Practices (cGMP). ptahydrate, Tech G UPPER ~~ 200 ppm 20 ppm 30 ppm 10 ppm 9.2	rade Test Results Clear < 200 ppm < 20 ppm < 30 ppm < 10 ppm 6.08	
the samples to be consi METHOD VISUAL LAB-500-001 LAB-500-001 LAB-500-001 LAB-500-001 LAB-500-001 LAB-500-001 Calculated from Assay & LOI	Istently free of volatile organic in the guidelines of Current (EPSOM SALT, Magnesium TEST Appearance Limit of Chloride Limit of Iron Selenium Heavy Metals (as Pb) pH (5% Solution) Loss on Ignition	npurities. Giles C Good Manufactur n Sulfate - Hej 5.0 40.0	Chemical magnesium suring Practices (cGMP). ptahydrate, Tech G UPPER ~~ 200 ppm 20 ppm 30 ppm 10 ppm 9.2 52.0	rade Test Results Clear < 200 ppm < 20 ppm < 30 ppm < 10 ppm 6.08 51.0%	
METHOD VISUAL LAB-500-001 LAB-500-001	istently free of volatile organic in the guidelines of Current of EPSOM SALT, Magnesium TEST Appearance Limit of Chloride Limit of Iron Selenium Heavy Metals (as Pb) pH (5% Solution) Loss on Ignition Assay, % MgSO4 (Dry Basis)	npurities. Giles C Good Manufactur n Sulfate - Hej 5.0 40.0 99.0	Chemical magnesium st ring Practices (cGMP). ptahydrate, Tech G UPPER ~~ 200 ppm 20 ppm 30 ppm 10 ppm 9.2 52.0 100.5	rade Test Results Clear < 200 ppm < 20 ppm < 30 ppm < 10 ppm 6.08 51.0% 99.4%	
the samples to be consi METHOD VISUAL LAB-500-001 LAB-500-001 LAB-500-001 LAB-500-001 LAB-500-001 LAB-500-001 Calculated from Assay & LOI	istently free of volatile organic in the guidelines of Current of EPSOM SALT, Magnesium TEST Appearance Limit of Chloride Limit of Iron Selenium Heavy Metals (as Pb) pH (5% Solution) Loss on Ignition Assay, % MgSO4 (Dry Basis) % MgSO4 (As is Basis)	npurities. Giles C Good Manufactur n Sulfate - Hej 5.0 40.0 99.0 47.52	Chemical magnesium suring Practices (cGMP). ptahydrate, Tech G UPPER ~~ 200 ppm 20 ppm 30 ppm 10 ppm 9.2 52.0 100.5 60.3	rade Test Results Clear < 200 ppm < 20 ppm < 30 ppm < 10 ppm 6.08 51.0% 99.4% 48.7%	

SEPRINGO SPRINGO SEARM	426 Chec	Orings Far Jerry Lane K, VA 24072 651-3228	·m		
Date: 3/28/2024	BILL O	LADING		Reference: PC	D 3258
SHIP FROM				бнір то	
Name: Robco		max second and a second second second second	Call and the second second second	prings Farm	n Supp
Address: 215 Broadway			426 Jerry		
City/State/Zip: Lawrenceburg, II		City/State/Zip:	Check, VA	A 24072	
Contact: MIssy Struble/Ci	ndy Kittle	Contact:	Scott - Pie	ckup# 51155	
Phone: 800-566-1060			540-651-3	228	
D	ORDER IN	FORMATION			
Description		Class	# Pkgs	Pallet?	We
Epsom Salt - Tecnical Grade(8				• Yes No	
	52 X SUID Dags)	50	18		4482
Please call or emaiil for APPOII				Yes No	
Robco@robtruck.com		+ +		Yes No	
	the second s	+ +		Yes No	
PICKUP# 51155 (REQUIRED)		+ +		Yes No	
(i and	Tablusi		Yes No	
Diele	SHIPPING IN	Total # Pkgs: 1 STRUCTIONS	8 Pallets	Total Weight: 4	44820
- Pickup from Robco on 3/28 bet	WOOD Dom 2.00	A SALE AND A			
- Receving hours are between 8	:00 AM and 3:30	0 PM, Monday	through T	Thure	
NO OVERNICHT OD	A		<u></u>	11013.	
NO OVERNIGHT OR	AFTER HOURS	PARKING AT	SEVEN S	SPRINGS	
	NOT				
NO ADDITIONA	SERVICES OF TH	and the second se	A/11.1		
			CDDINICO	NLESS	
Chinned a	OVERNIGHT PARKIN	IG AT SEVEN SPR	RINGS	uvivi.	
Driver's Signature: Ruben Ty	1.)	1 11			
Receiver's Signature:		Day	Luisg	ang 3/	28/5
or Internal Use Only	3 2.8 2	9 19	63-	/	
arrier: ATS Logistics	Out t			Contraction of the	
nier: BRZ	Quote Amt: \$	Invo	bice #:		

1		Sea	1#21	23035	•
SE TENGS SIRINGS SIRINGS	Seven Spr 426 Jer Check, V 540-65	ry Lane A 24072 1-3228		201	MEGEN
ate: <u>3/28/2024</u>	BILL OF	LADING		Reference: PO (0200
SHIP FROM Name: Robco		Name:	Statements and statements in the second	rings Farm S	Supply
Address: 215 Broadway			426 Jerry L		
ity/State/Zip: Lawrenceburg,	IN 47025	City/State/Zip:			
	Missy Struble/Cindy Kittle Contact: Scott - Pickup#51155				i
Phone: 800-566-1060			540-651-32		
	ORDER INF	ORMATION			
Description		Class	# Pkgs	Pallet?	Weight
			10	Yes No	11000
psom Salt - Tecnical Grade(882 x 50lb bags)	50	18	Yes No	44820
				Yes No	
lease call or emaiil for APPC obco@robtruck.com				Yes No	
obco@robitack.com	120766	-			
ICKUP# 51155 (REQUIRED		-		Yes No	
	,	Total # Pkgs:	18 Pallets		
	SHIPPING II	STRUCTIONS	To T dilets		
Pickup from Robco on 3/28 b	etween 8am-3:30	pm			
Receving hours are between	8:00 AM and 3:30	00 PM, Mond	lay through	h Thurs.	
NO OVERNIGHT C	R AFTER HOUR	S PARKING	AT SEVEN	N SPRINGS	
	NO	TICES			
	NAL SERVICES OR DE	LIVERY CHARG			
PRIOR AUT	HORIZATION IS OBTA	INED FROM SE	VEN SPRING	S FARM.	
	OVERNIGHT PARK	ING AT SEVEN	SPRINGS.		
ipper's Signature: Rubeo	Truns, D	uvid A	Luis	sang	3/28/2
iver's Signature:		p f	ates -	/ /	
ceiver's Signature: DA.	23 28	24 '			
Internal Use Only rier: ATS Logistics					
rian ALS LUGISTICS	Quote Amt: \$		_ Invoice #:		Done Done



Release Date:		3/6/2024	
CUSTOMER : TE	3D		
CUST. REF: JS	-022224-A	SHIP DATE:	03/15/2024
PRODUCT: M	lagnesium Sulfate - Tech	TRAILER NUMBER:	and the second design of the s
SHELF LIFE:	3 Years	BILL OF LADING #:	JS-022224-A
LOT NUMBER:	771024		JS-022224-A
CARRIER: RC	obco	MANUFACTURED:	03/13/2024
CUST. CONTACT:	Zach Sutton sutton@premiermagnesia.com		03/13/2027

I certify that this material meets all the requirements of the Giles Chemical sales specifications. Periodic testing has shown the samples to be consistently free of volatile organic impurities, Giles Chemical magnesium sulfate is manufactured under the guidelines of Current Good Manufacturing Practices (cGMP).

EPSOM SALT, Magnesium Sulfate - Heptahydrate, Tech Grade

METHOD	TEST	LOWER	UPPER	Test Results
VISUAL	Appearance		~~	Clear
LAB-500-001	Limit of Chloride	~~	200 ppm	< 200 ppm
LAB-500-001	Limit of Iron	~~	20 ppm	< 20 ppm
LAB-500-001	Selenium		30 ppm	< 30 ppm
LAB-500-001	Heavy Metals (as Pb)	~~	10 ppm	< 10 ppm
LAB-500-001	pH (5% Solution)	5.0	9.2	6.08
LAB-500-001	Loss on Ignition	40.0	52.0	51.0%
LAB-500-001	Assay, % MgSO4 (Dry Basis)	99.0	100.5	99.4%
Calculated from Assay & LOI	% MgSO4 (As is Basis)	47.52	60.3	48.7%
LAB-500-001	ID, Magnesium		-	Present
LAB-500-001	ID, Sulfate		~~	Present

CONTACT:

ANALYST:

SIGNATURE ON FILE

Michelle Shank - Quality Manager

Quality Assurance Laboratory