Royal 3inc.

Bill to: KCH TRANSPORTATION, INC. 6695 PEACHTREE INDUSTRIAL BLVD, Atlanta, GA, 30301 Invoice Date: 04/15/2024 Invoice #: 8716135 Terms: NET 30 Due Date: 05/15/2024

Date	Customer Ref #	Origin - Destination	Quantity	Rate	Amount
04/10/2024		1810 Brittmoore Rd, Houston, TX 77043, USA - 111 Holleder Pkwy, Rochester, NY 14615, USA			
			1	\$3,500.00	\$3,500.00

TOTAL	
\$3,500.00	

PLEASE NOTE

The right to payment under this invoice has been assigned to Compass payment Solutions LLC (CFS) and all payments hereunder are to be directed to the assignee at the address noted below. Remittances to other than CFS do not constitute payment of this invoice. CFS must be given notification of any claims, agreements or merchandise returns which would affect the payment of all or part of this Invoice on the due date. COMPASS FUNDING SOLUTIONS LLC P.O.BOX 205154 DALLAS, TX 75320-5154 Tel: 844-899-8092

## **Carrier Rate and Load Confirmation**



Load Number: 8716135 Date: 04/09/2024 Equipment Type: Dry Van 53' Cargo Summary: FORKLIFTS, 28383 lbs KCH Transportation, Inc. 1208 King Street Suite 320 Chattanooga, TN 37403 Jensen Seymore (423) 956- 2081 (phone) jseymore@kchtrans.com

Carrier: ZIGI FREIGHT INC

Contact: Riki Kovacevic, (p) 630-485-7370 (f) 630-485-6980 Bill of Lading Number: HNIS10184078 Customer Reference Number: HNIS10184078

Shipper Pickup (Stop 1)	
Mitsubishi Logisnext Americas (Houston) Inc.	Shipper References:
1810 Brittmore Road	Instructions:
HOUSTON, TX US 77043	Pickup/Delivery Number: HNIS10184078
Expected Date: 04/10/2024	
Shipping/Receiving Hours: 05:30-12:00	
Appointment Required: No	
Appointment Time:	

			S	Shipment Informa	ation	
Handlin	ng Unit	Packa	ige			
Qty	Туре	Qty	Туре	Weight	Commodity Description	
				28383 lbs	FORKLIFTS	

Consignee Delivery (Stop 2)	
Prolift,Inc.	Consignee References:
1835 Dale Road	Instructions:
Buffalo, NY US 14225	Pickup/Delivery Number:
Expected Date: 04/12/2024	
Shipping/Receiving Hours: 08:00-16:00	
Appointment Required: No	
Appointment Time:	

				Shipment Informa	ation	
Handlin	ng Unit	Packa	age			
Qty	Туре	Qty	Туре	Weight	Commodity Description	
				28383 lbs	FORKLIFTS	

Consignee Delivery (Stop 3)	
Petada Co. dba Buffalo Materials Handlin	Consignee References:
125 Taylor Dr	Instructions:
Depew, NY US 14043	Pickup/Delivery Number:
Expected Date: 04/12/2024	
Shipping/Receiving Hours: 08:00-16:00	
Appointment Required: No	
Appointment Time:	

			Shipm	ent Information	1
Handling Uni	it	Package	9		
Qty	Туре	Qty	Туре	Weight	Commodity Description

Consignee Delivery (Stop 4)	
Prolift,Inc.	Consignee References:
111 Holleder Parkway	Instructions:
Rochester, NY US 14615	Pickup/Delivery Number:
Expected Date: 04/12/2024	
Shipping/Receiving Hours: 08:00-16:00	
Appointment Required: No	
Appointment Time:	

			Ship	oment Inform	ation	
Handling Un	it	Packa	ge			
Qty	Туре	Qty	Туре	Weight	Commodity Description	
Qty	Туре	Qty	Туре	Weight	Commodity Description	

Carrier Fees	
Description	Cost
Net Freight Charges	USD 3,500.00
Total Cost	USD 3,500.00

## **Load Comments**

Uploading POD's within 48hrs of delivery / IF PODS ARE NOT SENT WITHIN 24 HOURS A RATE REDUCTION WILL OCCUR

## RATE CONFIRMATION AGREEMENT FOR KCH TRANSPORTATION, INC.

- The rate shown includes any applicable fuel surcharges, pickup and delivery charges, loading and unloading, out-of-route, detention, storage, and/or all arbitrary charges, etc... Deviation from these rates must be approved in writing and signed by both parties.
- Any unauthorized unloading will only be reimbursed with a valid unloading receipt.
- Check calls must be made daily by 9 am EST or the carrier will be charged a penalty of \$100 per day.
- If pickup or delivery times are missed, the carrier will be subject to penalty charges of up to \$250 rate deduction per occurence. Additional late delivery charges assessed by the consignee may also apply.
- To collect detention carrier must notify KCH TRANSPORTATION, INC within 2 hours after the appointment time of any delays. Late pick-ups or late deliveries are not eligible for detention charges. If a facility is FCFS, detention will only be paid if the carrier is loaded or unloaded outside of the regular pick-up or delivery hours. If applicable, the arrival and departure times must be stamped and/or written on the BOL.
- All refrigerated loads must be run continuously unless otherwise stated.
- All Comchecks issued are subject to a 3% Admin Fee.
- The driver is responsible for all load counts. If the driver is not granted access to the loading dock, they must call the broker to notify them immediately.
- Driver must pulp product before leaving shipper. (Bulk Shipments Only)
- Failure to accept and maintain load tracking may result in a \$250 rate deduction.
- Any directions given to the carrier are for informational purposes only.
- Carrier acknowledges that they are solely responsible for compliance with all applicable HOS regulations, as well as all other FMCSA regulations.
- No drivers are authorized to break seals under any circumstances. Seals must only be broken by the consignee's
  personnel. Loads delivered without the seals intact will result in fines and potential claims.

- Carrier agrees this shipment will not be re-brokered or said carrier forfeits the right to collect charges and agrees KCH TRANSPORTATION, INC. may pay charges directly to the underlying carrier to collect charges and agrees.
- Carrier representative submission with acceptance and signature indicates approval of all rates and terms listed on rate confirmation.
- POD & backup docs must be submitted to **POD@kchtrans.com** within 24 hours of delivery or a deduction of \$100.00 will be taken from the carrier rate.

## All Carrier Payments are now processed through TriumphPay.com

Please register online in order to receive payments:

- 1. Go to www.secure.TriumphPay.com
- 2. Register your company
- 3. Connect with KCH Transportation, Inc.
- 4. Add your payment information
- 5. Control your money!

Login to TriumphPay.com to set up your default payment method. <u>Todos los pagos del operador ahora se procesan a través de TriumphPay.com</u> <u>Regístrese en línea para recibir pagos:</u>

- 1. Ir a www.secure.TriumphPay.com
- 2. <u>Registre su empresa</u>
- 3. Conéctese con KCH Transportation, Inc.
- 4. Agregue su información de pago
- 5. <u>¡Controla tu dinero!</u>

Inicie sesión en TriumphPay.com para configurar su método de pago predeterminado. For Quick Pay please send your paperwork to <u>payments@kchtrans.com</u>

Please send all invoices and supporting documents to billing@kchtrans.com for payment processing.

Pay terms begin once KCH Transportation has received a carrier invoice, legibly signed proof of delivery, and all other supporting documents.

KCH TRANSPORTATION, INC. 1208 King Street, Suite 320 Chattanooga, TN 37403 (770) 962-6829 www.kchtrans.com

	,		
	1	111	
· 1. 1	4 All	4/15/7.4	
	Completed by Rec	eiving Party Breaking Seal	
Seal Number Arrived On T Name:		Seal Intact? Y or N (circle one) Date/Time: Signature	
Where the rate is depende property isspecifically state	nt on value, shippers are required to state specifically in writind by the shipper to be not exceedingper	ng the agreed or declared value of the property as follows: "The agreed or declared va	lue of the
COD Remit To:	Collection Type:	COD Amount:	
COD Fee:	loss or damage in this shipment may be applicable. See 49 I	JSC 14706(c)(1)(A) and (B). SECTION 7: The carrier shall not make delivery of Trailer Loaded Freight	Counted
Note: Liability limitation for	carrier and shipper, if applicable, otherwise to the rates,	this shipment without payment of freight and allby Shipperby	Shipper Driver
Note: Liability limitation for Received, subject to individ upon in writing between the	d to all applicable state and federal regulations.		
Note: Liability limitation for Received, subject to indivisu upon in writing between the classifications and rules the the shipper, on request, an		Carrier Signature / Pickup Date	Uniter
Note: Liability limitation for Received, subject to individue upon in writing between the classifications and rules that the shipper, on request, an Shipper Signature / Date This is to certify that the a	d to all applicable state and federal regulations. bove named materials are properly classified, packaged, are in proper condition for transportation according to the ne Department of Transportation.		rtment o

man					MASTER BOL NO:	UNIS10184	078
-				T	MASTER BOL NO: Carrier: KCH TRANSPOR Bro Number: HNIS10184070	HNISTENC.	
-				7	MASTER KCH TRANSPOR	TATION	
-		BILL OF LADING		2	Carrier: KCH TRANSF 0.00 Pro Number: HNIS1018407	,	-
Mitsubis	NI I COMPANY AND A DESCRIPTION OF A DESCRIPA DESCRIPTIONO OF A DESCRIPTION OF A DESCRIPTIONO OF A DESCRIPANO	er (First Pickup)			Pro Number: 111/2024 Pickup Date: 04/10/2024		-
1810 Bri	ittmore Road	Rouscony siles			Pickup Date: 04/10/2024 Delivery Date: 04/11/2024 Reference	is	-
Houston,	TX 77043 USA				WMSOrderID: 1546468		
					WHEOREACI LIEVLOUG.	GH	
	Consign	ce (Last Delivery)	Contraction of the	Contraction of the local division of the loc	unicorder TD: 1545472		
Prolift,	Inc	ce (amore a concesso)			no Number: WW+4 - 3		
Rocheste	ender Parkway r, NY 14615 USA				WMSOrderID: 1578004 PO Number: FISHER EF	G220-2	
	1, WI 14015 USA				MUCO-desTD: 1578003		
					PO Number: FISHER EF	G220-1	
					100000000000000000000000000000000000000		
	Bill To			Freight Terms	PO Number: S0829119-	001-711540	
PO Box 22	hi Logisnext Americas c	o GEODIS Logist	ics LLC	Prepaid	WMSOrderID: 1544929		
Attn: Fre	aight Pay				PO Number: WW ECR327 WMSOrderID: 1571185	8	
	1, TN 37024 USA				PO Number: S0829118-	001-711540	
					177 - 1		
					https://visibility.a rack/Token/FZZTDWT2F	ms.geodis. KANIX8UA0G	com/t p1Gee
					Token:		
					https://visibility.a rack/Token/P50XBXTE	ms.geodis. PUQJK1X4FCR	com/t FNWee
					Token:		
					https://visibility.a rack/Token/NJPpSPls		
					Token: https://visibility. rack/Token/MRBHS2TQ		
					Token: https://visibility. rack/Token/4WSDTL4A		
					Token:		
					https://visibility. rack/Token/TEXDTMM	ams.geodis J5EMJHAOVMV	.com PQMQ
					Token:		
					https://visibility rack/Token/NTAGEJK	.ams.geodi: SMOpXQ7R2p	s.com 1 TVBA
					Pickup Appointment 07:30 AM		
					Bid Count: 2		
Instruction					Tracking ID: TXHXX	1HA	
	s to shipment bill of 1	adingo for			Access		
and rerer	co surplient bill of 1						
vent	Location	DRO	OP ROUTI				-
2	Prolift,Inc.	City Buffalo	State NY	Zip 14225	Order	Weight	Quar
					1578004	E 000	
					1578005	5,800	
Date 04/11/20	024				Sub Total	5,800	
	D 00 1 1 1				oub iotal	11,600	
	<b>Buffalo Materials</b>	Depew	NY	14043			
					1571184	6 101	
					1571184	6,181	
					10/1100	6,202	

Page 1 of 16

-		-			51	Order Sub Total	Weight Quar 12,383	atity 2
+	Event Drop Date 04/11/2024	Location	City	State	Zip	Sub Tot	156	1
7	Num 4	Prolift,Inc.	Rochester	NY 1	14615	1546468 1546472 1544929 Sub Total	1,466 1,467 1,468 4,401 28,384	1 3
I	Drop Date 04/11/2024			_		Grand Total	28,384	
erty isspec	utically stated by the ships	hippers are required to per to be not exceeding	utate specifically in writin per	ig Tre agreed	d or declared va	Lue of the property as follo	ws. The speed or	Sectored raises of
ony isspector D Remit	ofically stated by the ships To:	per to be not exceeding	vale specifically in write	ng the agreed	d or declared va		ws. The speed or	Sacharad value of
orty sapeo D Remit D Fee: Liability Im	ofically stated by the ships To: C	Collection Type:	be applicable. See 49 (	JSC 14706(c	COD Amo c)(1)(A) and (B)	unt		
erty aspec D Remit D Fee. Liability Im ved. subject a writing be cations and	ofically stated by the ships To:	collection Type: a in this shipment may ed rates or contracts th hopper, if applicable, oth	be applicable. See 49 ( al have been agreed envise to the rates, r and are available to	JSC 14706(c SECTION this shipme	COD Amo			Sectored value of Presign Cour by Ship by Gri
D Remit D Fee: Liability lim ved, subject n writing be fications and	Inically stated by the ships To: Contraction for loss or damage of to individually determine eleveen the carrier and shi divides that have been in	collection Type: a in this shipment may ed rates or contracts th hopper, if applicable, oth	be applicable. See 49 ( al have been agreed envise to the rates, r and are available to	JSC 14706(c SECTION this shipme	COD Armo c)(1)(A) and (B) 7 The carrier s ent without pay	unt: hall not make delivery of	Trailer Loaded	Freight Cour

Prolift, Ill Holl Rocheste See Mas Special Special Special	L Logisnext Ameri tmore Road TX 77043 USA Inc. Lender Parkway er, NY 14615 USA Ster BOL for Bill		Delivery During Content of the series       Both PO Number: WW+4 - 4       PO Number: WW+4 - 4       Serial Number: 82805745       Model Number: ECR327A       Load ID: HNIS10184078       Freight Terms       Prepaid
Prolift, 111 Holl Rocheste See Mas Special Custor	L Logisnext Ameri tmore Road TX 77043 USA Inc. Lender Parkway er, NY 14615 USA ster BOL for Bill Instructions al Instructions: ; mer;Ready to Ship	Consignee Bill To To Contact Phone Numb Date: 20240401;Cus	Pickup Date: 04/11/2024 Delivery Date: 04/11/2024 References PO Number: WW+4 = 4 Serial Number: 82805745 Model Number: ECR327A Load ID: HNISI0184078 Freight Terms Prepaid Der: 585-254-4950;Order Type: stomer Name: WRIGHT WISNER
Prolift, 111 Holl Rocheste See Mas Special Custor	L Logisnext Ameri tmore Road TX 77043 USA Inc. Lender Parkway er, NY 14615 USA ster BOL for Bill Instructions al Instructions: ; mer;Ready to Ship	Consignee Bill To To Contact Phone Numb Date: 20240401;Cus	Delivery During Content of the series       Both PO Number: WW+4 - 4       PO Number: WW+4 - 4       Serial Number: 82805745       Model Number: ECR327A       Load ID: HNIS10184078       Freight Terms       Prepaid
Prolift, Ill Holl Rocheste See Mas Special Custor	Inc. Lender Parkway er, NY 14615 USA ster BOL for Bill Instructions: ; mer;Ready to Ship	Consignee Bill To To Contact Phone Numb Date: 20240401;Cus	PO Number: WW+4 - 4       Po Number: 82805745       Model Number: ECR327A       Load ID: HNIS10184078       Prepaid       Prepaid
Prolift, Ill Holl Rocheste See Mas Special Special Custor	Inc. Lender Parkway er, NY 14615 USA ster BOL for Bill Instructions: ; mer;Ready to Ship	Consignee Bill To To Contact Phone Numb Date: 20240401;Cus	Serial Number: 92007 Model Number: ECR327A Load ID: HNIS10184078 Freight Terms Prepaid Der: 585-254-4950;Order Type: stomer Name: WRIGHT WISNER
Prolift, 111 Holl Rocheste See Mas Special Custor	Inc. Lender Parkway er, NY 14615 USA ster BOL for Bill Instructions al Instructions: ; mer;Ready to Ship	Bill To To Contact Phone Numb Date: 20240401;Cus	Serial Number: ECR327A Model Number: ECR327A Load ID: HNIS10184078 Prepaid Der: 585-254-4950;Order Type: stomer Name: WRIGHT WISNER
Prolift, 111 Holl Rocheste See Mas Special Special Custor	Inc. Lender Parkway er, NY 14615 USA ster BOL for Bill Instructions: ; mer;Ready to Ship	Bill To To Contact Phone Numb Date: 20240401;Cus	Model Number: Der Load ID: HNIS10184078 Load ID: HNIS10184078 Prepaid Ser: 585-254-4950;Order Type: stomer Name: WRIGHT WISNER
See Mas See Mas Special Special Custor	ster BOL for Bill Instructions al Instructions: ; mer;Ready to Ship	Bill To To Contact Phone Numb Date: 20240401;Cus	Load ID: HNISTOTOT Freight Terms Prepaid Ser: 585-254-4950;Order Type: stomer Name: WRIGHT WISNER Prepaid
See Mas See Mas Special Special Custor	ster BOL for Bill Instructions al Instructions: ; mer;Ready to Ship	Bill To To Contact Phone Numb Date: 20240401;Cus	Freight Terms       Prepaid       Oer: 585-254-4950;Order Type:       Stomer Name: WRIGHT WISNER       Press
See Mas See Mas Special Special Custor	ster BOL for Bill Instructions al Instructions: ; mer;Ready to Ship	To Contact Phone Numb Date: 20240401;Cus	Prepaid  Prepaid  Accessorials  Accessorials  NMEC Item Description
See Mas See Mas Special Custor	ster BOL for Bill Instructions al Instructions: ; mer;Ready to Ship	To Contact Phone Numb Date: 20240401;Cus	Prepaid  Prepaid  Accessorials  Accessorials  NMEC Item Description
Rocheste See Mas Special Special Custor	ster BOL for Bill Instructions al Instructions: ; mer;Ready to Ship	To Contact Phone Numb Date: 20240401;Cus	Prepaid  Prepaid  Accessorials  Accessorials  NMEC Item Description
Special J Special Custor	ster BOL for Bill Instructions al Instructions: ; mer;Ready to Ship	To Contact Phone Numb Date: 20240401;Cus	Prepaid  Prepaid  Accessorials  Accessorials  NMEC Item Description
Special J Special Custor	ster BOL for Bill Instructions al Instructions: ; mer;Ready to Ship	To Contact Phone Numb Date: 20240401;Cus	Prepaid  Prepaid  Accessorials  Accessorials  NMEC Item Description
Special J Specia Custor	ster BOL for Bill Instructions al Instructions: ; mer;Ready to Ship	To Contact Phone Numb Date: 20240401;Cus	Prepaid  Prepaid  Accessorials  Accessorials  NMEC Item Description
Special J Specia Custor	Instructions al Instructions: ; mer;Ready to Ship	Contact Phone Numb Date: 20240401;Cus	Der: 585-254-4950;Order Type: stomer Name: WRIGHT WISNER
Special J Special Custor	Instructions al Instructions: ; mer;Ready to Ship	Contact Phone Numb Date: 20240401;Cus	Der: 585-254-4950;Order Type: stomer Name: WRIGHT WISNER
Custor	mer;Ready to ship		Der: 585-254-4950;Order Type: stomer Name: WRIGHT WISNER
Custor	mer;Ready to ship		Der: 585-254-4950;Order Type: stomer Name: WRIGHT WISNER
Custor	mer;Ready to ship		Der: 585-254-4950;Order Type: stomer Name: WRIGHT WISNER
Custo	mer;Ready to ship		NMEC Item Description
	)ty Type	Weight HM (X	Item Description
	ty Type		
		64	SHRINK WRAP HOLDER (NO OPT MOUNTING
	1 EA	64	ALARM TRAVEL-BOTH DIRECTIONS
A list	1 EA 1 EA	64	JUNGHEINRICH 6000# WALKIE END RIDER
	1 EA	64	6 000 lb. Capacity End Rider with 48" X
	1 EA	64	Electric Power Steering
-	1 EA	64	Programming For High Level Performance
	1 EA	64	31.7X13.5X31.5" - 1430 Battery
	1 EA	64	Pallet Entry Slides
	1 EA	64	Standard Key Switch
	1 EA	64	PLATFORM W/SUSPENDED COMFORT FLOOR PAD
	1 EA 1 EA	64 64	24V Lead Acid Battery Prep
	1 EA	64	ProTracLink Stability Casters STD Drive Tire: Poly Press On 12.0" X
	I EA	64	STD DELVE LIFE: Poly Press On 12.0" X STD LD WHL: Polyurethane High Durometer
	1 EA	64	UL RATED TYPE E
	1 EA	64	High Speed - Continuous Hold
	1 EA	64	LITERATURE KIT
- 12 8	1 EA	64	60" (1524 mm) Load Backrest Fixed
	1 EA	64	Battery Connector: SB 350 (Red)
	1 EA	64	COAST CONTROL WITH MECHANICAL TILLED
	1 EA 1 EA	64	English Language Markings
	1 EA	64 64	KNEE PADS ON DRIVE UNIT COMPAREMENT
	23	1,466	PROPICK BUTTONS (ON SIDE OF CHARGESO)
		1,400	TOTAL PALLET: 22.0 GRAND TOTALS:
			TOTALS:

Page 11 of 16

			BOL NO: 1546472	1
			ILL OF LADING Stop Number: 3 Carrier: KCH TRANSPORTAT	ION, INC.
and the second s			Stop TADING Carrier: KCH TRANSPORTAT	10.3
	UND	ERLYING BI		-
	La Carlo	Ship	ston) Inc. Pickup Date: 04/11/2024 Delivery Date: 04/11/2024	
ubishi Log Brittmore	isnext Amer	icas (nous		1000
ton, TX 7	7043 USA		Serial Number: 82805747	
conj an a			Model Number: ECR32/A	
			no Number: WW+4 - 3	
			Load ID; HNIS101840/8	
	The same as	Cons	signee	
lift,Inc. Hollender chester, N	r Parkway Y 14615 USA	•		
		10 and	Freight Terms	
		Bill To	Prepaid	
e Master B	SOL for Bill	То		
			Accessorials	2 Grand and
ecial Instructi pecial Inst ustomer;Rea	and the second	Contact Pho Date: 20240	one Number: 585-254-4950;Order Type: 0326;Customer Name: WRIGHT WISNER	
pecial Inst ustomer;Rea	ructions: ; ady to Ship	Date: 20240	one Number: 585-254-4950;Order Type: 0326;Customer Name: WRIGHT WISNER	LTL Cla
	and the second	Contact Pho Date: 20240 Weight 64	one Number: 585-254-4950;Order Type: 0326;Customer Name: WRIGHT WISNER	<b>LTL Cla</b> 55.0
Qty	tructions: ; ady to Ship Type	Weight	one Number: 585-254-4950;Order Type: 0326;Customer Name: WRIGHT WISNER HM (X) NMFC Item Description	
pecial Inst ustomer;Rea Qty 1	ructions: / ady to Ship Type EA	Weight 64	One Number:       585-254-4950;Order Type:         O326;Customer Name:       WRIGHT WISNER         HM (X)       NMFC       Item Description         JUNGHEINRICH 6000#       WALKIE END RIDER	55.0
Qty 1	ructions: / ady to Ship Type EA EA	Weight 64 64	HM (X)       NMFC       Item Description         JUNGHEINRICH 6000# WALKIE END RIDER         Programming For High Level Performance	55.0 55.0
Qty 1 1	Type EA EA EA EA EA	Weight 64 64 64	HM (X)       NMFC       Item Description         JUNGHEINRICH 6000#       WALKIE END RIDER         Programming For High Level Performance       STD LD WHL: Polyurethane High Durometer	55.0 55.0 55.0
Qty 1 1 1 1	Type EA EA EA EA EA EA EA	Weight 64 64 64 64 64 64	Item Description         HM (X)       NMFC       Item Description         JUNGHEINRICH 6000# WALKIE END RIDER       Programming For High Level Performance         STD LD WHL: Polyurethane High Durometer       SHRINK WRAP HOLDER (NO OPT MOUNTING         PLATFORM W/SUSPENDED COMFORT FLOOR PAD       ProTracLink Stability Casters	55.0 55.0 55.0 55.0
Qty 1 1 1 1 1 1	Type EA EA EA EA EA EA EA EA EA EA	Weight 64 64 64 64 64 64 64 64 64	Item Description         HM (X)       NMFC       Item Description         JUNGHEINRICH 6000#       WALKIE END RIDER         Programming For High Level Performance       STD LD WHL: Polyurethane High Durometer         SHRINK WRAP HOLDER (NO OPT MOUNTING       PLATFORM W/SUSPENDED COMFORT FLOOR PAD         ProTracLink Stability Casters       UL RATED TYPE E	55.0 55.0 55.0 55.0 55.0 55.0
Qty 1 1 1 1 1 1 1 1 1 1 1 1	Type EA EA EA EA EA EA EA EA EA EA EA	Weight 64 64 64 64 64 64 64 64 64 64	Item Description         HM (X)       NMFC       Item Description         JUNGHEINRICH 6000# WALKIE END RIDER       Frogramming For High Level Performance         STD LD WHL: Polyurethane High Durometer       SHRINK WRAP HOLDER (NO OPT MOUNTING         PLATFORM W/SUSPENDED COMFORT FLOOR PAD       ProTracLink Stability Casters         UL RATED TYPE E       PROPICK BUTTONS (ON SIDE OF CHASSIS)	55.0 55.0 55.0 55.0 55.0 55.0 55.0
Qty 1 1 1 1 1 1 1 1 1	Type EA EA EA EA EA EA EA EA EA EA EA EA EA	Weight           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64	Item Description         HM (X)       NMFC       Item Description         JUNGHEINRICH 6000# WALKIE END RIDER       JUNGHEINRICH 6000# WALKIE END RIDER         Programming For High Level Performance       STD LD WHL: Polyurethane High Durometer         SHRINK WRAP HOLDER (NO OPT MOUNTING       PLATFORM W/SUSPENDED COMFORT FLOOR PAD         ProTracLink Stability Casters       UL RATED TYPE E         PROPICK BUTTONS (ON SIDE OF CHASSIS)       Standard Key Switch	55.0 55.0 55.0 55.0 55.0 55.0 55.0
Qty 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Type EA EA EA EA EA EA EA EA EA EA EA EA EA	Weight           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64	Item Description         HM (X)       NMFC       Item Description         JUNGHEINRICH 6000# WALKIE END RIDER       Frogramming For High Level Performance         STD LD WHL: Polyurethane High Durometer       SHRINK WRAP HOLDER (NO OPT MOUNTING         PLATFORM W/SUSPENDED COMFORT FLOOR PAD       ProTracLink Stability Casters         UL RATED TYPE E       PROPICK BUTTONS (ON SIDE OF CHASSIS)         Standard Key Switch       High Speed - Continuous Hold	55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0
Qty 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Type EA EA EA EA EA EA EA EA EA EA EA EA EA	Weight           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64	One Number: 585-254-4950;Order Type:         Old 26;Customer Name: WRIGHT WISNER         HM (X)       NMFC       Item Description         JUNGHEINRICH 6000# WALKIE END RIDER         Programming For High Level Performance         STD LD WHL: Polyurethane High Durometer         SHRINK WRAP HOLDER (NO OPT MOUNTING         PLATFORM W/SUSPENDED COMFORT FLOOR PAD         ProTracLink Stability Casters         UL RATED TYPE E         PROPICK BUTTONS (ON SIDE OF CHASSIS)         Standard Key Switch         High Speed - Continuous Hold         31.7X13.5X31.5" - 1430 Battery	55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0
Qty 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Type EA EA EA EA EA EA EA EA EA EA EA EA EA	Weight           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64	Item Description         HM (X)       NMFC       Item Description         JUNGHEINRICH 6000# WALKIE END RIDER       Programming For High Level Performance         STD LD WHL: Polyurethane High Durometer       SHRINK WRAP HOLDER (NO OPT MOUNTING         PLATFORM W/SUSPENDED COMFORT FLOOR PAD       ProTracLink Stability Casters         UL RATED TYPE E       PROPICK BUTTONS (ON SIDE OF CHASSIS)         Standard Key Switch       High Speed - Continuous Hold         31.7X13.5X31.5" - 1430 Battery       Electric Power Steering	55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0
Qty 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Type EA EA EA EA EA EA EA EA EA EA EA EA EA	Weight           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64	One Number: 585-254-4950;Order Type:         0326;Customer Name: WRIGHT WISNER         HM (X)       NMFC         Item Description         JUNGHEINRICH 6000# WALKIE END RIDER         Programming For High Level Performance         STD LD WHL: Polyurethane High Durometer         SHRINK WRAP HOLDER (NO OPT MOUNTING         PLATFORM W/SUSPENDED COMFORT FLOOR PAD         ProTracLink Stability Casters         UL RATED TYPE E         PROPICK BUTTONS (ON SIDE OF CHASSIS)         Standard Key Switch         High Speed - Continuous Hold         31.7X13.5X31.5" - 1430 Battery         Electric Power Steering         24V Lead Acid Battery Prep	55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0
Qty 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Type EA EA EA EA EA EA EA EA EA EA EA EA EA	Weight           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64	One Number: 585-254-4950;Order Type:         Old 26;Customer Name: WRIGHT WISNER         HM (X)       NMFC       Item Description         JUNGHEINRICH 6000# WALKIE END RIDER         Programming For High Level Performance         STD LD WHL: Polyurethane High Durometer         SHRINK WRAP HOLDER (NO OPT MOUNTING         PLATFORM W/SUSPENDED COMFORT FLOOR PAD         ProTracLink Stability Casters         UL RATED TYPE E         PROPICK BUTTONS (ON SIDE OF CHASSIS)         Standard Key Switch         High Speed - Continuous Hold         31.7X13.5X31.5" - 1430 Battery         Electric Power Steering         24V Lead Acid Battery Prep         Battery Connector: SB 350 (Red)	55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0
Qty 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Type EA EA EA EA EA EA EA EA EA EA EA EA EA	Weight           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64	One Number: 585-254-4950;Order Type:         0326;Customer Name: WRIGHT WISNER         HM (X)       NMFC         Item Description         JUNGHEINRICH 6000# WALKIE END RIDER         Programming For High Level Performance         STD LD WHL: Polyurethane High Durometer         SHRINK WRAP HOLDER (NO OPT MOUNTING         PLATFORM W/SUSPENDED COMFORT FLOOR PAD         ProTracLink Stability Casters         UL RATED TYPE E         PROPICK BUTTONS (ON SIDE OF CHASSIS)         Standard Key Switch         High Speed = Continuous Hold         31.7X13.5X31.5" = 1430 Battery         Electric Power Steering         24V Lead Acid Battery Prep         Battery Connector: SB 350 (Red)         English Language Markings	55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0
Qty 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Type EA EA EA EA EA EA EA EA EA EA EA EA EA	Weight           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64	One Number: 585-254-4950;Order Type:         0326;Customer Name: WRIGHT WISNER         HM (X)       NMFC         Item Description         JUNGHEINRICH 6000# WALKIE END RIDER         Programming For High Level Performance         STD LD WHL: Polyurethane High Durometer         SHRINK WRAP HOLDER (NO OPT MOUNTING         PLATFORM W/SUSPENDED COMFORT FLOOR PAD         ProTracLink Stability Casters         UL RATED TYPE E         PROPICK BUTTONS (ON SIDE OF CHASSIS)         Standard Key Switch         High Speed = Continuous Hold         31.7X13.5X31.5" = 1430 Battery         Electric Power Steering         24V Lead Acid Battery Prep         Battery Connector: SB 350 (Red)         English Language Markings         Pallet Entry Slides	55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0
Qty 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Type EA EA EA EA EA EA EA EA EA EA EA EA EA	Weight           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64	One Number: 585-254-4950;Order Type:         0326;Customer Name: WRIGHT WISNER         HM (X)       NMFC         Item Description         JUNGHEINRICH 6000# WALKIE END RIDER         Programming For High Level Performance         STD LD WHL: Polyurethane High Durometer         SHRINK WRAP HOLDER (NO OPT MOUNTING         PLATFORM W/SUSPENDED COMFORT FLOOR PAD         ProTracLink Stability Casters         UL RATED TYPE E         PROFICK BUTTONS (ON SIDE OF CHASSIS)         Standard Key Switch         High Speed = Continuous Hold         31.7X13.5X31.5" = 1430 Battery         Electric Power Steering         24V Lead Acid Battery Prep         Battery Connector: SB 350 (Red)         English Language Markings         Pallet Entry Slides         LITERATURE KIT	55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0
Qty 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Type EA EA EA EA EA EA EA EA EA EA EA EA EA	Weight           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64	One Number: 585-254-4950;Order Type:         0326;Customer Name: WRIGHT WISNER         HM (X)       NMFC         Item Description         JUNGHEINRICH 6000# WALKIE END RIDER         Programming For High Level Performance         STD LD WHL: Polyurethane High Durometer         SHRINK WRAP HOLDER (NO OPT MOUNTING         PLATFORM W/SUSPENDED COMFORT FLOOR PAD         ProTracLink Stability Casters         UL RATED TYPE E         PROFICK BUTTONS (ON SIDE OF CHASSIS)         Standard Key Switch         High Speed = Continuous Hold         31.7X13.5X31.5" = 1430 Battery         Electric Power Steering         24V Lead Acid Battery Prep         Battery Connector: SB 350 (Red)         English Language Markings         Pallet Entry Slides         LITERATURE KIT         COAST CONTROL WITH MECHANICAL THLED	55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0
Qty 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Type EA EA EA EA EA EA EA EA EA EA EA EA EA	Weight           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64	One Number: 585-254-4950;Order Type:         0326;Customer Name: WRIGHT WISNER         HM (X)       NMFC         Item Description         JUNGHEINRICH 6000# WALKIE END RIDER         Programming For High Level Performance         STD LD WHL: Polyurethane High Durometer         SHRINK WRAP HOLDER (NO OPT MOUNTING         PLATFORM W/SUSPENDED COMFORT FLOOR PAD         ProTracLink Stability Casters         UL RATED TYPE E         PROFICK BUTTONS (ON SIDE OF CHASSIS)         Standard Key Switch         High Speed - Continuous Hold         31.7X13.5X31.5" - 1430 Battery         Electric Power Steering         24V Lead Acid Battery Prep         Battery Connector: SB 350 (Red)         English Language Markings         Pallet Entry Slides         IITERATURE KIT         COAST CONTROL WITH MECHANICAL TILLER         ALARM TRAVEL-BOTH DIRECTIONS	55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0
Qty 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Type EA EA EA EA EA EA EA EA EA EA EA EA EA	Weight           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64	One Number: 585-254-4950;Order Type:         Old 26;Customer Name: WRIGHT WISNER         HM (X)       NMFC       Item Description         JUNGHEINRICH 6000# WALKIE END RIDER         Programming For High Level Performance         STD LD WHL: Polyurethane High Durometer         SHRINK WRAP HOLDER (NO OPT MOUNTING         PLATFORM W/SUSPENDED COMFORT FLOOR PAD         ProTracLink Stability Casters         UL RATED TYPE E         PROFICK BUTTONS (ON SIDE OF CHASSIS)         Standard Key Switch         High Speed = Continuous Hold         31.7X13.5X31.5" = 1430 Battery         Electric Power Steering         24V Lead Acid Battery Prep         Battery Connector: SB 350 (Red)         English Language Markings         Pallet Entry Slides         LITERATURE KIT         COAST CONTROL WITH MECHANICAL TILLER         ALARM TRAVEL-BOTH DIRECTIONS         6 000 lb. Capacity End Rider with 4000	55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0
Qty 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Type EA EA EA EA EA EA EA EA EA EA EA EA EA	Weight           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64	One Number: 585-254-4950:0rder Type:         Old 26; Customer Name: WRIGHT WISNER         HM (X)       NMFC       Item Description         JUNGHEINRICH 6000# WALKIE END RIDER         Programming For High Level Performance         STD LD WHL: Polyurethane High Durometer         SHRINK WRAP HOLDER (NO OPT MOUNTING         PLATFORM W/SUSPENDED COMFORT FLOOR PAD         ProTracLink Stability Casters         UL RATED TYPE E         PROFICK BUTTONS (ON SIDE OF CHASSIS)         Standard Key Switch         High Speed - Continuous Hold         31.7X13.5X31.5" - 1430 Battery         Electric Power Steering         24V Lead Acid Battery Prep         Battery Connector: SB 350 (Red)         English Language Markings         Pallet Entry Slides         LITERATURE KIT         COAST CONTROL WITH MECHANICAL TILLER         ALARM TRAVEL-BOTH DIRECTIONS         6 000 lb. Capacity End Rider with 48" x	55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0
Qty 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Type EA EA EA EA EA EA EA EA EA EA EA EA EA	Weight           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64           64	One Number: 585-254-4950;Order Type:         Old 26;Customer Name: WRIGHT WISNER         HM (X)       NMFC       Item Description         JUNGHEINRICH 6000# WALKIE END RIDER         Programming For High Level Performance         STD LD WHL: Polyurethane High Durometer         SHRINK WRAP HOLDER (NO OPT MOUNTING         PLATFORM W/SUSPENDED COMFORT FLOOR PAD         ProTracLink Stability Casters         UL RATED TYPE E         PROFICK BUTTONS (ON SIDE OF CHASSIS)         Standard Key Switch         High Speed = Continuous Hold         31.7X13.5X31.5" = 1430 Battery         Electric Power Steering         24V Lead Acid Battery Prep         Battery Connector: SB 350 (Red)         English Language Markings         Pallet Entry Slides         LITERATURE KIT         COAST CONTROL WITH MECHANICAL TILLER         ALARM TRAVEL-BOTH DIRECTIONS         6 000 lb. Capacity End Rider with 4000	55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0

Page 13 of 16

ADALAS CONTRACTOR AND A DESCRIPTION OF A				Contra a la la la la la
- Anna				
	6 1			11
	IN	46	4/15/2	4
Seal Number Arrived On	Gompleted Trailer:	By Receiving Party Breaking Seal Seal Intact? Y or N (circle one) Signature	4/15/2 Date/Time:	4
Name:	Frailer:	By Receiving Party Breaking Seal Seal Intact? Y or N (circle one) Signature	4/15/2 Date/Time:	4 ad or declared value of the
Name: Where the rate is depend property isspecifically sta COD Remit To:	Completed Trailer: ent on value, shippers are required to state specifical fed by the shipper to be not exceeding	By Receiving Party Breaking Seal Seal Intact? Y or N (circle one) Signature	4/15/2 Date/Time:	H ad or declared value of the
Name: Where the rate is depend property isspecifically star COD Remit To: COD Fee:	Trailer: ent on value, shippers are required to state specifically ted by the shipper to be not exceeding Collection Type: Collection Type:	Aby Receiving Party Breaking Seal Seal Intact? Y or N (circle one) Signature Ity in writing the agreed or declared value of tagget of the second seco	4/15/2 Date/Time: the property as follows: "The agree	
Name: Where the rate is depend property isspecifically star COD Remit To: COD Fee: Note: Liability limitation for Received, subject to Indi	Trailer: ent on value, shippers are required to state specifically ied by the shipper to be not exceeding Collection Type: It loss or damage in this shipment may be applicable, indually determined rates or contracts that have been indually determined rates or contracts that have	Approximation of the second se	4/15/2       Date/Time:       the property as follows: "The agree the property as follows: "The agree the propere	ded Freight Counted
Name: Where the rate is depend property isspecifically star COD Remit To: COD Fee: Note: Liability limitation for Received, subject to Indi upon In writing between t classifications and rules the shipper, on request, i	Completed realer: ent on value, shippers are required to state specifically red by the shipper to be not exceeding Collection Type: r loss or damage in this shipment may be applicable. ridually determined rates or contracts that have been had have been established by the carrier and are ava and to all applicable state and federal regulations.	Aby Receiving Party Breaking Seal Seal Intact? Y or N (circle one) Signature by in writing the agreed or declared value of the per COD Amount: See 49 USC 14706(c)(1)(A) and (B): agreed SECTION 7: The carrier shall no this shipment without payment o other lawful charges: Shipper: Carrier Signature / Pickup Date	4/15/2 Date/Time: The property as follows: "The agree the make delivery of freight and all Trailer Load	ded Freight Countec operby Shipper verby Driver

			1	M -
				Lank
				Ast I
N. S. S. S. S.				
				feet on
	1 1	1 /	.11	
	4 Act	6	4/15/2	24
Seal Number Arrived On Trailer;	Completed by Re	ceiving Party Breaking Seal	1111	
Name:		Seal Intact? Y or N (circle one) Signature	D¢te/Time:	
Where the rate is dependent on value, ship property isspecifically stated by the shipper COD Remit To:	pers are required to state specifically in writ to be not exceeding per	ing the agreed or declared value of the	property as follows: "The agre	ed or declared value of the
COD Fee: Coll Note: Liability limitation for loss or damage in	ection Type:	COD Amount:		
Received, subject to individually determined upon in writing between the carrier and ship	rates or contracts that have been agreed per, if applicable, otherwise to the rates.	SECTION 7: The carrier shall not n this shipment without payment of fr	nake delivery of Trailer Los eight and all	ded Freight Counted
classifications and rules that have been esta the shipper, on request, and to all applicable	state and federal regulations.	other lawful charges. Shipper:	by Shi by Dr	
Shipper Signature / Date This is to certify that the above named mate marked and labeled, and are in proper cond applicable regulations of the Department of	lition for transportation according to the	Carrier Signature / Pickup Date Carrier acknowledges receipt of p emergency response information Transportation emergency respor Property described above is recei	ackages and required placard was made available and/or ca	s. Carrier certifies mer has the Department of
Shipper:	ET/PD/	Carrier:		
It is mutually agreed as to each carrier of all property, that each service to be performed				

-		MASTER BOL NO: HNIS10184078
1578004	Barco JH 4000# EL 3-WHL PNEU Model: EFG220 FN714853	5800.0 lbs Stop Event: 2 RTSH15
1578005	JH 4000# EL 3-WHL PNEU           Model: EFG220         FN714854	5800.0 lbs Stop Event: 2 RTSH15
1571184	UNICARRIER 4000 LB 3 WHL ELE Model: TX40M AUB2650965	6181.1 lbs Stop Event: 3 RTSH15
1571185	UNICARRIER 4000 LB 3 WHL ELE Model: TX40M AUB2650966	6201.9 lbs Stop Event: 3 RTS Dest State: NY
1546468	JUNGHEINRICH 6000# WALKIE END RIDER Model: ECR327A 82805745	1466.0 1bs Stop Event: 4 RTSH16 Dest State: NY
.546472	JUNGHEINRICH 6000# WALKIE END RIDER Model: ECR327A 82805747	1466.9 1bs Stop Event: 4 RTSH15 Dest State: NY
544929	JUNGHEINRICH 6000# WALKIE END RIDER Model: ECR327A 82805740	1468.1 lbs Stop Event: 4 RTSH15 Dest State: NY

BOL NO: 1544929 Stop Number: 3 Stop Number: 3 Stop Number: MCHTRANSPORTATION, INC. Stop Number: KCHTRANSPORTATION, INC. Stop Number: W410/2024 Delivery Date: 04/10/2024 Delivery Date: 04/10/2024 Deliver
Stop Number: 9         Stop Number: 9           UNDERLVING BILL OF LADING         Carrier: KCH TRANSPORTATION.           Staubishi Logisnext Americas (Houston) Inc.         Pickup Date: 04/10/2024           Bilo Brittmore Road         Bilorery Date: 04/10/2024           Bouston, TX 77043 USA         Pickup Date: 04/10/2024           Prolift, Inc.         F0 Number: WW ECR3278           Bill To         Consignee           Bill To         Freight Terms           Bill To         Prepaid
Pickup Date: 04/11/2024         Dickup Date: 04/11/2024         Delivery Date: 04/11/2024
Pickup Date: 04/11/2024         Dickup Date: 04/11/2024         Delivery Date: 04/11/2024
Delivery Date:           Shipper           Staubishi Logisnext Americas (Houston) Inc.         Delivery Date:           810 Brittmore Road         PO Number: WW ECR327-8           Souston, TX 77043 USA         Serial Number: 02005740           Model Number: ECR327A         Model Number: ECR327A           Prolift,Inc.         Load ID: HNISIO184078           Load ID: HNISIO184078         Load ID: HNISIO184078
International fields         Number:       Number:       WW ECR3277-68         Serial Number:       82805740         Serial Number:       82805740         Model Number:       ECR3276         Serial Number:       82805740         Lisubishi Logisnext Americas       Model Number:         Bill To       Freight Terms         Bill To       Prepaid
Consignee     Model Number: Deter       Prolift,Inc.     Load ID: HNIS10184078       111 Hollender Parkway     Kochester, NY 14615 USA       Bill To     Freight Terms       Prepaid
Consignee     Model Number: Deter       Prolift,Inc.     Load ID: HNIS10184078       111 Hollender Parkway     Kochester, NY 14615 USA       Bill To     Freight Terms       Prepaid
Consignee     Model Number       Prolift, Inc.     Load ID: HNISI0184078       111 Hollender Parkway     Load ID: HNISI0184078       Rochester, NY 14615 USA     Freight Terms       Bill To     Prepaid
Consignee     Load ID: HNIST       Prolift, Inc.     111 Hollender Parkway       Rochester, NY 14615 USA     Freight Terms       Bill To     Prepaid
Prolift,Inc. 111 Hollender Parkway Rochester, NY 14615 USA Bill To Freight Terms Prepaid
Prolift,Inc. 111 Hollender Parkway Rochester, NY 14615 USA Bill To Freight Terms Prepaid
Bill To     Freight Terms
Bill To     Freight Terms
Bill To Freight Terms Prepaid
Bill To Prepaid
Bill 10
See Master BOL for Bill To
Number: 585-254-4950; Order Type:
Special Instructions       Special Instructions: ;Contact Phone Number: 585-254-4950;Order Type:         Special Instructions: ;Contact Phone Number: Subject View of State St
Custometricer Item Description 55
Ope         Type         Weight         HM (X)         NMFC         Electric Power Steering         51           Ope         Type         Weight         HM (X)         NMFC         51         51         51         51
64 EATER BUTTONS (ON SIDE OF CHILD
EA 64 High Speed - Continuous Hold 5
1 EA 64 LITERATURE KIT 5
EA 64 English Language Markings
1     EA     64     English Language Markings       1     EA     64     Standard Key Switch       1     EA     64
1     EA     64     English Language Markings       1     EA     64     Standard Key Switch       1     EA     64
I     EA     64     English Language Markings       I     EA     64     Standard Key Switch       I     EA     64     Programming For High Level Performance       I     EA     64     Programming For High Level Performance       I     EA     64     Programming For High Level Performance       I     EA     64     Other Level Performance       I     EA     64     Other Level Performance
1     EA     64     English Language Markings       1     EA     64     Standard Key Switch       1     EA     64     Programming For High Level Performance       1     EA     64       2     EA     64       3     EA     64       3     EA     64       3     1,7X13,5X31.5" - 1430 Battery
1       EA       64       English Language Markings       5         1       EA       64       Standard Key Switch       5         1       EA       64       Programming For High Level Performance       5         1       EA       64       6000 lb. Capacity End Rider with 48" X       5         1       EA       64       24V Lead Acid Battery Prep       5         1       EA       64       31.7X13.5X31.5" - 1430 Battery       5         1       EA       64       JUNGHEINRICH 6000# WALKIE END RIDER
1       EA       64       English Language Markings       5         1       EA       64       Standard Key Switch       5         1       EA       64       Programming For High Level Performance       5         1       EA       64       6000 lb. Capacity End Rider with 48" X       5         1       EA       64       24V Lead Acid Battery Prep       5         1       EA       64       31.7X13.5X31.5" - 1430 Battery       5         1       EA       64       JUNGHEINRICH 6000# WALKIE END RIDER       5         1       EA       64       SHRINK WRAP HOLDER (NO OPT MOUNTING
1       EA       64       English Language Markings       5         1       EA       64       Standard Key Switch       5         1       EA       64       Programming For High Level Performance       5         1       EA       64       6000 lb. Capacity End Rider with 48" X       5         1       EA       64       24V Lead Acid Battery Prep       6         1       EA       64       31.7X13.5X31.5" - 1430 Battery       7         1       EA       64       JUNGHEINRICH 6000# WALKIE END RIDER       8         1       EA       64       SHRINK WRAP HOLDER (NO OPT MOUNTING         1       EA       64       Pallet Entry Slides
1       EA       64       English Language Markings       5         1       EA       64       Standard Key Switch       5         1       EA       64       Programming For High Level Performance       5         1       EA       64       Programming For High Level Performance       5         1       EA       64       24V Lead Acid Battery Prep       8         1       EA       64       31.7X13.5X31.5" - 1430 Battery       9         1       EA       64       JUNGHEINRICH 6000# WALKIE END RIDER       9         1       EA       64       SHRINK WRAP HOLDER (NO OPT MOUNTING         1       EA       64       Pallet Entry Slides         1       EA       64       PLATFORM W/SUSPENDED COMFORT FLOOR PAD
1       EA       64       English Language Markings       5         1       EA       64       Standard Key Switch       5         1       EA       64       Programming For High Level Performance       5         1       EA       64       Programming For High Level Performance       5         1       EA       64       6000 lb. Capacity End Rider with 48" X       5         1       EA       64       24V Lead Acid Battery Prep       1         1       EA       64       31.7X13.5X31.5" - 1430 Battery         1       EA       64       JUNGHEINRICH 6000# WALKIE END RIDER         1       EA       64       SHRINK WRAP HOLDER (NO OPT MOUNTING         1       EA       64       Pallet Entry Slides         1       EA       64       PLATFORM W/SUSPENDED COMFORT FLOOR PAD         1       EA       64       ALARM TRAVEL-BOTH DIRECTIONS
1EA64English Language Markings1EA64Standard Key Switch1EA64Programming For High Level Performance1EA646 000 lb. Capacity End Rider with 48" X1EA6424V Lead Acid Battery Prep1EA6431.7X13.5X31.5" - 1430 Battery1EA64JUNGHEINRICH 6000# WALKIE END RIDER1EA64SHRINK WRAP HOLDER (NO OPT MOUNTING1EA64PlattForm W/SUSPENDED COMFORT FLOOR PAD1EA64ALARM TRAVEL-BOTH DIRECTIONS1EA6460" (1524 mm) Load Backrest Fixed
1EA64English Language Markings1EA64Standard Key Switch1EA64Programming For High Level Performance1EA646000 lb. Capacity End Rider with 48" X1EA6424V Lead Acid Battery Prep1EA6431.7X13.5X31.5" - 1430 Battery1EA64JUNGHEINRICH 6000# WALKIE END RIDER1EA64SHRINK WRAP HOLDER (NO OPT MOUNTING1EA64Plattentry Slides1EA64ALARM TRAVEL-BOTH DIRECTIONS1EA6460" (1524 mm) Load Backrest Fixed1EA64KNEE FADS ON DRIVE UNIT COMPARTMENT
IEA64English Language Markings1EA64Standard Key Switch51EA64Programming For High Level Performance51EA646000 lb. Capacity End Rider with 48" X24V Lead Acid Battery Prep1EA6431.7X13.5X31.5" - 1430 Battery1EA64JUNGHEINRICH 6000# WALKIE END RIDER1EA64SHRINK WRAP HOLDER (NO OPT MOUNTING1EA64Pallet Entry Slides1EA64Platform W/SUSPENDED COMFORT FLOOR PAD1EA6460" (1524 mm) Load Backrest Fixed1EA6460" (1524 mm) Load Backrest Fixed1EA64STD Drive Tire: Poly Press on 12.0" X1EA64STD Drive Tire: Poly Press on 12.0" X
1EA64English Language Markings1EA64Standard Key Switch1EA64Programming For High Level Performance1EA64Programming For High Level Performance1EA6424V Lead Acid Battery Prep1EA6431.7X13.5X31.5" - 1430 Battery1EA64JUNGHEINRICH 6000# WALKIE END RIDER1EA64SHRINK WRAP HOLDER (NO OPT MOUNTING1EA64Pallet Entry Slides1EA64Pallet Entry Slides1EA6460" (1524 mm) Load Backrest Fixed1EA64STD Drive Tire: Poly Press on 12.0" X1EA64STD LD WHL: Polyurethane High Durometer1EA64STD LD WHL: Polyurethane High Durometer
1EA64English Language Markings1EA64Standard Key Switch1EA64Programming For High Level Performance1EA6424V Lead Acid Battery Prep1EA6431.7X13.5X31.5" - 1430 Battery1EA6431.7X13.5X31.5" - 1430 Battery1EA6431.7X13.5X31.5" - 1430 Battery1EA6431.7X13.5X31.5" - 1430 Battery1EA6431.7X13.5X31.5" - 1430 Battery1EA64SHRINK WRAP HOLDER (NO OPT MOUNTING1EA64SHRINK WRAP HOLDER (NO OPT MOUNTING1EA64SHARM TRAVEL-BOTH DIRECTIONS1EA6460" (1524 mm) Load Backrest Fixed1EA64STD Drive Tire: Foly Press on 12.0" X1EA64STD LD WHL: Polyurethane High Durometer1EA64COAST CONTROL WITH MECHANICAL TILLER1EA64COAST CONTROL WITH MECHANICAL TILLER
IEA64English Language Markings1EA64Standard Key SwitchFogramming For High Level Performance1EA64Programming For High Level PerformanceFogramming For High Level Performance1EA64Programming For High Level Performance1EA6424V Lead Acid Battery Prep1EA6431.7X13.5X31.5" - 1430 Battery1EA64JUNGHEINRICH 6000# WALKIE END RIDER1EA64SHRINK WRAP HOLDER (NO OPT MOUNTING1EA64Pallet Entry Slides1EA64FLATFORM W/SUSPENDED COMFORT FLOOR PAD1EA6460" (1524 mm) Load Backrest Fixed1EA64STD Drive Tire: Poly Press on 12.0" X1EA64STD LD WHL: Polyurethane High Durometer1EA64STD LD WHL: Polyurethane High Durometer

8

5							BOL NO: 1571184	
							Stop Number: 2	
				OFIADIN	G		Carrier: KCH TRANSPORTATIO	N, INC.
		UNDER	LYING BILL	L OF LAD			Pickup Date: 04/10/2024	
1 10	Contract of the Contract	Constant - Constant	Shippe	an) Inc.			Delivery Date: 04/11/2024	
lit	subishi Logi	snext Americ	as (nouse				References PO Number: S0829119-001-7	11540
81	0 Brittmore	Road USA					PO Number: S0829119 001 9 Serial Number: AUB2650965	11040
iou	0 Brittmore iston, TX 770	40 000					Serial Number: Aubzobere	
							Model Number: TX40M	
			S. 14 5 5	No. of Concession, Name	(Install based		Load ID: HNIS10184078	
1.556	Contraction of the second	n second	Consign	100				
Bi	ffalo Materi	als Handling						
12474	C. BARRIOF HEL	VC						
Di	apew, NY 1404	3 0011						
					ALC: NO. OF THE OWNER	Freight Terms		
F	Incontra and		11 To	Constant States	A DECEMBER OF	Prepaid		
-	See Master BO	L for Bill T	A °			1		
			11 -		1	1-11		
			11 (	1	11/11	1170		
			Hy	/	411	501		
			()	<	1	1-1	Accessorials	0.000
	Special Instructio	115	11					
1					716-894-F	370:Order Type		
	Special Inst	ructions: ;Co	intact Phor	Number:	716-894-6 mer Name:	370;Order Type Buffalo		
	Inventory;Re.	ady to Ship I	Date: 2024	ne Number; )402;Custor	716-894-6 mer Name:	370;Order Type Buffalo		
	Special Inst Inventory;Re Materials Ha	ady to Ship I	Jace: 2024		Contraction of the	370;Order Type Buffalo	Item Description	LTL Clas
	Inventory;Re.	ndling Type	Weight	HM(X)	716-894-6 mer Name: NMFC		Item Description	LTL Clas
	Inventory;Re Materials Ha Qty 1	ady to Ship i ndling Type EA	Weight 229		Contraction of the	LUNA 187" MFH	Item Description / 84" OALH / 34.0" FFH	A STOCK STOCK
	Inventory;Re Materials Ha Qty 1 1	ady to Ship i ndling Type EA EA	Weight 229 229		Contraction of the	LUNA 187" MFH Rear LED Work	Item Description / 84" OALH / 34.0" FFH ing Light W/LED	55.0
	Inventory;Re Materials Ha Qty 1 1 1	Type EA EA EA EA	Weight 229 229 229		Contraction of the	LUNA 187" MFH Rear LED Work: Electronic Bac	Item Description / 84" OALH / 34.0" FFH ing Light W/LED skup Smart Alarm	55.0 55.0
	Inventory;Re Materials Ha Qty 1 1	Type EA EA EA EA EA EA	Weight 229 229 229 229 229		Contraction of the	LUNA 187" MFH Rear LED Work: Electronic Bac 37.0" WIDE ITA	Item Description / 84" OALH / 34.0" FFH ing Light W/LED Skup Smart Alarm A CLASS II HOOK TYPE	55.0 55.0 55.0
	Inventory;Re Materials Ha Qty 1 1 1 1 1 1	Type EA EA EA EA EA EA EA EA	Weight 229 229 229 229 229 229 229		Contraction of the	LUNA 187" MFH Rear LED Work: Electronic Bac 37.0" WIDE IT 3-Section Val	Item Description / 84" OALH / 34.0" FFH ing Light W/LED Skup Smart Alarm A CLASS II HOOK TYPE We	55.0 55.0 55.0 55.0
	Inventory;Re Materials Ha Qty 1 1 1 1 1 1 1	Type EA EA EA EA EA EA EA EA EA EA	Weight 229 229 229 229 229 229 229 229 229		Contraction of the	LUNA 187" MFH Rear LED Work: Electronic Bac 37.0" WIDE IT 3-Section Val English Langu	Item Description / 84" OALH / 34.0" FFH ing Light W/LED Skup Smart Alarm A CLASS II HOOK TYPE ve age Markings	55.0 55.0 55.0 55.0 55.0
	Inventory;Re Materials Ha Qty 1 1 1 1 1 1	Type EA EA EA EA EA EA EA EA EA	Weight 229 229 229 229 229 229 229 229 229 22		Contraction of the	LUNA 187" MFH Rear LED Work: Electronic Bar 37.0" WIDE IT 3-Section Val English Langu Rear View Mir	Item Description / 84" OALH / 34.0" FFH ing Light W/LED skup Smart Alarm A CLASS II HOOK TYPE ve age Markings rors (OHG Mounted)	55.0 55.0 55.0 55.0 55.0 55.0
	Inventory;Re Materials Ha Qty 1 1 1 1 1 1 1	Type EA EA EA EA EA EA EA EA EA EA	Weight 229 229 229 229 229 229 229 229 229 22		Contraction of the	LUNA 187" MFH Rear LED Work: Electronic Bac 37.0" WIDE IT 3-Section Val- English Langu Rear View Mir Single Functi	Item Description / 84" OALH / 34.0" FFH ing Light W/LED skup Smart Alarm A CLASS II HOOK TYPE ve age Markings rors (OHG Mounted) on Internal Hosing -	55.0 55.0 55.0 55.0 55.0 55.0 55.0
	Inventory;Re Materials Ha	Type EA EA EA EA EA EA EA EA EA EA	Weight 229 229 229 229 229 229 229 229 229 22		Contraction of the	LUNA 187" MFH Rear LED Work: Electronic Bac 37.0" WIDE IT 3-Section Val- English Langu Rear View Mir Single Functi Standard Lugg	Item Description / 84" OALH / 34.0" FFH ing Light W/LED skup Smart Alarm A CLASS II HOOK TYPE ve age Markings rors (OHG Mounted) on Internal Hosing - ed Electric Cushion Tires	55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0
	Inventory;Re Materials Ha	Type EA EA EA EA EA EA EA EA EA EA EA	Weight 229 229 229 229 229 229 229 229 229 22		Contraction of the	LUNA 187" MFH Rear LED Work: Electronic Bac 37.0" WIDE IT 3-Section Val- English Langu Rear View Mir Single Functi Standard Lugg Two Forward L	Item Description / 84" OALH / 34.0" FFH ing Light W/LED ckup Smart Alarm A CLASS II HOOK TYPE ve age Markings rors (OHG Mounted) on Internal Hosing - ed Electric Cushion Tires ED Working Lights On OHG	55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0
	Inventory;Re Materials Ha	Type EA EA EA EA EA EA EA EA EA EA EA EA EA	Weight 229 229 229 229 229 229 229 229 229 22		Contraction of the	LUNA 187" MFH Rear LED Work: Electronic Bac 37.0" WIDE IT 3-Section Val- English Langu Rear View Mir Single Functi Standard Lugg Two Forward L Reverse Activ	Item Description / 84" OALH / 34.0" FFH ing Light W/LED skup Smart Alarm A CLASS II HOOK TYPE ve age Markings rors (OHG Mounted) on Internal Hosing - ed Electric Cushion Tires	55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0
	Inventory;Re Materials Ha	Type EA EA EA EA EA EA EA EA EA EA EA EA EA	Weight 229 229 229 229 229 229 229 22		Contraction of the	LUNA 187" MFH Rear LED Works Electronic Bac 37.0" WIDE IT 3-Section Val- English Langu Rear View Mir Single Functi Standard Lugg Two Forward L Reverse Activ Forward Activ	Item Description / 84" OALH / 34.0" FFH ing Light W/LED ckup Smart Alarm A CLASS II HOOK TYPE ve age Markings rors (OHG Mounted) on Internal Hosing - ed Electric Cushion Tires ED Working Lights On OHG ated Blue Spotlight	55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0
	Inventory;Re Materials Ha	Type EA EA EA EA EA EA EA EA EA EA EA EA EA	Weight 229 229 229 229 229 229 229 229 229 22		Contraction of the	LUNA 187" MFH Rear LED Works Electronic Bac 37.0" WIDE IT 3-Section Val- English Langu Rear View Mir Single Functi Standard Lugg Two Forward L Reverse Activ Forward Activ 4 000 LB 36/4	Item Description / 84" OALH / 34.0" FFH ing Light W/LED ckup Smart Alarm A CLASS II HOOK TYPE ve age Markings rors (OHG Mounted) on Internal Hosing - ed Electric Cushion Tires ED Working Lights On OHG ated Blue Spotlight ated Blue Spotlight	55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0
	Inventory;Re Materials Ha	Type EA EA EA EA EA EA EA EA EA EA EA EA EA	Weight 229 229 229 229 229 229 229 229 229 22		Contraction of the	LUNA 187" MFH Rear LED Works Electronic Bac 37.0" WIDE IT 3-Section Val- English Langu Rear View Mir Single Functi Standard Lugg Two Forward L Reverse Activ Forward Activ 4 000 LB 36/4	Item Description / 84" OALH / 34.0" FFH ing Light W/LED okup Smart Alarm A CLASS II HOOK TYPE ve age Markings rors (OHG Mounted) on Internal Hosing - ed Electric Cushion Tires ED Working Lights On OHG ated Blue Spotlight ated Blue Spotlight BV Electric 3 Wheel Lift Light with Guard OHG	55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0
	Inventory;Re Materials Ha	Type EA EA EA EA EA EA EA EA EA EA EA EA EA	Weight 229 229 229 229 229 229 229 229 229 22		Contraction of the	LUNA 187" MFH Rear LED Works Electronic Bao 37.0" WIDE IT 3-Section Val- English Langu Rear View Mir Single Functi Standard Lugg Two Forward L Reverse Activ Forward Activ 4 000 LB 36/4 Amber Strobe LITERATURE KI	Item Description / 84" OALH / 34.0" FFH ing Light W/LED okup Smart Alarm A CLASS II HOOK TYPE ve age Markings rors (OHG Mounted) on Internal Hosing - ed Electric Cushion Tires ED Working Lights On OHG ated Blue Spotlight ated Blue Spotlight BV Electric 3 Wheel Lift Light with Guard OHG	55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0
	Inventory;Re Naterials Ha	Type EA EA EA EA EA EA EA EA EA EA EA EA EA	Weight 229 229 229 229 229 229 229 22		Contraction of the	LUNA 187" MFH Rear LED Work: Electronic Bad 37.0" WIDE IT 3-Section Val- English Langu Rear View Mir Single Functi Standard Lugg Two Forward L Reverse Activ Forward Activ 4 000 LB 36/4 Amber Strobe LITERATURE KI 36/48V Lead 7 Fire Extingu:	Item Description / 84" OALH / 34.0" FFH ing Light W/LED ckup Smart Alarm A CLASS II HOOK TYPE ve age Markings rors (OHG Mounted) on Internal Hosing - ed Electric Cushion Tires ED Working Lights On OHG ated Blue Spotlight ated Blue Spotlight 84V Electric 3 Wheel Lift Light with Guard OHG TT acid Battery Prep Isher - Overhead Guard	55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0
	Inventory; Re Materials Ha Qty 1 1 1 1 1 1 1 1 1 1 1 1 1	Type EA EA EA EA EA EA EA EA EA EA EA EA EA	Weight           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229  <		Contraction of the	LUNA 187" MFH Rear LED Work: Electronic Bad 37.0" WIDE IT 3-Section Val- English Langu Rear View Mir Single Functi Standard Lugg Two Forward L Reverse Activ Forward Activ 4 000 LB 36/4 Amber Strobe LITERATURE KI 36/48V Lead A Fire Extingu STANDARD LOAD	Item Description / 84" OALH / 34.0" FFH ing Light W/LED okup Smart Alarm A CLASS II HOOK TYPE we age Markings rors (OHG Mounted) on Internal Hosing - ed Electric Cushion Tires ED Working Lights On OHG ated Blue Spotlight ated Blue Spotlight B4V Electric 3 Wheel Lift Light with Guard OHG T weid Battery Prep Taher - Overhead Guard D BACKREST	55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0
	Inventory; Re Materials Ha Qty 1 1 1 1 1 1 1 1 1 1 1 1 1	Type EA EA EA EA EA EA EA EA EA EA EA EA EA	Weight           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229		Contraction of the	LUNA 187" MFH Rear LED Work: Electronic Bad 37.0" WIDE IT 3-Section Val- English Langu Rear View Mir Single Functi Standard Lugg Two Forward L Reverse Activ Forward Activ 4 000 LB 36/4 Amber Strobe LITERATURE KH 36/48V Lead J Fire Extingu STANDARD LOAL Standard Ove	Item Description / 84" OALH / 34.0" FFH ing Light W/LED skup Smart Alarm A CLASS II HOOK TYPE ve age Markings rors (OHG Mounted) on Internal Hosing - ed Electric Cushion Tires ED Working Lights On OHG ated Blue Spotlight ated Blue Spotlight ated Blue Spotlight BV Electric 3 Wheel Lift Light with Guard OHG T Acid Battery Prep Isher - Overhead Guard D BACKREST thead Guard	55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0
	Inventory; Re Naterials Ha  Qty  I  I  I  I  I  I  I  I  I  I  I  I  I	Type EA EA EA EA EA EA EA EA EA EA EA EA EA	Weight           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229		Contraction of the	LUNA 187" MFH Rear LED Work: Electronic Bad 37.0" WIDE IT 3-Section Val- English Langu Rear View Mir Single Functi Standard Lugg Two Forward L Reverse Activ Forward Activ 4 000 LB 36/4 Amber Strobe LITERATURE KI 36/48V Lead J Fire Extingu STANDARD LOAL Standard Ove Rear Grab Hau	Item Description / 84" OALH / 34.0" FFH ing Light W/LED skup Smart Alarm A CLASS II HOOK TYPE ve age Markings rors (OHG Mounted) on Internal Hosing - ed Electric Cushion Tires ED Working Lights On OHG ated Blue Spotlight ated Blue Spotlight ated Blue Spotlight 8V Electric 3 Wheel Lift Light with Guard OHG T Acid Battery Prep Isher - Overhead Guard D BACKREST rhead Guard mdle With Horn Button	55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0
	Inventory; Re Naterials Ha Qty 1 1 1 1 1 1 1 1 1 1 1 1 1	Type EA EA EA EA EA EA EA EA EA EA EA EA EA	Weight           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229      229      229 <td>HM (X)</td> <td>Contraction of the</td> <td>LUNA 187" MFH Rear LED Work: Electronic Bad 37.0" WIDE IT 3-Section Val- English Langu Rear View Mir Single Functi Standard Lugg Two Forward L Reverse Activ Forward Activ 4 000 LB 36/4 Amber Strobe LITERATURE KI 36/48V Lead 7 Fire Extingu: STANDARD LOAN Standard Ore</td> <td>Item Description / 84" OALH / 34.0" FFH ing Light W/LED ckup Smart Alarm A CLASS II HOOK TYPE ve age Markings rors (ORG Mounted) on Internal Hosing - ed Electric Cushion Tires ED Working Lights On OHG ated Blue Spotlight ated Blue Spotlight ated Blue Spotlight BV Electric 3 Wheel Lift Light with Guard OHG IT Acid Battery Prep Isher - Overhead Guard O BACKREST shead Guard hole With Horn Button nge Seat Belt</td> <td>55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0</td>	HM (X)	Contraction of the	LUNA 187" MFH Rear LED Work: Electronic Bad 37.0" WIDE IT 3-Section Val- English Langu Rear View Mir Single Functi Standard Lugg Two Forward L Reverse Activ Forward Activ 4 000 LB 36/4 Amber Strobe LITERATURE KI 36/48V Lead 7 Fire Extingu: STANDARD LOAN Standard Ore	Item Description / 84" OALH / 34.0" FFH ing Light W/LED ckup Smart Alarm A CLASS II HOOK TYPE ve age Markings rors (ORG Mounted) on Internal Hosing - ed Electric Cushion Tires ED Working Lights On OHG ated Blue Spotlight ated Blue Spotlight ated Blue Spotlight BV Electric 3 Wheel Lift Light with Guard OHG IT Acid Battery Prep Isher - Overhead Guard O BACKREST shead Guard hole With Horn Button nge Seat Belt	55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0
	Inventory; Re Naterials Ha Qty 1 1 1 1 1 1 1 1 1 1 1 1 1	Type EA EA EA EA EA EA EA EA EA EA EA EA EA	Weight           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229	HM (X)	Contraction of the	LUNA 187" MFH Rear LED Work: Electronic Bad 37.0" WIDE IT 3-Section Val- English Langu Rear View Mir Single Functi Standard Lugg Two Forward L Reverse Activ Forward Activ 4 000 LB 36/4 Amber Strobe LITERATURE KI 36/48V Lead 7 Fire Extingu: STANDARD LOAN Standard Ora UNICARRIER 4	Item Description / 84" OALH / 34.0" FFH ing Light W/LED ckup Smart Alarm A CLASS II HOOK TYPE ve age Markings rors (ORG Mounted) on Internal Hosing - ed Electric Cushion Tires ED Working Lights On OHG ated Blue Spotlight ated Blue Spotlight ated Blue Spotlight 8V Electric 3 Wheel Lift Light with Guard OHG T Acid Battery Prep Isher - Overhead Guard D BACKREST shead Guard ndle With Horn Button nge Seat Belt 000 LB 3 WHL ELE	55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0
	Inventory; Re Naterials Ha Qty 1 1 1 1 1 1 1 1 1 1 1 1 1	Type EA EA EA EA EA EA EA EA EA EA EA EA EA	Weight           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229      229      229 <td>HM (X)</td> <td>Contraction of the</td> <td>LUNA 187" MFH Rear LED Work: Electronic Bad 37.0" WIDE IT 3-Section Val- English Langu Rear View Mir Single Functi Standard Lugg Two Forward L Reverse Activ Forward Activ 4 000 LB 36/4 Amber Strobe LITERATURE KI 36/48V Lead A Fire Extingu: STANDARD LOAD Standard Ora UNICARRIER 4 Cascade 36"</td> <td>Item Description / 84" OALH / 34.0" FFH ing Light W/LED Skup Smart Alarm A CLASS II HOOK TYPE ve age Markings rors (ORG Mounted) on Internal Hosing - ed Electric Cushion Tires ED Working Lights On OHG ated Blue Spotlight ated Blue Spotlight ated Blue Spotlight BV Electric 3 Wheel Lift Light with Guard OHG IT Scid Battery Prep Isher - Overhead Guard D BACKREST rhead Guard ndle With Horn Button nge Seat Belt 000 LB 3 WHL ELE Hang-On Sideshifter</td> <td>55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0</td>	HM (X)	Contraction of the	LUNA 187" MFH Rear LED Work: Electronic Bad 37.0" WIDE IT 3-Section Val- English Langu Rear View Mir Single Functi Standard Lugg Two Forward L Reverse Activ Forward Activ 4 000 LB 36/4 Amber Strobe LITERATURE KI 36/48V Lead A Fire Extingu: STANDARD LOAD Standard Ora UNICARRIER 4 Cascade 36"	Item Description / 84" OALH / 34.0" FFH ing Light W/LED Skup Smart Alarm A CLASS II HOOK TYPE ve age Markings rors (ORG Mounted) on Internal Hosing - ed Electric Cushion Tires ED Working Lights On OHG ated Blue Spotlight ated Blue Spotlight ated Blue Spotlight BV Electric 3 Wheel Lift Light with Guard OHG IT Scid Battery Prep Isher - Overhead Guard D BACKREST rhead Guard ndle With Horn Button nge Seat Belt 000 LB 3 WHL ELE Hang-On Sideshifter	55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0
	Inventory; Re Naterials Ha	Type EA EA EA EA EA EA EA EA EA EA EA EA EA	Weight           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229      229      229 <td>HM (X)</td> <td>Contraction of the</td> <td>LUNA 187" MFH Rear LED Work: Electronic Bad 37.0" WIDE IT 3-Section Val- English Langu Rear View Mir Single Functi Standard Lugg Two Forward L Reverse Activ Forward Activ 4 000 LB 36/4 Amber Strobe LITERATURE KI 36/48V Lead A Fire Extingu: STANDARD LOAN Standard Ora UNICARRIER 4 Cascade 36" FKS 1.6"X3.9</td> <td>Tem Description / 84" OALH / 34.0" FFH ing Light W/LED Skup Smart Alarm A CLASS II HOOK TYPE ve age Markings rors (ORG Mounted) on Internal Hosing - ed Electric Cushion Tires ED Working Lights On OHG ated Blue Spotlight ated Blue Spotlight ated Blue Spotlight BV Electric 3 Wheel Lift Light with Guard OHG T Scid Battery Prep Isher - Overhead Guard D BACKREST rhead Guard ndle With Horn Button nge Seat Belt 000 LB 3 WHL ELE Hang-On Sideshifter "X42" HOOK PALLET</td> <td>55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0</td>	HM (X)	Contraction of the	LUNA 187" MFH Rear LED Work: Electronic Bad 37.0" WIDE IT 3-Section Val- English Langu Rear View Mir Single Functi Standard Lugg Two Forward L Reverse Activ Forward Activ 4 000 LB 36/4 Amber Strobe LITERATURE KI 36/48V Lead A Fire Extingu: STANDARD LOAN Standard Ora UNICARRIER 4 Cascade 36" FKS 1.6"X3.9	Tem Description / 84" OALH / 34.0" FFH ing Light W/LED Skup Smart Alarm A CLASS II HOOK TYPE ve age Markings rors (ORG Mounted) on Internal Hosing - ed Electric Cushion Tires ED Working Lights On OHG ated Blue Spotlight ated Blue Spotlight ated Blue Spotlight BV Electric 3 Wheel Lift Light with Guard OHG T Scid Battery Prep Isher - Overhead Guard D BACKREST rhead Guard ndle With Horn Button nge Seat Belt 000 LB 3 WHL ELE Hang-On Sideshifter "X42" HOOK PALLET	55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0
	Inventory; Re Naterials Ha Qty 1 1 1 1 1 1 1 1 1 1 1 1 1	Type EA EA EA EA EA EA EA EA EA EA EA EA EA	Weight           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229      229      229 <td>HM (X)</td> <td>Contraction of the</td> <td>LUNA 187" MFH Rear LED Work: Electronic Bad 37.0" WIDE IT 3-Section Val- English Langu Rear View Mir Single Functi Standard Lugg Two Forward L Reverse Activ Forward Activ 4 000 LB 36/4 Amber Strobe LITERATURE KI 36/48V Lead A Fire Extingu: STANDARD LOAN Standard Ove Rear Grab Hal Standard Ora UNICARRIER 4 Cascade 36" FKS 1.6"X3.9 Full Suspens</td> <td>Item Description / 84" OALH / 34.0" FFH ing Light W/LED Skup Smart Alarm A CLASS II HOOK TYPE ve age Markings rors (ORG Mounted) on Internal Hosing - ed Electric Cushion Tires ED Working Lights On OHG ated Blue Spotlight ated Blue Spotlight BV Electric 3 Wheel Lift Light with Guard OHG IT Acid Battery Prep Isher - Overhead Guard D BACKREST shead Guard ndle With Horn Button nge Seat Belt 000 LB 3 WHL ELE Hang-On Sideshifter "X42" HOOK PALLET ion Cloth Seat</td> <td>55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0</td>	HM (X)	Contraction of the	LUNA 187" MFH Rear LED Work: Electronic Bad 37.0" WIDE IT 3-Section Val- English Langu Rear View Mir Single Functi Standard Lugg Two Forward L Reverse Activ Forward Activ 4 000 LB 36/4 Amber Strobe LITERATURE KI 36/48V Lead A Fire Extingu: STANDARD LOAN Standard Ove Rear Grab Hal Standard Ora UNICARRIER 4 Cascade 36" FKS 1.6"X3.9 Full Suspens	Item Description / 84" OALH / 34.0" FFH ing Light W/LED Skup Smart Alarm A CLASS II HOOK TYPE ve age Markings rors (ORG Mounted) on Internal Hosing - ed Electric Cushion Tires ED Working Lights On OHG ated Blue Spotlight ated Blue Spotlight BV Electric 3 Wheel Lift Light with Guard OHG IT Acid Battery Prep Isher - Overhead Guard D BACKREST shead Guard ndle With Horn Button nge Seat Belt 000 LB 3 WHL ELE Hang-On Sideshifter "X42" HOOK PALLET ion Cloth Seat	55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0
	Inventory; Re Naterials Ha	Type EA EA EA EA EA EA EA EA EA EA EA EA EA	Weight           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229           229      229      229 <td>HM (X)</td> <td>Contraction of the</td> <td>LUNA 187" MFH Rear LED Work: Electronic Bad 37.0" WIDE IT 3-Section Val- English Langu Rear View Mir Single Functi Standard Lugg Two Forward L Reverse Activ Forward Activ 4 000 LB 36/4 Amber Strobe LITERATURE KI 36/48V Lead A Fire Extingu: STANDARD LOAN Standard Ove Rear Grab Hal Standard Ora UNICARRIER 4 Cascade 36" FKS 1.6"X3.9 Full Suspens UL RATED TYP</td> <td>Item Description / 84" OALH / 34.0" FFH ing Light W/LED Skup Smart Alarm A CLASS II HOOK TYPE ve age Markings rors (ORG Mounted) on Internal Hosing - ed Electric Cushion Tires ED Working Lights On OHG ated Blue Spotlight ated Blue Spotlight BV Electric 3 Wheel Lift Light with Guard OHG IT Acid Battery Prep Isher - Overhead Guard D BACKREST shead Guard ndle With Horn Button nge Seat Belt 000 LB 3 WHL ELE Hang-On Sideshifter "X42" HOOK PALLET ion Cloth Seat</td> <td>55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0</td>	HM (X)	Contraction of the	LUNA 187" MFH Rear LED Work: Electronic Bad 37.0" WIDE IT 3-Section Val- English Langu Rear View Mir Single Functi Standard Lugg Two Forward L Reverse Activ Forward Activ 4 000 LB 36/4 Amber Strobe LITERATURE KI 36/48V Lead A Fire Extingu: STANDARD LOAN Standard Ove Rear Grab Hal Standard Ora UNICARRIER 4 Cascade 36" FKS 1.6"X3.9 Full Suspens UL RATED TYP	Item Description / 84" OALH / 34.0" FFH ing Light W/LED Skup Smart Alarm A CLASS II HOOK TYPE ve age Markings rors (ORG Mounted) on Internal Hosing - ed Electric Cushion Tires ED Working Lights On OHG ated Blue Spotlight ated Blue Spotlight BV Electric 3 Wheel Lift Light with Guard OHG IT Acid Battery Prep Isher - Overhead Guard D BACKREST shead Guard ndle With Horn Button nge Seat Belt 000 LB 3 WHL ELE Hang-On Sideshifter "X42" HOOK PALLET ion Cloth Seat	55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0

Page 7 of 16

		CRA	ND TOTALS:	
	TOTAL PALLET:	22.0		
	6,181 TOTAL 1745			
	Met.			
1				
1				
	Completed by Recei	ving Party Breaking Seal	Date/Time:	ALL CONTRACTORS IN
	a thumber Arriver On Trailer:	Sign Infactor 1 of 12 (of a second se		
	Seal Number shrees a Name. Where the rate is dependent on value, shippers are required to state specifically in writing perper	the agreed or declared value of the property as follo	ows: "The agreed or de	clared value of the
	in the second seco			Sile State
	Where the rate is dependent on value, shippers are required to a per per			
	COD Remit To:			
t	property isspecifically address of COD Remit To: COD Remit To: COD Fee: Collection Type:	COD Amount:	Trailer lorded	Freight Counted
ļ.	property isspecifically address of COD Remit To: COD Ree: Collection Type: COD Fee: Collection Type: Ote: Liability limitation for loss or damage in this shipment may be applicable. See 49 U	COD Amount: SC 14706(c)(1)(A) and (B). [SECTION 7: The carrier shall not make delivery of this shinment without payment of freight and all		
NR U	property isspecifically allocity COD Remit To: COD Fee: Code: Liability limitation for loss or damage in this shipment may be applicable. See 49 U orie: Liability limitation for loss or damage in this shipment may be applicable. See 49 U orie: Liability limitation for loss or damage in this shipment may be applicable. See 49 U orie: Liability limitation for loss or damage in this shipment may be applicable. See 49 U orie: Liability limitation for loss or damage in this shipment may be applicable. See 49 U orie: Liability limitation for loss or damage in this shipment may be applicable. See 49 U orie: Liability limitation for loss or damage in this shipment may be applicable. See 49 U orie: Liability limitation for loss or damage in this shipment may be applicable. See 49 U orie: Liability limitation for loss or damage in this shipment may be applicable. See 49 U orie: Liability limitation for loss or damage in this shipment may be applicable. See 49 U orie: Liability limitation for loss or damage in this shipment may be applicable. See 49 U orie: Liability limitation for loss or damage in this shipment may be applicable. See 49 U orie: Liability limitation for loss or damage in this shipment may be applicable. See 49 U orie: Liability limitation for loss or damage in this shipment applicable. See 49 U orie: Liability limitation for loss or damage in this shipment may be applicable. See 49 U orie: Liability limitation for loss or damage in this shipment may be applied by a ship to be applied by a shi	COD Amount:	by Shipper	Freight Counted
NR U	property isspecifically address of COD Remit To: COD Ree: Collection Type: COD Fee: Collection Type: Ote: Liability limitation for loss or damage in this shipment may be applicable. See 49 U	COD Amount: SC 14706(c)(1)(A) and (B). SECTION 7: The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges. Shipper	by Shipper	by Shipper by Driver
R UL cla the Ship	property isspecifically stated by     COD Remit To:     Collection Type:     Collection	COD Amount: SC 14706(c)(1)(A) and (B). SECTION 7: The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges. Shipper	by Shipper by Driver	by Shipper by Driver er certifies
R ucla the Ship Thi	property isspecifically stated by COD Remit To: COD Fee: Collection Type: Collection Type: Colle	COD Amount: SC 14706(c)(1)(A) and (B). SECTION 7: The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges. Shipper	by Shipper by Driver	by Shipper by Driver er certifies

NAME         NAME         NAME           Image:		P POL NO: HNIST
ANATER BILL OF LAUNCE       CARTER BILL OF LAUNCE         Subper (First Petwo)       Free Numeer HANSION HARD         Control of C		MASTER BOL THORNATION, INC.
MATER BILL OF LADING         Free function           Supper (Number)         Reserved           Contract Control         Reserved           Supper (Number)         Reserved      <		Carrier: KC UNIS10184070
Martine HILL Of LUBDIC         Pickap JURCE         Pic		Pro 130 04/10/2024
Support (First PREMAIN used): FX Treating and used): FX Treating (Used Delivery)     Entered MSOCRETID: [158472 (WSOCRETID: 158472) (WSOCRETID: 158472) (WSOCRET	MASTER BILL OF LADING	Pickup Date: 04/11/2024
Section RX 100110001 Logisticus       MSOrderID: Ligisticus         Distribute Read       WSOrderID: Ligisticus <t< td=""><td>Shipper (First Pickup)</td><td>Delivery Date: On References</td></t<>	Shipper (First Pickup)	Delivery Date: On References
Du Barrier Xr 77043 USA       PO MURDER TO TOTAL USA         Di Barrier Xr 77043 USA       PO MURDER TO TOTAL USA         Consignee (Last Dulivery)       Misor deciti: 1546472         Politic: In:       Second Parkway         Initial lender Parkway       Misor deciti: 1546472         Non 2005       Politic: In:         Non 2005       Friedd USA         Non 2005       Prepaid         Non 2005       Non 2005         Non 2005<	Houstonn	Jor ID: 1546468
Contigue (Last Delivery)     Model and the Second and t	to Brittmore Road	WMSOIder: WW+4 - 4
Consignee (Last Delivery)         medior delivery           11 k01lander: Parkway schederler, NY 14615 USA         Prepaid Moorderlin: 157804 Pro220-1 Moorderlin: 157804 Pro220-1 Moorderl	uston, TX 77043 054	PO Humber DityCode: Dot
Consigner (Last Delivery)         Number         Properties           Table.inc.         Number         Properties         Properties           Table.inc.         Number         Properties         Properties           Number         Properties         Properties         Properties           Num         Properties         Properties         Properties         Properint		WMSOrderID: 1546472
Conjunction       Description         Notifit_inc.       Nicodering       Press         Nicodering       Nicodering       Press         Nicodering       Nicodering       Press         Nicodering       Press       Press         Nicodering<	d at polivery)	no Number: Martine and
Diff.inc.       ONDER: 1:198005         Dehester, NY 14615 USA       Prophysical Stress of County of	Consignee (Last Deutery)	WMSOrderID: 157802 EFG220-2
11 Hellender 1981 USA         Number: 1981 SUSA	colift, Inc.	PO Number: FISHE
Builto         Preight Terms           It couls al togianext. Americas c/o GEDDIS Logiatics LL         Prepaid         MSOrderID: 1571185           It couls al togianext. Americas c/o GEDDIS Logiatics LL         Prepaid         MSOrderID: 1571185           It couls al togianext. Americas c/o GEDDIS Logiatics LL         Prepaid         MSOrderID: 1571185           It couls al togianext. Americas c/o GEDDIS Logiatics LL         Prepaid         MSOrderID: 1571185           It couls al togianext. Americas c/o GEDDIS Logiatics LL         Prepaid         MSOrderID: 1571185           It couls al togianext. Americas c/o GEDDIS Logiatics LL         Prepaid         MSOrderID: 1571184           It couls al togianext. Americas c/o GEDDIS Logiatics LL         Prepaid         MSOrderID: 1571184           It couls al togianext. Americas c/o GEDDIS Logiatics LL         Prepaid         MSOrderID: 1571184           It couls al togianext. Americas c/o GEDDIS Logiatics LL         Prepaid         MSOrderID: 14000000000000000000000000000000000000		WMSOrderID. ISHER EFG220-1
BUTO         Freight Terms         FO Number: Sourcerip: 154492           10 Bublish Logianest: Avericas c/o GEODIS Logiaties Ltd         Freight 1         Freight 1: 1571185           10 Number: Sourcerip: 1: 154492         FO Number: Sourcerip: 1: 154492         FO Number: Sourcerip: 1: 1571185           10 Number: Sourcerip: 1: 1571185         FO Number: Sourcerip: 1: 1571185         FO Number: Sourcerip: 1: 1571185           10 Number: Sourcerip: Visibility, ams.geodis.com/ Taker:         Forein:         Forein:           11 Tays: // Visibility, ams.geodis.com/ Taker:         Forein:         Forein:           11 Tays: // Visibility, ams.geodis.com/ Taker:         Forein:         Forein:           11 Tays: // Visibility, ams.geodis.com/ Taker:         Forein:         Forein:           11 Taker:	chester, NI 11010	PO Number. 1571184
Builto         Prepaid         Prepaid           Intrubibil Logianst Americas C/G GEODIS Logistics LL         Prepaid         Prepaid           VSOrderDI: ISTIRS         Source Construction         Source Construction           Strin: Preight Pay Brentwood, TN 37624 USA         Source Construction         Source Construction           Token: https://visibility.ams.geodis.com/thtps://visibility.ams.geodis.com/thtps://visibility.ams.geodis.com/thtps://visibility.ams.geodis.com/thtps://visibility.ams.geodis.com/thtps://visibility.ams.geodis.com/thtps://visibility.ams.geodis.com/thtps://visibility.ams.geodis.com/thtps://visibility.ams.geodis.com/thtps://visibility.ams.geodis.com/thtps://visibility.ams.geodis.com/thtps://visibility.ams.geodis.com/thtps://visibility.ams.geodis.com/thtps://visibility.ams.geodis.com/thtps://visibility.ams.geodis.com/thtps://visibility.ams.geodis.com/thtps://visibility.ams.geodis.com/thtps://visibility.ams.geodis.com/thtps://visibility.ams.geodis.com/thtps://visibility.ams.geodis.com/thtps://visibility.ams.geodis.com/thtps://visibility.ams.geodis.com/thtps://visibility.ams.geodis.com/thtps://visibility.ams.geodis.com/thtps://visibility.ams.geodis.com/thtps://visibility.ams.geodis.com/thtps://visibility.ams.geodis.com/thtps://visibility.ams.geodis.com/thtps://visibility.ams.geodis.com/thtps://visibility.ams.geodis.com/thtps://visibility.ams.geodis.com/thtps://visibility.ams.geodis.com/thtps://visibility.ams.geodis.com/thtps://visibility.ams.geodis.com/thtps://visibility.ams.geodis.com/thtps://visibility.ams.geodis.com/thtps://visibility.ams.geodis.com/thtps://visibility.ams.geodis.com/thtps://visibility.ams.geodis.com/thtps://visibility.ams.geodis.com/thtps://visibility.ams.geodis.com/thtps://visibility.ams.geodis.com/thtps://visibility.ams.geodis.com/thtps://visibility.ams/thtps://visibility		SUBLATING SUBLATING
Discrete law c/c GEODIS Logistics Lux       PO Number: WW ELASS         Number: WW ELASS       PO Number: S0829118-001-711540         Yeentwood, TN 37024 USA       Po Number: S0829118-001-711540         Technik Pay seentwood, TN 37024 USA       Po Number: S0829118-001-711540         Technik Pay seentwood, TN 37024 USA       Po Number: S0829118-001-711540         Token:       Technik Pay seentwood, TN 37024 USA         Special Instructions       Po Number: S0829118-001-711540         Token:       Token:         Titps://visibility.ams.geodis.com/         Tack/Token/MEDDIStrepUQUKLARFCERNAGE         Token:       Token:         Titps://visibility.ams.geodis.com/         Tack/Token/MEBDIStrepUQUKLARFCERNAGE         Token:       Token:         Titps://visibility.ams.geodis.com/         Tack/Token/MEBDIStrepUQUKLARKWPEREDINGE         Token:       Toten:         Toten:       Token:         Titps://visibility.ams.geodis.com/         Token:       Toten:         Toten:       Technology and	Market Market State	
Treubishi Logiankek interest box bax 2208       MSO/GOTED: 1011001         Vision Freight Pay rentwood, TN 37024 USA       MSO/GOTED: 101102 PO Number: 50220114-001-711540         Token: https://visibility.ams.geodis.com/t https://visibility.ams.geodis.com/ https://visibility.ams.geodis.com/ https://visibility.ams.geodis.com/ https://visibility.ams.geodis.com/ https://visibility.ams.geodis.com/ https://visibility.ams.geodis.com/ https://visibility.ams.geodis.com/ https://visibility.ams.geodis.com/ https://visibility.ams.geodis.com/ https://visibility.ams.geodis.com/ https://visibility.ams.geodis.com/ https://visibility.ams.geodis.com/ https://visibility.ams.geodis.com/ https://visibility.ams.geodis.com/ https://visibility.ams.geodis.com/ https://visibility.ams.geodis.com/ https://visibility.ams.geodis.com/ rack/Token/AKBHSZ70LUYGAJOSNISVYAC Token: https://visibility.ams.geodis.com/ rack/Token/AKBHSZ70LUYGAJOSNISVYAC Token: https://visibility.ams.geodis.com/ rack/Token/AKBHSZ70LUYGAJOSNISVYAC Token: https://visibility.ams.geodis.com/ rack/Token/AKBHSZ70LUYGAJOSNISVYAC Token: https://visibility.ams.geodis.com/ rack/Token/AKBHSZ70LUYGAJOSNISVYAC Token: https://visibility.ams.geodis.com/ rack/Token/AKBHSZ70LUYGAJOSNISVYAC Token: https://visibility.ams.geodis.com/ rack/Token/AKBHSZ70LUYGAJOSNISVYAC Token: https://visibility.ams.geodis.com/ rack/Token/AKBHSZ70LUYGAJOSNISVYAC Token: https://visibility.ams.geodis.com/ rack/Token/AKBHSZ70LUYGAJOSNOSNOPAC/ Sub Total 11,600         Special Instructions       Drew         Prolift.Inc.       UPOP NUTING USANOS 5,800         Num 3       Buffalo Materials       Depew         Num 3       Buffalo Materials       Depew	Bill To GEODIS Logistics LLC	
o Box 2205 Do Box 2205 Portial Freident Pay rentwood, TH 37024 USA Token: https://visibility.ams.geodis.com/ https://visibility.ams.geodis.com/ https://visibility.ams.geodis.com/ https://visibility.ams.geodis.com/ https://visibility.ams.geodis.com/ https://visibility.ams.geodis.com/ https://visibility.ams.geodis.com/ https://visibility.ams.geodis.com/ https://visibility.ams.geodis.com/ https://visibility.ams.geodis.com/ https://visibility.ams.geodis.com/ https://visibility.ams.geodis.com/ Token: https://visibility.ams.geodis.com/ Token: https://visibility.ams.geodis.com/ Token: https://visibility.ams.geodis.com/ Token: https://visibility.ams.geodis.com/ Token: https://visibility.ams.geodis.com/ Token: https://visibility.ams.geodis.com/ Token: https://visibility.ams.geodis.com/ Token: https://visibility.ams.geodis.com/ Token: https://visibility.ams.geodis.com/ Token: https://visibility.ams.geodis.com/ Token: https://visibility.ams.geodis.com/ Token: https://visibility.ams.geodis.com/ Token: https://visibility.ams.geodis.com/ Token: https://visibility.ams.geodis.com/ Token: https://visibility.ams.geodis.com/ Token: https://visibility.ams.geodis.com/ Token: https://visibility.ams.geodis.com/ Token: https://visibility.ams.geodis.com/ Token: https://visibility.ams.geodis.com/ Token: https://visibility.ams.geodis.com/ Token: https://visibility.ams.geodis.com/ Token: https://visibility.ams.geodis.com/ Token: https://visibility.ams.geodis.com/ Token: https://visibility.ams.geodis.com/ Token: https://visibility.ams.geodis.com/ Token: https://visibility.ams.geodis.com/ Token: https://visibility.ams.geodis.com/ Token: https://visibility.ams.geodis.com/ Token: https://visibility.ams.geodis.com/ Token: https://visibility.ams.geodis.com/ Token: https://visibility.ams.geodis.com/ Token: https://visibility.ams.geodis.com/ Token: https://visibility.ams.geodis.com/ Token: https://visibility.ams.geodis.com/ Token: https://visibility.ams.geodis.c	itsubishi Logisnext Americas C/O GLODIC	WMSDrderID: 1571185
Press       Decision         Special Instructions       Prodis         Please refer to shipment bill of ladings for special instructions.       Special Instructions         Please refer to shipment bill of ladings for special instructions.       DROP ROUTING         Event       Location       City         Special Instructions       DROP ROUTING         DROP ROUTING       State         Droken 2       Droken 2         Special Instructions       City         State       Zip         Order       Weight Qua         Num 2       Prolifi,Inc.         Buffalo Materials       Depew         Num 3       Buffalo Materials	A BAY //UD	no Number: S0829110 000
Special Instructions       Token: https://visibility.ams.geodis.com/ https://visibility.ams.geodis.com/ https://visibility.ams.geodis.com/ https://visibility.ams.geodis.com/ https://visibility.ams.geodis.com/ https://visibility.ams.geodis.com/ https://visibility.ams.geodis.com/ https://visibility.ams.geodis.com/ https://visibility.ams.geodis.com/ https://visibility.ams.geodis.com/ rack/Token/MRBHSZTQLUYEADDSNISVYAC Token: https://visibility.ams.geodis.com/ rack/Token/TEXDTWMJSEMJHAOVMVPQMC Token: https://visibility.ams.geodis.com/ rack/Token/TEXDTWMJSEMJHAOVMVPQMC Token: https://visibility.ams.geodis.com/ rack/Token/TEXDTWMJSEMJHAOVMVPQMC Token: https://visibility.ams.geodis.com/ rack/Token/TEXDTWMJSEMJHAOVMVPQMC Token: https://visibility.ams.geodis.com/ rack/Token/TEXDTWMJSEMJHAOVMVPQMC Token: https://visibility.ams.geodis.com/ rack/Token/TEXDTWMJSEMJHAOVMVPQMC Token: https://visibility.ams.geodis.com/ rack/Token/TEXDTWMJSEMJHAOVMVPQMC Token: https://visibility.ams.geodis.com/ rack/Token/TEXDTWMJSEMJHAOVMVPQMC Token: https://visibility.ams.geodis.com/ rack/Token/TEXDTWMJSEMJHAOVMVPQMC Token: https://visibility.ams.geodis.com/ rack/Token/TEXDTWMJSEMJHAOVMVPQMC Token: https://visibility.ams.geodis.com/ rack/Token/TEXDTWMJSEMJHAOVMVPQMC Token: https://visibility.ams.geodis.com/ rack/Token/TEXDTWMJSEMJHAOVMVPQMC Token: https://visibility.ams.geodis.com/ rack/Token/TEXDTWMJSEMJHAOVMVPQMC Token: https://visibility.ams.geodis.com/ rack/Token/TEXDTWMJSEMJHAOVMVPQMC Token: https://visibility.ams.geodis.com/ rack/Token/TEXDTWMJSEMJHAOVMVPQMC Token: https://visibility.ams.geodis.com/ rack/Token/TEXDTWMJSEMJHAOVMVPQMC Token: https://visibility.ams.geodis.com/ rack/Token/TEXDTWMJSEMJHAOVMVPQMC Token: https://visibility.ams.geodis.com/ rack/Token/TEXDTWMJSEMJHAOVMVPQMC Token: https://visibility.ams.geodis.com/ rack/Token/TEXDTWJSEMJHAOVMVPQMC Token: https://visibility.ams.geodis.com/ rack/Token/TEXDTWJSEMJHAOVMVPQMC Token: https://visibility.ams.geodis.com/ rack/Token/TEXDTWJSEMJHAOVM		dic CO
Special Instructions       Token: https://visibility.ams.geodis.com/ https://visibility.ams.geodis.com/ https://visibility.ams.geodis.com/ https://visibility.ams.geodis.com/ https://visibility.ams.geodis.com/ https://visibility.ams.geodis.com/ https://visibility.ams.geodis.com/ https://visibility.ams.geodis.com/ https://visibility.ams.geodis.com/ https://visibility.ams.geodis.com/ rack/Token/MRBHSZTQLUYEADDSNISVYAC Token: https://visibility.ams.geodis.com/ rack/Token/TEXDTWMJSEMJHAOVMVPQMC Token: https://visibility.ams.geodis.com/ rack/Token/TEXDTWMJSEMJHAOVMVPQMC Token: https://visibility.ams.geodis.com/ rack/Token/TEXDTWMJSEMJHAOVMVPQMC Token: https://visibility.ams.geodis.com/ rack/Token/TEXDTWMJSEMJHAOVMVPQMC Token: https://visibility.ams.geodis.com/ rack/Token/TEXDTWMJSEMJHAOVMVPQMC Token: https://visibility.ams.geodis.com/ rack/Token/TEXDTWMJSEMJHAOVMVPQMC Token: https://visibility.ams.geodis.com/ rack/Token/TEXDTWMJSEMJHAOVMVPQMC Token: https://visibility.ams.geodis.com/ rack/Token/TEXDTWMJSEMJHAOVMVPQMC Token: https://visibility.ams.geodis.com/ rack/Token/TEXDTWMJSEMJHAOVMVPQMC Token: https://visibility.ams.geodis.com/ rack/Token/TEXDTWMJSEMJHAOVMVPQMC Token: https://visibility.ams.geodis.com/ rack/Token/TEXDTWMJSEMJHAOVMVPQMC Token: https://visibility.ams.geodis.com/ rack/Token/TEXDTWMJSEMJHAOVMVPQMC Token: https://visibility.ams.geodis.com/ rack/Token/TEXDTWMJSEMJHAOVMVPQMC Token: https://visibility.ams.geodis.com/ rack/Token/TEXDTWMJSEMJHAOVMVPQMC Token: https://visibility.ams.geodis.com/ rack/Token/TEXDTWMJSEMJHAOVMVPQMC Token: https://visibility.ams.geodis.com/ rack/Token/TEXDTWMJSEMJHAOVMVPQMC Token: https://visibility.ams.geodis.com/ rack/Token/TEXDTWMJSEMJHAOVMVPQMC Token: https://visibility.ams.geodis.com/ rack/Token/TEXDTWMJSEMJHAOVMVPQMC Token: https://visibility.ams.geodis.com/ rack/Token/TEXDTWJSEMJHAOVMVPQMC Token: https://visibility.ams.geodis.com/ rack/Token/TEXDTWJSEMJHAOVMVPQMC Token: https://visibility.ams.geodis.com/ rack/Token/TEXDTWJSEMJHAOVM	Brencwood, a.	https://visibility.dmix8UA0GP1
Special Instructions       Civen: https://visibility.ams.geodis.com/ https://visibility.ams.geodis.com/ rack/Token/NRBHS2TQLUY6AJDSNISVYAC Token: https://visibility.ams.geodis.com/ rack/Token/MRBHS2TQLUY6AJDSNISVYAC Token: https://visibility.ams.geodis.com rack/Token/MRBHS2TQLUY6AJDSNISVYAC Token: https://visibility.ams.geodis.com rack/Token/MRBHS2TQLUY6AJDSNISVYAC Token: https://visibility.ams.geodis.com rack/Token/MRBHS2TQLUY6AJDSNISVYAC Token: https://visibility.ams.geodis.com rack/Token/MRBHS2TQLUY6AJDSNISVYAC Token: https://visibility.ams.geodis.com rack/Token/MRBHS2TQLUY6AJDSNISVYAC Token: https://visibility.ams.geodis.com rack/Token/MRBHS2TQLUY6AJDSNISVYAC Token: https://visibility.ams.geodis.com rack/Token/MRBHS2TQLUY6AJDSNISVYAC Token: https://visibility.ams.geodis.com rack/Token/MRBHS2TQLUY6AJDSNISVYAC Token: https://visibility.ams.geodis.com rack/Token/MRBHS2TQLUY6AJDSNISVYAC Token: https://visibility.ams.geodis.com rack/Token/MRBHS2TQLUY6AJDSNISVYAC Token: https://visibility.ams.geodis.com rack/Token/MRBHS2TQLUY6AJDSNISVYAC Token: https://visibility.ams.geodis.com rack/Token/MRBHS2TQLUY6AJDSNISVYAC Token: https://visibility.ams.geodis.com rack/Token/MRBHS2TQLUY6AJDSNISVYAC Token: https://visibility.ams.geodis.com rack/Token/MRBHS2TQLUY6AJDSNISVYAC Distance Num 2 Prolifi,Iac. Num 2 Prolifi,Iac. Num 3 Buffalo Materials Depew NY 14043 1571184 6,181		rack/loken/lan
Fack/Token/FJORE         Token:         https://visibility.ams.geodis.com/         https://visibility.ams.geodis.com/         Token:         https://visibility.ams.geodis.com/         Pickup Appointment Date:		Token:
Fack/Token/FJORE         Token:         https://visibility.ams.geodis.com/         https://visibility.ams.geodis.com/         Token:         https://visibility.ams.geodis.com/         Pickup Appointment Date:		https://visibility.ams.gov https://visibility.ams.gov https://visibility.ams.gov https://visibility.ams.gov https://visibility.ams.gov https://visibility.ams.gov https://visibility.ams.gov https://visibility.ams.gov https://visibility.ams.gov https://visibility.ams.gov https://visibility.ams.gov https://visibility.ams.gov https://visibility.ams.gov https://visibility.ams.gov https://visibility.ams.gov https://visibility.ams.gov https://visibility.ams.gov https://visibility.ams.gov https://visibility.ams.gov https://visibility.ams.gov https://visibility.ams.gov https://visibility.ams.gov https://visibility.ams.gov https://visibility.ams.gov https://visibility.gov https://visibility.gov https://visibility.gov https://visibility.gov https://visibility.gov https://visibility.gov https://visibility.gov https://visibility.gov https://visibility.gov https://visibility.gov https://visibility.gov https://visibility.gov https://visibility.gov https://visibility.gov https://visibility.gov https://visibility.gov https://visibility.gov https://visibility.gov https://visibility.gov https://visibility.gov https://visibility.gov https://visibility.gov https://visibility.gov https://visibility.gov https://visibility.gov https://visibility.gov https://visibility.gov https://visibility.gov https://visibility.gov https://visibility.gov https://visibility.gov https://visibility.gov https://visibility.gov https://visibility.gov https://visibility.gov https://visibility.gov https://visibility.gov https://visibility.gov https://visibility.gov https://visibility.gov https://visibility.gov https://visibility.gov https://visibility.gov https://visibility.gov https://visibility.gov https://visibility.gov https://visibility.gov https://visibility.gov https://visibility.gov https://visibility.gov/https://visibility.gov/https://visibility.gov/https://visibility.gov/https://visibility.gov/https://visibility.gov/https://visibility.gov/https://visibility.gov/https://visibility.gov/https://visibility.gov/https://visibility.gov/https://visibility
Special Instructions     Token:       Fack/Token/NDFpiriton     Token:       https://visibility.ams.geodis.com/       https://visibility.ams.geodis.com/       rack/Token/MSBHS2TQLUY6AJDSNISVYAC       Token:       https://visibility.ams.geodis.com       rack/Token/MSBHS2TQLUY6AJDSNISVYAC       Token:       https://visibility.ams.geodis.com       rack/Token/TEXDTMMJSEMJHAOVMVPQMC       Token:       https://visibility.ams.geodis.com       rack/Token/NTAGEJKSMOPAQ7R2p1TVBL       Pickup Appointment Date: 04/10/2       07:30 AM       Bid Count: 2       Tracking ID: TXHXXIHA       Special Instructions.       Please refer to shipment bill of ladings for special instructions.       Please refer to shipment bill of ladings for special instructions.       Please refer to shipment bill of ladings for special instructions.       Please refer to shipment bill of ladings for special instructions.       Please refer to shipment bill of ladings for special instructions.       Prolift,Inc.       Buffalo     NY       14225       1578004     5,800       1578005     5,800       1578005     5,800       1578005     5,800       1578005     5,800       157805     5,800       157805     5,800 <td< th=""><th></th><th>rack/Token/PSUABATET</th></td<>		rack/Token/PSUABATET
Special Instructions     Accessorials       Flease refer to shipment bill of ladings for special instructions.     DROP ROUTING       Event     Location     City       Special Instructions     Accessorials       Please refer to shipment bill of ladings for special instructions.     DROP ROUTING       Special Instructions     Accessorials       Please refer to shipment bill of ladings for special instructions.     1578004       Special Instructions     Special instructions.       Please refer to shipment bill of ladings for special instructions.     1578004       Special Instructions     Accessorials       Mum 2     Prolift,Inc.       Buffalo     NY       14225     1578004       Special Instructions     5,800       1578005     5,800       1578004     5,800       157805     5,800       157805     5,800       157804     5,800       157805     5,800       157804     5,800       157805     5,800       157805     5,800       157805     5,800       157804     5,800       157805     5,800       157805     5,800       1578064     5,800       157807     5,800		Token:
Special Instructions     Accessorials       Foken:     Num 2       Prolift,Inc.     Buffalo Materials       Depew     NY       14043       1571184       6,181	7	https://visibility.ams.geodis.co
Token: https://visibility.ams.geodis.com/ track/Token/MRBHS2TQLUYGAJDSNISVYAG       Token: https://visibility.ams.geodis.com/ rack/Token/MRBHS2TQLUYGAJDSNISVYAG       Token: https://visibility.ams.geodis.com/ rack/Token/TEXDTMMJSEMJHAOVMVPQMQ       Token: https://visibility.ams.geodis.com/ rack/Token/TAGEJKSM0PQ/TR2PITVBJ       Pickup Appointment Date: 04/10/2 07:30 AM Bid Count: 2 Tracking ID: TKHXXIHA       Please refer to shipment bill of ladings for special instructions.       DROP ROUTING Num 2       Prolift,Inc.       Buffalo Materials     Depew       Num 3     Buffalo Materials       Depew     NY 14043       1571184     6,181		rack/Token/NJPpSPISSKMENVIIL
Fack/Token/MRNDFree       Token:       https://visibility.ams.geodis.com       rack/Token/AWSDTL4AXKWpEZpJXTASXQ       Token:       https://visibility.ams.geodis.com       rack/Token/TEXDTMMJSEMJHAOVMVPQMC       Token:       https://visibility.ams.geodis.com       rack/Token/TAGEJKSMOPAQTR2p1TVEJ       Pickup Appointment Date: 04/10/2       07:30 AM       Bid Count: 2       Tracking ID: TXHXXIHA       Please refer to shipment bill of ladings for special instructions.       Please refer to shipment bill of ladings for special instructions.       Prolift,Inc.     DROP ROUTING       Num 2     Prolift,Inc.       Buffalo     NY       14043       1571184     5,181       1571184     6,181	3	and the second of the second
Fack/Token/MRNDFree       Token:       https://visibility.ams.geodis.com       rack/Token/AWSDTL4AXKWpEZpJXTASXQ       Token:       https://visibility.ams.geodis.com       rack/Token/TEXDTMMJSEMJHAOVMVPQMC       Token:       https://visibility.ams.geodis.com       rack/Token/TAGEJKSMOPAQTR2p1TVEJ       Pickup Appointment Date: 04/10/2       07:30 AM       Bid Count: 2       Tracking ID: TXHXXIHA       Please refer to shipment bill of ladings for special instructions.       Please refer to shipment bill of ladings for special instructions.       Prolift,Inc.     DROP ROUTING       Num 2     Prolift,Inc.       Buffalo     NY       14043       1571184     5,181       1571184     6,181		Token: https://visibility.ams.geodis.c
Token: https://visibility.ams.geodis.com rack/Token/AWSDTL4AXKWpEZpJXTASXQU Token: https://visibility.ams.geodis.com rack/Token/TEXDTMMJSEMJHAOVMVPQMQU Token: https://visibility.ams.geodis.com rack/Token/NTAGEJKSMOpXQ7R2pITVES Pickup Appointment Date: 04/10/2 07:30 AM Pickup Appointment Date: 04/10/2 07:30 AM Bid Count: 2 Tracking ID: TXHXX1HA       Special Instructions     Pickup Appointment Date: 04/10/2 07:30 AM Bid Count: 2 Tracking ID: TXHXX1HA       Please refer to shipment bill of ladings for special instructions.     Pickup Appointment Date: 04/10/2 07:30 AM Bid Count: 2 Tracking ID: TXHXX1HA       Verent     Location     City       State     Zip       Order     Weight       Qua     1578004       Drop Date 04/11/2024     Sub Total       Num 3     Buffalo       Depew     NY       14043     1571184		rack/Token/MRBHS2TQLUY6AJDSN15V
https://visibility.ams.geodis.com       rack/Token/4WSDTL4AXKWpEZpJXTASXQ       Token:       https://visibility.ams.geodis.com       rack/Token/TEXDTMMJSEMJHAOVMVPQMC       Token:       https://visibility.ams.geodis.com       rack/Token/NTAGEJKSMOPXQ7R2plTVE       Pickup Appointment Date: 04/10/2       O7:30 AM       Bid Count: 2       Tracking ID: TXHXXIHA       Num 2       Prolift,Inc.       Buffalo       Num 3       Buffalo Materials       Depew       NY       14043	A A A A A A A A A A A A A A A A A A A	
Fack/Token/4wSDT44AAAApDpponnet       Token:       https://visibility.ams.geodis.com       rack/Token/TEXDTMMJSEMJHAOVMVPQMC       Token:       https://visibility.ams.geodis.com       rack/Token/NTAGEJKSMOPXQ7R2p1TVBJ       Pickup Appointment Date: 04/10/2       O7:30 AM       Bid Count: 2       Tracking ID: TXHXX1HA       Please refer to shipment bill of ladings for special instructions.       Please refer to shipment bill of ladings for special instructions.       Please refer to shipment bill of ladings for special instructions.       Please refer to shipment bill of ladings for special instructions.       Please refer to shipment bill of ladings for special instructions.       DROP ROUTING       Num 2     Prolift,Inc.       Buffalo     NY       14225       1578004     5,800       1578005     5,800       1578005     5,800       1578005     5,800       1578005     5,800       Num 3     Buffalo Materials       Depew     NY       14043	- 1 × /*	LI I I I I I I I I I I I I I I I I I I
Token: https://visibility.ams.geodis.com rack/Token/TEXDTMMJSEMJHAOVMVPQMQ Token: https://visibility.ams.geodis.com rack/Token/NTAGEJKSMOPXQ7R2pITVE Pickup Appointment Date: 04/10/2 07:30 AM Bid Count: 2 Tracking ID: TXHXXIHA       Special Instructions     Pickup Appointment Date: 04/10/2 07:30 AM Bid Count: 2 Tracking ID: TXHXXIHA       Special Instructions     Accessorials       Please refer to shipment bill of ladings for special instructions.     Accessorials       Please refer to shipment bill of ladings for special instructions.     1578004       Special Instructions     1578004       DROP ROUTING     1578004       Special Instructions     1578005       Num 2     Prolift,Inc.       Buffalo     NY       14225     1578004       Special Instructions     5,800       1578005     5,800       1578005     5,800       1578005     5,800       Special Instructions     1571184		rack/Token/4WSDTL4AXKWpEZpJXTAS
https://visibility.ams.geodis.com       rack/Token/TEXDTMMJSEMJHAOVMVPQMC       Token:       https://visibility.ams.geodis.com       rack/Token/NTAGEJKSM0pXQ7R2p1TVBJ       Pickup Appointment Date: 04/10/2       07:30 AM       Bid Count: 2       Tracking ID: TXHXX1HA       Accessorials       Please refer to shipment bill of ladings for special instructions.       Please refer to shipment bill of ladings for special instructions.       Please refer to shipment bill of ladings for special instructions.       DROP ROUTING       Mum 2     Prolift,Inc.       Buffalo     NY       14225       1578004     5,800       1578005     5,800       1578005     5,800       Drop Date 04/11/2024     Ub Total       Num 3     Buffalo Materials       Depew     NY       14043	1	Luoin -
Special Instructions     Token: https://visibility.ams.geodis.com rack/Token/NTAGEJKSM0pXQ7R2p1TVBJ Pickup Appointment Date: 04/10/2 07:30 AM Bid Count: 2 Tracking ID: TXHXX1HA       Special Instructions     Accessorials       Please refer to shipment bill of ladings for special instructions.     Accessorials       Please refer to shipment bill of ladings for special instructions.     Accessorials       Please refer to shipment bill of ladings for special instructions.     DROP ROUTING DROP ROUTING       Event     Location     City       State     Zip     Order       Weight     Qua       1578004     5,800       1578005     5,800       Drop Date 04/11/2024     Sub Total       Num 3     Buffalo Materials     Depew       Num 3     Buffalo Materials     Depew		Token:
Token:     https://visibility.ams.geodis.com       https://visibility.ams.geodis.com     rack/Token/NTAGEJKSMOpXQ7R2p1TVBJ       Pickup Appointment Date: 04/10/2     07:30 AM       Bid Count: 2     Tracking ID: TXHXX1HA       Special Instructions     Accessorials       Please refer to shipment bill of ladings for special instructions.     Accessorials       Please refer to shipment bill of ladings for special instructions.     DROP ROUTING       Event     Location     City       State     Zip     Order       Num 2     Prolift,Inc.     Buffalo       Drop Date 04/11/2024     Sub Total     11,600       Num 3     Buffalo Materials     Depew     NY       14043     1571184     6,181		https://VISIDIIIty.amo.go mack/Token/TEXDTMMJ5EMJHAOVMVP
https://visibility.ams.geodis.com       nttps://visibility.ams.geodis.com       rack/Token/NTAGEJKSMOpXQ7R2p1TVBJ       Pickup Appointment Date: 04/10/2       07:30 AM       Bid Count: 2       Tracking ID: TXHXX1HA       Special Instructions       Please refer to shipment bill of ladings for special instructions.       Please refer to shipment bill of ladings for special instructions.       Please refer to shipment bill of ladings for special instructions.       Please refer to shipment bill of ladings for special instructions.       Please refer to shipment bill of ladings for special instructions.       Please refer to shipment bill of ladings for special instructions.       Please refer to shipment bill of ladings for special instructions.       Drop Paulo Location     City       State     Zip       Order     Weight       Qua     1578004       State     5,800       1578005     5,800       Drop Date 04/11/2024     Sub Total       Num 3     Buffalo Materials       Depew     NY       14043		rack, loken, tone
rack/Token/NTAGEJKSM0pXQ7R2p1TVB.       rack/Token/NTAGEJKSM0pXQ7R2p1TVB.       Pickup Appointment Date: 04/10/2       07:30 AM       Bid Count: 2       Tracking ID: TXHXX1HA       Special Instructions.       Please refer to shipment bill of ladings for special instructions.       DROP ROUTING       Event     Location       Location     City State Zip       Order     Weight Qua       Num 2     Prolift,Inc.     Buffalo     NY     14225       Drop Date 04/11/2024       Num 3     Buffalo Materials     Depew     NY     14043       1571184     6,181		Token:
Pickup Appointment Date: 04/10/2 07:30 AM Bid Count: 2 Tracking ID: TXHXXIHA       Special Instructions     Accessorials       Please refer to shipment bill of ladings for special instructions.     Order     Weight     Qua       DROP ROUTING     DROP ROUTING       Event     Location     City     State     Zip     Order     Weight     Qua       Num 2     Prolift,Inc.     Buffalo     NY     14225     1578004     5,800       Drop Date 04/11/2024     Sub Total     11,600     11,600       Num 3     Buffalo Materials     Depew     NY     14043		https://visibility.ams.geodis.
07:30 AM Bid Count: 2 Tracking ID: TXHXX1HA       Special Instructions       Please refer to shipment bill of ladings for special instructions.       DROP ROUTING DROP ROUTING Event Location City State Zip Order Weight Qua Num 2 Prolift,Inc. Buffalo NY 14225       Num 2     Prolift,Inc.     Buffalo NY 14225       Drop Date 04/11/2024     Sub Total 11,600       Num 3     Buffalo Materials     Depew     NY 14043		rack/Token/NIRGEORSHOPRO/NEP1
07:30 AM Bid Count: 2 Tracking ID: TXHXX1HA       Special Instructions       Please refer to shipment bill of ladings for special instructions.       DROP ROUTING       DROP ROUTING       Event     City State Zip Order Weight Qua       Num 2     Prolift,Inc.       Buffalo     NY     14225       Drop Date 04/11/2024     Sub Total     11,600       Num 3     Buffalo Materials     Depew     NY     14043		
Tracking ID: TXHXXIHA       Special Instructions       Please refer to shipment bill of ladings for special instructions.       DROP ROUTING       Event     Location       Location     City     State     Zip     Order     Weight     Qua       Num 2     Prolift,Inc.     Buffalo     NY     14225       Drop Date 04/11/2024     Sub Total     11,600       Num 3     Buffalo Materials     Depew     NY     14043       1571184     6,181		Pickup Appointment Date: 04/10
Accessorials         Special Instructions         Please refer to shipment bill of ladings for special instructions.         DROP ROUTING         Event Location City State Zip Order Weight Qua         Num 2       Prolift,Inc.       Buffalo       NY       14225         Drop Date 04/11/2024       Sub Total       11,600         Num 3       Buffalo Materials       Depew       NY       14043		07:30 AM
Special Instructions         DROP ROUTING         DROP ROUTING         Event       Location       City       State       Zip       Order       Weight       Qua         Num 2       Prolift,Inc.       Buffalo       NY       14225       1578004       5,800       1578005       5,800         Drop Date       04/11/2024       Sub Total       11,600         Num 3       Buffalo       Depew       NY       14043         1571184       6,181		07:30 AM Bid Count: 2
Please refer to shipment bill of facings     DROP ROUTING       Event     Location     City     State     Zip     Order     Weight     Qua       Num 2     Prolift,Inc.     Buffalo     NY     14225     1578004     5,800       Drop Date 04/11/2024     Sub Total     11,600       Num 3     Buffalo Materials     Depew     NY     14043		07:30 AM Bid Count: 2 Tracking ID: TXHXX1HA
Event         Location         City         State         Zip         Order         Weight         Qua           Num 2         Prolift,Inc.         Buffalo         NY         14225         1578004         5,800         1578005         5,800         1578005         5,800         1578005         5,800         1578005         5,800         1578005         5,800         1578005         5,800         1578005         5,800         1578005         5,800         1578005         5,800         1578005         5,800         1578005         5,800         1578005         5,800         1578005         5,800         1578005         5,800         1578005         5,800         1578005         5,800         1578005         5,800         1578005         5,800         1578005         5,800         1578005         5,800         1578005         5,800         1578005         5,800         14043         1571184         6,181         1571184         6,181         1571184         6,181         157805         157805         157805         157805         157805         157805         157805         157805         157805         157805         157805         157805         14043         1571184         6,181         157805         157805         157805 <t< th=""><th>Special Instructions</th><th>07:30 AM Bid Count: 2 Tracking ID: TXHXX1HA Accessorials</th></t<>	Special Instructions	07:30 AM Bid Count: 2 Tracking ID: TXHXX1HA Accessorials
Event         Location         Buffalo         NY         14225           Num 2         Prolift,Inc.         Buffalo         NY         14225           Drop Date 04/11/2024         Sub Total         11,600           Num 3         Buffalo Materials         Depew         NY         14043	ploase refer to shipment bill of fadings for of	07:30 AM Bid Count: 2 Tracking ID: TXHXX1HA Accessorials al instructions.
Num 2         Prolifi, Inc.         1578004         5, 800           Drop Date 04/11/2024         Sub Total         11, 600           Num 3         Buffalo Materials         Depew         NY         14043           1571184         6, 181	Please refer to shipment bill of ladings to P	07:30 AM Bid Count: 2 Tracking ID: TXHXX1HA Accessorials al instructions. ROUTING
Drop Date 04/11/2024         1578005         5,800           Sub Total         11,600           Num 3         Buffalo Materials         Depew         NY         14043           1571184         6,181	Please refer to shipment bill of laining to p DROP Event Location City	07:30 AM Bid Count: 2 Tracking ID: TXHXX1HA Accessorials al instructions. ROUTING State Zip Order Weight (
Drop Date 04/11/2024         Sub Total         11,600           Num 3         Buffalo Materials         Depew         NY         14043           1571184         6,181	Please refer to shipment bill of failings for DROP Event Location City Bacilife Inc. Buffalo	D7:30 AM Bid Count: 2 Tracking ID: TXHXX1HA Accessorials al instructions. ROUTING State Zip Order Weight ( NY 14225
Drop Date 04/11/2024 Num 3 Buffalo Materials Depew NY 14043 1571184 6,181	Please refer to shipment bill of ladings DROP DROP Event Location City Buffalo	07:30 AM Bid Count: 2 Tracking ID: TXHXX1HA Al instructions. ROUTING State Zip Order Weight ( NY 14225 1578004 5,800
Num 3 1571184 6,181	Please refer to shipment bill of ladings         DROP           Event         Location         City           Num 2         Prolift,Inc.         Buffalo	07:30 AM Bid Count: 2 Tracking ID: TXHXX1HA Accessorials al instructions. ROUTING State Zip Order Weight ( NY 14225 1578004 5,800 1578005 5,800
Num 3 1571184 6,181	Please refer to shipment bill of ladings         DROP           Event         Location         City           Num 2         Prolift,Inc.         Buffalo	07:30 AM Bid Count: 2 Tracking ID: TXHXX1HA Accessorials al instructions. ROUTING State Zip Order Weight ( NY 14225 1578004 5,800 1578005 5,800
	Please refer to shipment bill of failinge to p       DROP       Event     Location       Num 2     Prolift,Inc.       Buffalo       Drop Date 04/11/2024	07:30 AM Bid Count: 2 Tracking ID: TXHXX1HA Accessorials al instructions. ROUTING State Zip Order Weight ( NY 14225 1578004 5,800 1578005 5,800 Sub Total 11,600
	Please refer to shipment bill of failinge to p       DROP       Event     Location       Num 2     Prolift,Inc.       Buffalo       Drop Date 04/11/2024   Buffalo Materials Depew	D7:30 AM Bid Count: 2 Tracking ID: TXHXX1HA Accessorials al instructions. ROUTING State Zip Order Weight ( NY 14225 1578004 5,800 1578005 5,800 Sub Total 11,600
	Please refer to shipment bill of failinge to p       DROP       Event     Location       Num 2     Prolift,Inc.       Buffalo       Drop Date 04/11/2024   Buffalo Materials Depew	D7:30 AM         D7:30 AM           Bid Count: 2         Tracking ID: TXHXX1HA           Accessorials           al instructions.         Meight           ROUTING         State         Zip         Order         Weight         Order           NY         14225         1578004         5,800         1578005         5,800           Sub Total         11,600         Sub Total         11,600

Page 1 of 16

ADALAS CONTRACTOR AND A DESCRIPTION OF A				Contra a la la la la la
- Anna				
	6 1			11
	IN	46	4/15/2	4
Seal Number Arrived On	Gompleted Trailer:	By Receiving Party Breaking Seal Seal Intact? Y or N (circle one) Signature	4/15/2 Date/Time:	4
Name:	Frailer:	By Receiving Party Breaking Seal Seal Intact? Y or N (circle one) Signature	4/15/2 Date/Time:	4 ad or declared value of the
Name: Where the rate is depend property isspecifically sta COD Remit To:	Completed Trailer: ent on value, shippers are required to state specifical fed by the shipper to be not exceeding	By Receiving Party Breaking Seal Seal Intact? Y or N (circle one) Signature	4/15/2 Date/Time:	4 ad or declared value of the
Name: Where the rate is depend property isspecifically star COD Remit To: COD Fee:	Trailer: ent on value, shippers are required to state specifically ted by the shipper to be not exceeding Collection Type: Collection Type:	Aby Receiving Party Breaking Seal Seal Intact? Y or N (circle one) Signature Ity in writing the agreed or declared value of tagget of the second seco	4/15/2 Date/Time: the property as follows: "The agree	
Name: Where the rate is depend property isspecifically star COD Remit To: COD Fee: Note: Liability limitation for Received, subject to Indi	Trailer: ent on value, shippers are required to state specifically ied by the shipper to be not exceeding Collection Type: It loss or damage in this shipment may be applicable, indually determined rates or contracts that have been indually determined rates or contracts that have	Approximation of the second se	4/15/2       Date/Time:       the property as follows: "The agree the property as follows: "The agree the propere	ded Freight Counted
Name: Where the rate is depend property isspecifically star COD Remit To: COD Fee: Note: Liability limitation for Received, subject to Indi upon In writing between t classifications and rules the shipper, on request, i	Completed realer: ent on value, shippers are required to state specifically red by the shipper to be not exceeding Collection Type: r loss or damage in this shipment may be applicable. ridually determined rates or contracts that have been had have been established by the carrier and are ava and to all applicable state and federal regulations.	Aby Receiving Party Breaking Seal Seal Intact? Y or N (circle one) Signature by in writing the agreed or declared value of the per COD Amount: See 49 USC 14706(c)(1)(A) and (B): agreed SECTION 7: The carrier shall no this shipment without payment o other lawful charges: Shipper: Carrier Signature / Pickup Date	4/15/2 Date/Time: The property as follows: "The agree the make delivery of freight and all Trailer Load	ded Freight Countec operby Shipper verby Driver

UNDERLYING BILL OF LADING         Carrier: KCH TREE           Shipper         Pickup Date: 04/10/2024           Mitsubilshi Logisnext Americas (Houston) Inc.         References           B013 Brittmore Road         Rouston, TX 77043 USA         Pickup Date: 04/10/2024           Prolift, Inc.         Dilvery Date: 04/02/24         Delivery Date: 04/02/24           Number: WRI4         -4         Scial Number: ECR327A           Model Number: Sobolity USA         Delivery Date: 04/02/24         Delivery Date: 04/02/24           See Master BOL For Bill To         Prepaid         Prepaid           Special Instructions: Contact Phone Number: 585-254-4950;Order Type:         Accessorials           Special Instructions: Contact Phone Number: S85-254-4950;Order Type:         Prepaid						BOL NO: 1546468 Stop Number: 3	N, INC
Binper       Consigner       Period       Bin Bollender Barbary Rochester, NI 16013 USA       Accessorial       Deck Master Bol. for Bill To       Period       Immediate Barbary Rochester Bol. for Bill To       Period Intracter Bolen Rechest: 55-254-49500 codes Type: Doctomedrizes to Ship Date: 2024001 countors: Heast: Writen Witever       Deck Master Bol. for Bill To       Consigner       Period Intracter Bolen Rechest: 55-254-49500 codes Type: Doctomedrizes to Ship Date: 2024001 countors: Heast: Writen Witever       Date: State to Bill To       Consigner       Period Intracter Bolen Rochest: Formation	an land					Stop Number: KCH TRANSPORTATIO	8
Number     Number     References       Consigner     Industrial In				VING BILL OF LADI	NG	Rickup Date: 04/10/2024	
Number:	HINK HA	Here and the second	UNDERL	Shipper		Delivery Date: 04/11/2024	
Visit IN 17041 USA     Serial Number: CCR327A Model Number: CCR327A Load ID: NNISIDIRATE       Prolift, In: III Ballend: Tartway Rochester, NT 14615 USA     End ID: NNISIDIRATE       Builto     Propart       See Nauver Bol: for Bill TO     Propart       See Nauver Bol: for Bill TO     Propart       Special Instructions: Special Instructions: Contact Enone Number: 161-254-4550,0rder Type: Date: 2020401;Customer Name: WRIGHT WISNER     Accessorial       Special Instructions: I EA 64     ENN No     Item Description     I       Very     Visit HM(X)     NMPC     Item Description     I       Very     Visit Allow     Status Travel Contact Enone Number: 161-254-4550,0rder Type: Contact Enone Number: 562,000 Ho.     I       Special Instructions: I Contact Enone Number: 161-254-4550,0rder Type: Contact Enone Number: 562,000 Ho.     I     Accessorial       Special Instructions: I EA 64     Status Travel Marker Misser     I       I EA 64     Status Travel Marker Enon Ritors       I EA 64     Flort Contact Enone Number: 562,000 Ho.       I EA 64     Flort Contact Marker Enon Ritors       I EA 64     Flort Contact Enone Number: 562,000 Ho.       I EA 64     Flort Contact Marker Y Enone Ritors       I EA 64     Flort Contact Enone Number: 562,000 Flore Paol       I EA 64     Flort Entry Sillede       I EA 64     Sto D Drive Thre: Folly Press On 12.0" X			+ Imerica	s (Houston) InC.			-
Visit TX T70043 USA     Berial Number: CCR327A Model Number: CCR327A Load TD: NNISIDIBA07B       Prolift, In: 111 Hollend: Terway Rochester, NI 14615 USA     End To: 100 Proparties       Builto     Proparties       See Nation Roll for Bill TO     Proparties       See Nation Roll for Bill Roll for Bill TO     Proparties Roll for Bill Roll for	tsubi	shi Logish	ad			PO Number: WW+4	
Model Number: 200 more than a second	OUSTO	n. TX 77043	USA				
Contgue     Load D: RNISION       Prolife, Inc.     Hill Bollender Farkway Rochester, NY 14615 UGA     Hill To     Freight Terms       bee Master Boll for Bill To     Breight Cerms     Accessorials       Special Instructions: JContact Phone Number: 585-254-435500 cder Type: Contact:Ready to Ship Date: 20240401/Customer Hase: mIGHT WISNER     Accessorials       Ver     Therwellows: JContact Phone Number: 585-254-435500 cder Type: Customer:Ready to Ship Date: 20240401/Customer Hase: mIGHT WISNER     I       Ver     Therwellows: JContact Phone Number: 585-254-435500 cder Type: Customer:Ready to Ship Date: 20240401/Customer Hase: mIGHT WISNER     I       Ver     Therwellows: JContact Phone Number: 585-254-435500 cder Type: Customer:Ready to Ship Date: 20240401/Customer Hase: mIGHT WISNER     I       Ver     Therwellows: JContact Phone Number: 585-254-435500 cder Type: Customer:Ready to Ship Date: 20240401/Customer Hase: mIGHT WISNER     I       Ver     Therwellows: JContact Phone Number: 585-254-435500 cder Type: Customer:Ready to Ship Date: 20240401/Customer Hase: mIGHT WISNER     I       Ver     Therwellows: JContact Phone Number: 585-254-435500 cder Type: Customer:Ready to Ship Date: 20240401/Customer Hase: mIGHT WISNER     I       Ver     Therwellows: JContact Phone Number: 585-254-435500 cder Type: Customer:Ready to Ship Date: 20240401/Customer:Ready Type: State: State: Stat	Quere						
Consigned         Prolift, Inc.         Notes Parkway         Rochester, NY 10013 USA         Number: Sector Park 1000         Special Instructions: :Contact: Phone Number: 589-254-4950;Order Type:         Contact: Phone Number: 589-254-4950;Order Type:         Contact: Phone Number: 589-254-4950;Order Type:         Special Instructions: :Contact: Phone Number: S89-254-4950;Order Type:         Contact: Phone Number: 589-254-4950;Order Type:         Contact: Phone Number: S89-254-4950;Order Type:         Contact: Phone Number: S120;Order Type: <th></th> <th></th> <th></th> <th></th> <th>the subscription of the second</th> <th>Load ID: HNIS10184070</th> <th></th>					the subscription of the second	Load ID: HNIS10184070	
Prolify, Inc.     Number     Provide Terms       Incohester, NY 14615     USA       See Master BDL for Bill To     Freight Terms       Special Instructions:     Contact Phone Number: 589-264-4350.00 rder Type:       Special Instructions:     Contact Phone Number: Status       Special Instructions:     Contact Phone Number: Status       1     EA     64       1     EA <td< th=""><th></th><th></th><th></th><th>Consignee</th><th>SUM STREET, ST</th><th></th><th>3.1</th></td<>				Consignee	SUM STREET, ST		3.1
II Hollender Fernans Rochester, NY 14615 USA         Freight Terms Freight Terms         See Naster BOL for Bill To         Accessorials         Special Instructions: :Contact Phone Number: 585-254-4950;Order Type: Customer; Ready to Ship Date: 20240401;Customer Name: #RIGHT WISNER         Optimized Sector State Phone Number: 585-254-4950;Order Type: Customer; Ready to Ship Date: 20240401;Customer Name: #RIGHT WISNER         Optimized Sector State Phone Number: 585-254-4950;Order Type: Customer; Ready to Ship Date: 20240401;Customer Name: #RIGHT WISNER         Optimized Sector State Phone Number: 585-254-4950;Order Type: Customer; Ready to Ship Date: 20240401;Customer Name: #RIGHT WISNER         Optimized Sector State Phone Number: 585-254-4950;Order Type: Customer; Ready to Ship Date: 20240401;Customer Name: #RIGHT WISNER         Optimized Sector State Phone Number: 585-254-4950;Order Type: Customer; Ready to Ship Date: 20240401;Customer Name: #RIGHT WISNER         Optimized Sector State Phone Number: 585-254-4950;Order Type: Customer; Ready to Ship Date: 20240401;Customer Sector Se			20050000				
Rechester, Nr 1462     Null To     Freight Terms Drepaid       See Naster BOL Tor Hill To     Propaid       Special Instructions: Contact Enone Number: 581-224-4355;0rder Type: Customer: Ready to Ship Date: 202401/rCustomer Name: walleht MISNER     Accessorials       Vor     Vor     Note Number: 581-224-4355;0rder Type: Customer: Ready to Ship Date: 202401/rCustomer Name: walleht MISNER     I       1     EA     64     Shrink WRAP HOLDER (NO OFF MOUNTING ALARM TRAVEL-BOTH DIRCTIONS     I       1     EA     64     JUNGH BRICHOW MISNER     I       1     EA     64     JUNGH BRICHOW MISNER     NM       1     EA     64     JUNGH BRICHOW MISNET END RIDER       1     EA     64     Programing For High Level Performance       1     EA     64     Programing For High Level Performance       1     EA     64     Programing For High Level Performance       1     EA     64     FATTORM WORSPERDE COMPORT FLOOR FAD       1     EA     64     FATTORM WORSPERD COMFORT FLOOR FAD       1     EA     64     FATTORM WORSPERD COMFORT FLOOR FAD       1 <td></td> <td></td> <td>arkway</td> <td></td> <td></td> <td></td> <td></td>			arkway				
Builto     Preprint       Der Naster BOL for Hill To     Preprint       Precisi Instructions: :Contact Phone Number: 585-254-4550;0rder Type: Customer:Ready to Ship Date: 20240401;Customer Hame: wRIGHT WISNER     Accessorial       Precisi Instructions: :Contact Phone Number: 585-254-4550;0rder Type: Customer:Ready to Ship Date: 20240401;Customer Hame: wRIGHT WISNER     N       Precisi Instructions: :Contact Phone Number: S85-254-4550;0rder Type: Customer:Ready to Ship Date: 20240401;Customer Hame: wRIGHT WISNER     N       Precisi Instructions: :Contact Phone Number: S85-254-4550;0rder Type: Customer:Ready to Ship Date: 20240401;Customer Hame: wRIGHT WISNER     N       Precisi Instructions: :Contact Phone Number: S85-254-4550;0rder Type: Customer:Ready to Ship Date: 20240401;Customer Hame: wRIGHT WISNER     N       Precisi Instructions: :Contact Phone Number: S85-254-4550;0rder Type: Customer:Ready to Ship Date: 20240401;Customer Hame: WRIGHT WISNER     N       Precisi Instructions: :Contact Phone Number: S85-254-4550;0rder Type: Customer:Ready to Ship Date: 20240401;Customer Hame: WRIGHT WISNER     N       Precisi Instruction: :Contact Phone Number: S85-254-4550;0rder Type: Customer:Ready Hame: Ready H	Roch	ester, NY 1	4615 USA				
Bull To         Prepaid           See Naster BOL for Bill To         Accessorials           Special Instructions: Contact Phone Number: 585-254-4350;Order Type: CustomerReady to Ship Date: 20240401;Customer Name: wRIGHT WISNER         I           CustomerReady to Ship Date: 20240401;Customer Name: wRIGHT WISNER         I           1         EA         64							
Bull To     Prepaid       See Naster BOL for Bill To     Accessorials       Special Instructions: Contact Phone Number: 585-254-4350;Order Type: Customer:Ready to Ship Date: 20240401;Customer Name: wRIGHT WISNER     I       Customer:Ready to Ship Date: 20240401;Customer Name: wRIGHT WISNER     I       Very     Veight HM(X)     NMFC     Item Description     I       1     EA     64     ALARN TRAVEL-BOTH DIRECTIONS     JUNCHEINNICH, GOOL# WAIKHE END RIDER       1     EA     64     JUNCHEINNICH, GOOL# WAIKHE END RIDER <th>1</th> <th></th> <th></th> <th></th> <th>Freight Terr</th> <th>ns</th> <th></th>	1				Freight Terr	ns	
Dee Naster Holl for Bill To       Accessorials       Special Instructions: Contact Phone Number: 585-254-4950;Order Type: Customer:Ready to Ship Date: 20240401;Customer Name: WRIGHT WISNER       Or Type Wright HM (X) MMFC Item Description I East 64       The Wright HM (X) MMFC Item Description       1     EA     64       1		and the second	Bil	1To	Prepaid		
Special Instructions: :Contact Phone Number: 585-254-4950; Order Type: Decisal Instructions: :Contact Phone Number: 585-254-4950; Order Type: Customer; Ready to Ship Date: : 20240401; Customer Name: WHICHT WISNES       No.     Nmme     Immediate Structure Number: Structure Name: WHICHT WISNES       No.     Nmme     Immediate Structure Nume: WHICHT WISNES       No.     Structure Nume: WHICHT WISNES       No.     Nmme     Immediate Structure Nume: WHICHT WISNES       No.     Nmme     Structure Nume: Structure Nume: Structure	-	Mastar BOL	for Bill To	)			
Special Instructions:     Contact Enone Number:     S85-254-4950;0rder Type:       Custamer:Ready to Ship Date:     20240401;Customer Name:     WRIGHT WISNER       Qv     Type     Weight     HM (X)     NMFC     Item Description     I       1     EA     64     SHRINK WRAP HolDER (NO OPT MOUNTING       1     EA     64     JURGEINRICH, 6000# WALKIE END RIDER       1     EA     64     Forgramming For High Level Performance       1     EA     64     Programming For High Level Performance       1     EA     64     PLATFORM W/SUSPENDED COMFORT FLOOR PAD       1     EA     64     PLATFORM W/SUSPENDED COMFORT FLOOR PAD       1     EA     64     Standard Key Switch       1     EA     64     CURTECHINES       1     EA     64     UL RATED TYPE E       1     EA     64     CUR ATED TYPE E       1     EA     64 <th>See</th> <th>Master bos</th> <th></th> <th></th> <th></th> <th></th> <th></th>	See	Master bos					
Special Instructions:     Contact Enone Number:     S85-254-4950;0rder Type:       Cystamer:Ready to Ship Date:     20240401;Customer Name:     WRIGHT WISNER       I     EA     64     SHRINK WAP HolDER (NO OPT MOUNTING       1     EA     64     JURGEINRICH, GOOOf WALKIE END RIDER       1     EA     64     JURGEINRICH, GOOOf WALKIE END RIDER       1     EA     64     JURGEINRICH, GOOOf WALKIE END RIDER       1     EA     64     Floctric Power Steering       1     EA     64     Programming For High Level Performance       1     EA     64     Programming For High Level Performance       1     EA     64     Platter Stides       1     EA     64     Plattery Slides       1     EA     64     Plattery Slides       1     EA     64     Plattery Slides       1     EA     64     Standard Key Switch							
Special Instructions:     Contact Phone Number:     585-254-4980.07 der Type:       Destanter:Ready to Ship Date:     20240401;Customer Name:     WRIGHT WISNER       Versioner:Ready to Ship Date:     20240401;Customer Name:     WRIGHT WISNER       Versioner:Ready to Ship Date:     20240401;Customer Name:     WRIGHT WISNER       Versioner:Ready to Ship Date:     20240401;Customer Name:     WRIGHT WISNER       1     EA     64     SHRINK WRAP HolDER (NO OPT MOUNTING       1     EA     64     JURGHEINRICH GOOD! WAIKHE END RIDER       1     EA     64     JURGHEINRICH GOOD! WAIKHE END RIDER       1     EA     64     Flectric Power Steering       1     EA     64     Programming For High Level Performance       1     EA     64     Flectric Power Steering       1     EA     64     Flectric Stip       1     EA     64     Flectric Stip							
Obschmetrikeady ED Ship Obtor StateVeryTypeWeightHM (X)NMFCItem DescriptionL1EA64SHRINK WRAP HOLDER (NO OF MOUNTING ALARM TRAVEL-BOTH DIRECTIONS1EA64JUNGHEINRICH, 6000# WALKIE END RIDER1EA64JUNGHEINRICH, 6000# WALKIE END RIDER1EA64Stansming For High Level Performance1EA64Programming For High Level Performance1EA64Standard Key Switch1EA64Standard Key Switch1EA64Pallet Entry Slides1EA64Standard Key Switch1EA64Stondard Key Switch1EA64Stondard Key Switch1EA64Stondard Key Switch1EA64Stondard Key Switch1EA64Stondard Key Switch1EA64Stondard Key Switch1EA64Ston Drive Tire: Foly Press On 12.0" X3EA64Ston Drive Tire: Foly Press On 12.0" X1EA64Ston Drive Tire: Stol Stone1EA64Ston Drive Tire: Stol Stone1EA64Stone1EA<						Accessorials	AN CAR
QrTypeWeightHM(X)NMC1EA54SHEINK WRAP HOLDER (NO OPT MOUNTING1EA64JUNGHEINRICH 60004 WALKTE END RIDER1EA64JUNGHEINRICH 60004 WALKTE END RIDER1EA64Good b. Capacity End Rider with 48" X1EA64Electric Power Steering1EA64Programming For High Level Performance1EA64Programming For High Level Performance1EA64Standard Key Switch1EA64PLATFORN W/SUSPENDED COMFORT FLOOR PAD1EA64Standard Key Switch1EA64CATTORILIK Stability Casters1EA64STD Drive Tire; Poly Press On 12.0" X1EA64UL RATED TYPE E1EA64LITERATURE KIT1EA64GOT (1524 mm) Load Backrest Fixed1EA64COAST CONTROL WITH MECHANICAL TILLER1EA64COAST CONTROL WITH MECHANICAL TILLER<	Sp	ecial Instru ustomer;Read	y to Ship Da	te: 20240401;Cust	omer Name: WRIGHT WISNE		
1EA64ALARM TRAVEL-BOTH DIRECTIONS1EA64JUNGHEINRICH 6000# WALKIE END RIDER1EA646 000 lb. Capacity End Rider with 48" X1EA64Electric Power Steering1EA64Programming For High Level Performance1EA64Pallet Entry Slides1EA64Standard Key Switch1EA64PATFORM W/SUSPENDED COMFORT FLOOR PAD1EA64PATFORM W/SUSPENDED COMFORT FLOOR PAD1EA64PATFORM W/SUSPENDED COMFORT FLOOR PAD1EA64PATFORM W/SUSPENDED COMFORT FLOOR PAD1EA64Standard Key Switch1EA64PATFORM W/SUSPENDED COMFORT FLOOR PAD1EA64PATFORM W/SUSPENDED COMFORT FLOOR PAD1EA64PATFORM W/SUSPENDED COMFORT FLOOR PAD1EA64STD Drive Tire; Poly Press On 12.0" X1EA64STD Drive Tire; Poly Press On 12.0" X1EA64High Speed - Continuous Hold1EA64High Speed - Continuous Hold1EA64LITERATURE KIT1EA64COAST CONTROL WITH MECHANICAL TILLER1EA64English Language Markings1EA64FAODS ON DRIVE UNIT COMPARTMENT1EA64FAODS ON DRIVE UNIT COMPARTMENT1EA64FAODS ON DRIVE UNIT COMPARTMENT1 </th <th>1</th> <th></th> <th></th> <th></th> <th>Contraction of the second state</th> <th>and the second second</th> <th>LTL</th>	1				Contraction of the second state	and the second	LTL
1EA64JUNCHEINRICH 6000# WALKIE END RIDER1EA646 000 lb. Capacity End Rider with 48" X1EA64Electric Power Steering1EA64Programming For High Level Performance1EA64Programming For High Level Performance1EA64Programming For High Level Performance1EA64Programming For High Level Performance1EA64Pallet Entry Slides1EA64Standard Key Switch1EA64PLATFORM WSUSPENDED COMFORT FLOOR PAD1EA64ProTracLink Stability Casters1EA64STD Drive Tire; Poly Press on 12.0" X1EA64UL RATED TYPE E1EA64UL RATED TYPE E1EA64LITERATURE KIT1EA64COAST CONTROL WITH MECHANICAL TILLER1EA64COAST CONTROL WITH MECHANICAL TILLER1EA64KNEE PADS ON DRIVE UNIT COMPARTMENT1EA64KNEE PADS ON DRIVE UNIT COMPARTMENT231466TOTAL PALLET AT THE PALL	t		Contraction of the local division of the loc	and the second second	NMEC	Item Description	
1EA646 000 lb. Capacity End Rider with 48" X1EA64Electric Power Steering1EA64Programming For High Level Performance1EA64Standard Key Switch1EA64Pallet Entry Slides1EA64Platform W/SUSPENDED COMFORT FLOOR PAD1EA64PLATFORM W/SUSPENDED COMFORT FLOOR PAD1EA64Standard Key Switch1EA64Standard Key Switch1EA6	t	Qty	Туре	Weight HM (X)	NMFC SHRINK WRA	Item Description P HOLDER (NO OPT MOUNTING	55
1EA64Electric Power Steering1EA64Programming For High Level Performance1EA6431.7X13.5X31.5" = 1430 Battery1EA64Pallet Entry Slides1EA64Standard Key Switch1EA64PLATFORM W/SUSPENDED COMFORT FLOOR PAD1EA64PLATFORM W/SUSPENDED COMFORT FLOOR PAD1EA64PLATFORM W/SUSPENDED COMFORT FLOOR PAD1EA64Standard Key Switch1EA64PLATFORM W/SUSPENDED COMFORT FLOOR PAD1EA64STD Drive Tire; Poly Press On 12.0" X1EA64STD Drive Tire; Poly Press On 12.0" X1EA64STD LD WHL: Polyurethane High Durometer1EA64LITERATURE KIT1EA64LITERATURE KIT1EA64GO" (1524 mm) Load Backrest Fixed1EA64COAST CONTROL WITH MECHANICAL TILLER1EA64English Language Markings1EA64English Language Markings1EA64FINDTONS (ON SIDE OF CHASSIS)23L466TOTAL PALETARS		Qty 1	Type EA	Weight     HM (X)       64	NMFC SHRINK WRA	Item Description P HOLDER (NO OPT MOUNTING EL-BOTH DIRECTIONS	55 55
1       EA       64       Programming For High Level Performance         1       EA       64       31,7X13.5X31.5" - 1430 Battery         1       EA       64       Pallet Entry Slides         1       EA       64       Platform W/SUSPENDED COMFORT FLOOR PAD         1       EA       64       Platform W/SUSPENDED COMFORT FLOOR PAD         1       EA       64       Platform W/SUSPENDED COMFORT FLOOR PAD         1       EA       64       ProTraclink Stability Casters         1       EA       64       STD Drive Tire; Poly Press On 12.0" X         1       EA       64       STD Drive Tire; Poly Press On 12.0" X         1       EA       64       STD LD WHL: Polyurethane High Durometer         1       EA       64       UL RATED TYPE E         1       EA       64       LITERATURE KIT         1       EA       64       Battery Connector; SB 350 (Red)         1       EA       64       Coast CONTROL WITH MECHANICAL TILLER         1       EA       64       English Language Markings         1       EA       64       English Language Markings         1       EA       64       FNOPICK BUTTONS (ON SIDE OF CHASSIS)	Two The	Qty 1	Type EA EA	Weight         HM (X)           64         64           64         64           64         64	NMFC SHRINK WRA ALARM TRAV JUNGHEINRI	Item Description P HOLDER (NO OPT MOUNTING EL-BOTH DIRECTIONS CH.6000# WALKIE END RIDER	55 55 55
1EA6431.7X13.5X31.5" - 1430 Battery1EA64Pallet Entry Slides1EA64Standard Key Switch1EA64PLATFORM W/SUSPENDED COMFORT FLOOR PAD1EA64PLATFORM W/SUSPENDED COMFORT FLOOR PAD1EA64STD Drive Tire: Poly Press on 12.0" X1EA64STD DD WHL: Polyurethane High Durometer1EA64UL RATED TYPE E1EA64UL RATED TYPE E1EA64High Speed - Continuous Hold1EA64Entery Connector: SB 350 (Red)1EA64COAST CONTROL WITH MECHANICAL TILLER1EA64English Language Markings1EA64FNOPICK BUTTONS (ON SIDE OF CHASSIS)23L466TOTAL PALATENCE		Qty 1 1 1 1	Type EA EA EA EA	Weight         HM (X)           64         64           64         64           64         64           64         64	NMFC SHRINK WRA ALARM TRAV JUNGHEINRI 6 000 lb.	Item Description P HOLDER (NO OPT MOUNTING EL-BOTH DIRECTIONS CH.6000# WALKIE END RIDER Capacity End Rider with 48" X	55 55 55 55
1EA64Pallet Entry Slides1EA64Standard Key Switch1EA64PLATFORM W/SUSPENDED COMFORT FLOOR PAD1EA6424V Lead Acid Battery Prep1EA6424V Lead Acid Battery Prep1EA64ProTracLink Stability Casters1EA64STD Drive Tire; Poly Press on 12.0" X1EA64STD Dive Tire; Poly Press on 12.0" X1EA64UL RATED TYPE E1EA64UL RATED TYPE E1EA64LITERATURE KIT1EA64Battery Connector: SB 350 (Red)1EA64COAST CONTROL WITH MECHANICAL TILLER1EA64English Language Markings1EA64FNOPICK BUTTONS (ON SIDE OF CHASSIS)231,466TOTAL PALATENCE	and in the second se	Qty 1 1 1 1	Type EA EA EA EA EA	Weight         HM (X)           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -	NMFC SHRINK WRA ALARM TRAV JUNGHEINRI 6 000 lb. Electric P	Item Description P HOLDER (NO OPT MOUNTING EL-BOTH DIRECTIONS CH 6000# WALKIE END RIDER Capacity End Rider with 48" X ower Steering	55 55 55 55 55
1EA64Standard Key Switch1EA64PLATFORM W/SUSPENDED COMFORT FLOOR PAD1EA6424V Lead Acid Battery Prep1EA64ProTracLink Stability Casters1EA64STD Drive Tire: Poly Press On 12.0" X1EA64STD Dive Tire: Poly Press On 12.0" X1EA64STD LD WHL: Polyurethane High Durometer1EA64UL RATED TYPE E1EA64LITERATURE KIT1EA64G0" (1524 mm) Load Backrest Fixed1EA64Battery Connector: SB 350 (Red)1EA64English Language Markings1EA64English Language Markings1EA64FNOPICK BUTTONS (ON SIDE OF CHASSIS)231,466TOTAL PALLET ACC		Qty 1 1 1 1 1 1	Type EA EA EA EA EA EA EA	Weight         HM (X)           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -	NMFC SHRINK WRA ALARM TRAV JUNGHEINRI 6 000 lb. Electric P Programmin	Item Description P HOLDER (NO OPT MOUNTING EL-BOTH DIRECTIONS CH.6000# WALKIE END RIDER Capacity End Rider with 48" X ower Steering g For High Level Performance	55 55 55 55 55 55
1EA64PLATFORM W/SUSPENDED COMFORT FLOOR PAD1EA6424V Lead Acid Battery Prep1EA64ProTracLink Stability Casters1EA64STD Drive Tire; Poly Press On 12.0" X1EA64STD Dive Tire; Poly Press On 12.0" X1EA64STD LD WHL: Polyurethane High Durometer1EA64UL RATED TYPE E1EA64High Speed - Continuous Hold1EA64LITERATURE KIT1EA64Battery Connector: SB 350 (Red)1EA64COAST CONTROL WITH MECHANICAL TILLER1EA64English Language Markings1EA64FNOPICK BUTTONS (ON SIDE OF CHASSIS)231,466TOTAL PALATER ACK		Qty 1 1 1 1 1 1	Type EA EA EA EA EA EA EA	Weight         HM (X)           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -	NMFC SHRINK WRA ALARM TRAV JUNGHEINRI 6 000 lb. Electric P Programmin 31.7X13.5X	Item Description P HOLDER (NO OPT MOUNTING EL-BOTH DIRECTIONS CH 6000# WALKIE END RIDER Capacity End Rider with 48" X ower Steering IG For High Level Performance (31.5" - 1430 Battery	55 55 55 55 55 55
1EA6424V Lead Acid Battery Prep1EA64ProTracLink Stability Casters1EA64STD Drive Tire; Poly Press On 12.0" X1EA64STD LD WHL: Polyurethane High Durometer1EA64UL RATED TYPE E1EA64LITERATURE KIT1EA64G0" (1524 mm) Load Backrest Fixed1EA64Battery Connector: SB 350 (Red)1EA64English Language Markings1EA64English Language Markings1EA64PROPICK BUTTONS (ON SIDE OF CHASSIS)231,466TOTAL PALLET ACK		Qty 1 1 1 1 1 1 1 1 1 1	Type EA EA EA EA EA EA EA EA EA	Weight         HM (X)           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -	NMFC SHRINK WRA ALARM TRAV JUNGHEINRI 6 000 lb. Electric P Programmin 31.7X13.5X Pallet Ent	Item Description P HOLDER (NO OPT MOUNTING EL-BOTH DIRECTIONS CH 6000# WALKIE END RIDER Capacity End Rider with 48" X ower Steering IG For High Level Performance 31.5" - 1430 Battery rry Slides	55 55 55 55 55 55 55 55
1EA64STD Drive Tire; Poly Press On 12.0" X1EA64STD LD WHL: Polyurethane High Durometer1EA64UL RATED TYPE E1EA64High Speed - Continuous Hold1EA64LITERATURE KIT1EA6460" (1524 mm) Load Backrest Fixed1EA64Battery Connector: SB 350 (Red)1EA64COAST CONTROL WITH MECHANICAL TILLER1EA64English Language Markings1EA64PROPICK BUTTONS (ON SIDE OF CHASSIS)231,466TOTAL PALLET ALS		Qty 1 1 1 1 1 1 1 1 1 1 1	Type EA EA EA EA EA EA EA EA EA	Weight         HM (X)           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -	NMFC SHRINK WRA ALARM TRAV JUNGHEINRI 6 000 lb. Electric P Programmin 31.7X13.5X Pallet Ent Standard F	Item Description P HOLDER (NO OPT MOUNTING EL-BOTH DIRECTIONS CH 6000# WALKIE END RIDER Capacity End Rider with 48" X ower Steering IG For High Level Performance G1.5" - 1430 Battery rry Slides Key Switch	55 55 55 55 55 55 55 55 55
1     EA     64     STD LD WHL: Polyurethane High Durometer       1     EA     64     UL RATED TYPE E       1     EA     64     High Speed - Continuous Hold       1     EA     64     LITERATURE KIT       1     EA     64     LITERATURE KIT       1     EA     64     G0" (1524 mm) Load Backrest Fixed       1     EA     64     Battery Connector: SB 350 (Red)       1     EA     64     COAST CONTROL WITH MECHANICAL TILLER       1     EA     64     English Language Markings       1     EA     64     FROPICK BUTTONS (ON SIDE OF CHASSIS)       23     1.466     TOTAL PALLET TOTAL		Qty 1 1 1 1 1 1 1 1 1 1 1 1 1	Type           EA	Weight         HM (X)           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -	NMFC SHRINK WRA ALARM TRAV JUNGHEINRI 6 000 lb. Electric P Programmin 31.7X13.5X Pallet Ent Standard M PLATFORM W	Item Description P HOLDER (NO OPT MOUNTING EL-BOTH DIRECTIONS CH 6000# WALKIE END RIDER Capacity End Rider with 48" X ower Steering IG For High Level Performance 31.5" - 1430 Battery rry Slides Key Switch V/SUSPENDED COMFORT FLOOR PAD	55 55 55 55 55 55 55 55 55
1     EA     64     UL RATED TYPE E       1     EA     64     High Speed - Continuous Hold       1     EA     64     LITERATURE KIT       1     EA     64     LITERATURE KIT       1     EA     64     60" (1524 mm) Load Backrest Fixed       1     EA     64     Battery Connector: SB 350 (Red)       1     EA     64     COAST CONTROL WITH MECHANICAL TILLER       1     EA     64     English Language Markings       1     EA     64     PROPICK BUTTONS (ON SIDE OF CHASSIS)       23     1,466     TOTAL PALLET ALSE		Qty 1 1 1 1 1 1 1 1 1 1 1 1 1	Type           EA	Weight         HM (X)           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -	NMFC SHRINK WRA ALARM TRAV JUNGHEINRI 6 000 lb. Electric P Programmin 31.7X13.5X Pallet Ent Standard F PLATFORM V 24V Lead / ProTracLin	Item Description P HOLDER (NO OPT MOUNTING EL-BOTH DIRECTIONS CH 6000# WALKIE END RIDER Capacity End Rider with 48" X ower Steering IG For High Level Performance (31.5" - 1430 Battery try Slides Key Switch W/SUSPENDED COMFORT FLOOR PAD Acid Battery Prep hk Stability Casters	55 55 55 55 55 55 55 55 55 55
1     EA     64     UL RATED TYPE E       1     EA     64     High Speed - Continuous Hold       1     EA     64     LITERATURE KIT       1     EA     64     LITERATURE KIT       1     EA     64     60" (1524 mm) Load Backrest Fixed       1     EA     64     Battery Connector: SB 350 (Red)       1     EA     64     COAST CONTROL WITH MECHANICAL TILLER       1     EA     64     English Language Markings       1     EA     64     PROPICK BUTTONS (ON SIDE OF CHASSIS)       23     1,466     TOTAL PALLET ALSE		Qty 1 1 1 1 1 1 1 1 1 1 1 1 1	Type           EA	Weight         HM (X)           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -	NMFC SHRINK WRA ALARM TRAV JUNGHEINRI 6 000 lb. Electric P Programmin 31.7X13.5X Pallet Ent Standard F PLATFORM V 24V Lead A ProTracLin STD Drive	Item Description P HOLDER (NO OPT MOUNTING EL-BOTH DIRECTIONS CH 6000# WALKIE END RIDER Capacity End Rider with 48" X ower Steering g For High Level Performance 31.5" - 1430 Battery rry Slides Key Switch V/SUSPENDED COMFORT FLOOR PAD Acid Battery Prep nk Stability Casters Tire: Poly Press On 12.0" X	55 55 55 55 55 55 55 55 55 55 55
1     EA     64     LITERATURE KIT       1     EA     64     LITERATURE KIT       1     EA     64     60" (1524 mm) Load Backrest Fixed       1     EA     64     Battery Connector: SB 350 (Red)       1     EA     64     COAST CONTROL WITH MECHANICAL TILLER       1     EA     64     English Language Markings       1     EA     64     KNEE PADS ON DRIVE UNIT COMPARTMENT       1     EA     64     PROPICK BUTTONS (ON SIDE OF CHASSIS)       23     1,466     TOTAL PALLET AND		Qty 1 1 1 1 1 1 1 1 1 1 1 1 1	Type EA EA EA EA EA EA EA EA EA EA EA EA EA	Weight         HM (X)           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64	NMFC SHRINK WRA ALARM TRAV JUNGHEINRI 6 000 lb. Electric P Programmin 31.7X13.5X Pallet Ent Standard P PLATFORM V 24V Lead A ProTracLin STD Drive STD LD WH	Item Description P HOLDER (NO OPT MOUNTING EL-BOTH DIRECTIONS CH 6000# WALKIE END RIDER Capacity End Rider with 48" X ower Steering g For High Level Performance 31.5" - 1430 Battery rry Slides Key Switch V/SUSPENDED COMFORT FLOOR PAD Acid Battery Prep nk Stability Casters Tire: Poly Press On 12.0" X L: Polyurethane High Durometer	55 55 55 55 55 55 55 55 55 55 55 55
1     EA     64     ETHEMIORE KIT       1     EA     64     60" (1524 mm) Load Backrest Fixed       1     EA     64     Battery Connector: SB 350 (Red)       1     EA     64     COAST CONTROL WITH MECHANICAL TILLER       1     EA     64     English Language Markings       1     EA     64     KNEE PADS ON DRIVE UNIT COMPARTMENT       1     EA     64     PROPICK BUTTONS (ON SIDE OF CHASSIS)       23     1,466     TOTAL BALLET ALSO		Qty 1 1 1 1 1 1 1 1 1 1 1 1 1	Type EA EA EA EA EA EA EA EA EA EA EA EA EA	Weight         HM (X)           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64	NMFC SHRINK WRA ALARM TRAV JUNGHEINRI 6 000 lb. Electric P Programmin 31.7X13.5X Pallet Ent Standard ¥ PLATFORM ¥ 24V Lead ¥ ProTracLin STD Drive STD LD WH UL RATED	Item Description P HOLDER (NO OPT MOUNTING EL-BOTH DIRECTIONS CH 6000# WALKIE END RIDER Capacity End Rider with 48" X ower Steering g For High Level Performance (31.5" - 1430 Battery rry Slides Key Switch V/SUSPENDED COMFORT FLOOR PAD Acid Battery Prep nk Stability Casters Tire: Poly Press On 12.0" X L: Polyurethane High Durometer TYPE E	55 55 55 55 55 55 55 55 55 55 55 55 55
1     EA     64     Battery Connector: SB 350 (Red)       1     EA     64     COAST CONTROL WITH MECHANICAL TILLER       1     EA     64     English Language Markings       1     EA     64     KNEE PADS ON DRIVE UNIT COMPARTMENT       1     EA     64     PROPICK BUTTONS (ON SIDE OF CHASSIS)       23     1,466     TOTAL PALLET 212		Qty 1 1 1 1 1 1 1 1 1 1 1 1 1	Type EA EA EA EA EA EA EA EA EA EA EA EA EA	Weight         HM (X)           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64	NMFC SHRINK WRA ALARM TRAV JUNGHEINRI 6 000 lb. Electric P Programmin 31.7X13.5X Pallet Ent Standard F PLATFORM V 24V Lead A ProTraclin STD Drive STD LD WH UL RATED High Spee	Item Description P HOLDER (NO OPT MOUNTING EL-BOTH DIRECTIONS CH 6000# WALKIE END RIDER Capacity End Rider with 48" X ower Steering g For High Level Performance 31.5" - 1430 Battery try Slides Key Switch V/SUSPENDED COMFORT FLOOR PAD Acid Battery Prep nk Stability Casters Tire: Poly Press On 12.0" X L: Polyurethane High Durometer TYPE E d - Continuous Hold	55 55 55 55 55 55 55 55 55 55 55 55 55
1     EA     64     COAST CONTROL WITH MECHANICAL TILLER       1     EA     64     English Language Markings       1     EA     64     KNEE PADS ON DRIVE UNIT COMPARTMENT       1     EA     64     PROPICK BUTTONS (ON SIDE OF CHASSIS)       23     1,466     TOTAL PALLET 236		Qty 1 1 1 1 1 1 1 1 1 1 1 1 1	Type           EA	Weight         HM (X)           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64	NMFC SHRINK WRA ALARM TRAV JUNGHEINRI 6 000 lb. Electric P Programmin 31.7X13.5X Pallet Ent Standard F PLATFORM W 24V Lead A ProTracLin STD Drive STD LD WH UL RATED High Spee LITERATUR	Item Description P HOLDER (NO OPT MOUNTING EL-BOTH DIRECTIONS CH 6000# WALKIE END RIDER Capacity End Rider with 48" X ower Steering g For High Level Performance 331.5" - 1430 Battery try Slides Key Switch W/SUSPENDED COMFORT FLOOR PAD Acid Battery Prep nk Stability Casters Tire: Poly Press On 12.0" X L: Polyurethane High Durometer TYPE E d - Continuous Hold E KIT	55 55 55 55 55 55 55 55 55 55 55 55 55
1     EA     64     English Language Markings       1     EA     64     KNEE PADS ON DRIVE UNIT COMPARTMENT       23     1,466     TOTAL PALLET 210		Qty 1 1 1 1 1 1 1 1 1 1 1 1 1	Type EA EA EA EA EA EA EA EA EA EA EA EA EA	Weight         HM (X)           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64	NMFC SHRINK WRA ALARM TRAV JUNGHEINRI 6 000 lb. Electric P Programmin 31.7X13.5X Pallet Ent Standard F PLATFORM # 24V Lead # ProTracLin STD Drive STD LD WH UL RATED High Spee LITERATUR 60" (1524	Item Description P HOLDER (NO OPT MOUNTING EL-BOTH DIRECTIONS CH. 6000 # WALKIE END RIDER Capacity End Rider with 48" X ower Steering g For High Level Performance 31.5" - 1430 Battery try Slides Key Switch N/SUSPENDED COMFORT FLOOR PAD Acid Battery Prep nk Stability Casters Tire: Poly Press On 12.0" X L: Polyurethane High Durometer TYPE E d - Continuous Hold E KIT mm) Load Backrest Fixed	LTL 55 55 55 55 55 55 55 55 55 55 55 55 55
1         EA         64         FROPICK BUTTONS (ON SIDE OF CHASSIS)           23         1,466         TOTAL PALLET 220		Qty 1 1 1 1 1 1 1 1 1 1 1 1 1	Type           EA	Weight         HM (X)           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64	NMFC SHRINK WRA ALARM TRAV JUNGHEINRI 6 000 lb. Electric P Programmin 31.7X13.5X Pallet Ent Standard F PLATFORM W 24V Lead A ProTracLin STD Drive STD LD WH UL RATED High Spee LITERATUR 60" (1524 Battery C	Item Description P HOLDER (NO OPT MOUNTING EL-BOTH DIRECTIONS CH.6000# WALKIE END RIDER Capacity End Rider with 48" X ower Steering g For High Level Performance 331.5" - 1430 Battery try Slides Key Switch M/SUSPENDED COMFORT FLOOR PAD Acid Battery Prep nk Stability Casters Tire: Poly Press On 12.0" X L: Polyurethane High Durometer TYPE E d - Continuous Hold E KIT mm) Load Backrest Fixed Sonnector: SB 350 (Red)	55 55 55 55 55 55 55 55 55 55 55 55 55
23 1,466 TOTAL PALLET 210		Qty 1 1 1 1 1 1 1 1 1 1 1 1 1	Type           EA	Weight         HM (X)           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         - <tr t="">           64         -</tr>	NMFC SHRINK WRA ALARM TRAV JUNGHEINRI 6 000 lb. Electric P Programmin 31.7X13.5X Pallet Ent Standard F PLATFORM Ø 24V Lead Ø ProTracLin STD Drive STD LD WH UL RATED High Spee LITERATUR 60" (1524 Battery C COAST CON	Item Description P HOLDER (NO OPT MOUNTING EL-BOTH DIRECTIONS CH.6000# WALKIE END RIDER Capacity End Rider with 48" X ower Steering g For High Level Performance 31.5" - 1430 Battery Sty Slides Key Switch M/SUSPENDED COMFORT FLOOR PAD Acid Battery Prep nk Stability Casters Tire: Poly Press On 12.0" X L: Polyurethane High Durometer TYPE E d - Continuous Hold E KIT mm) Load Backrest Fixed Connector: SB 350 (Red) STROL WITH MECHANICAL TILLEP	55 55 55 55 55 55 55 55 55 55 55 55 55
		Qty 1 1 1 1 1 1 1 1 1 1 1 1 1	Type           EA	Weight         HM (X)           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         - <tr t="">          64         -</tr>	NMFC SHRINK WRA ALARM TRAV JUNGHEINRI 6 000 lb. Electric P Programmin 31.7X13.5X Pallet Ent Standard F PLATFORM V 24V Lead J ProTracLin STD Drive STD LD WH UL RATED High Spee LITERATUR 60" (1524 Battery C COAST CON English 1	Item Description P HOLDER (NO OPT MOUNTING EL-BOTH DIRECTIONS CH.6000# WALKIE END RIDER Capacity End Rider with 48" X ower Steering g For High Level Performance 31.5" - 1430 Battery Sty Slides Key Switch M/SUSPENDED COMFORT FLOOR PAD Acid Battery Prep nk Stability Casters Tire: Poly Press On 12.0" X L: Polyurethane High Durometer TYPE E d - Continuous Hold E KIT mm) Load Backrest Fixed Sonnector: SB 350 (Red) MTROL WITH MECHANICAL TILLER Language Markings	55 55 55 55 55 55 55 55 55 55 55 55 55
GRAND TOTALS:		Qty 1 1 1 1 1 1 1 1 1 1 1 1 1	Type           EA	Weight         HM (X)           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         - <tr t="">          64         -</tr>	NMFC SHRINK WRA ALARM TRAV JUNGHEINRI 6 000 lb. Electric P Programmin 31.7X13.5X Pallet Ent Standard F PLATFORM V 24V Lead 7 ProTracLin STD Drive STD LD WH UL RATED High Spee LITERATUR 60" (1524 Battery C COAST CON English I KNEE PADS	Item Description P HOLDER (NO OPT MOUNTING EL-BOTH DIRECTIONS CH.6000# WALKIE END RIDER Capacity End Rider with 48" X ower Steering g For High Level Performance 31.5" - 1430 Battery Sty Slides Key Switch M/SUSPENDED COMFORT FLOOR PAD Acid Battery Prep nk Stability Casters Tire: Poly Press On 12.0" X L: Polyurethane High Durometer TYPE E d - Continuous Hold E KIT mm) Load Backrest Fixed Sonnector: SB 350 (Red) MTROL WITH MECHANICAL TILLER Language Markings S ON DRIVE UNIT COMPAREMENTE	55 55 55 55 55 55 55 55 55 55 55 55 55
		Qty 1 1 1 1 1 1 1 1 1 1 1 1 1	Type           EA	Weight         HM (X)           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -	NMFCSHRINK WRAIALARM TRAV.JUNGHEINRI6 000 lb.Electric PProgrammin31.7X13.5XPallet EntStandard FPLATFORM V24V Lead FProTracLinSTD DriveSTD LD WHUL RATEDHigh SpeeLITERATOR60" (1524Battery CCOAST CONEnglish IKNEE PADSFROPICK F	Item Description P HOLDER (NO OPT MOUNTING EL-BOTH DIRECTIONS CH 6000# WALKIE END RIDER Capacity End Rider with 48" X ower Steering g For High Level Performance 31.5" - 1430 Battery rry Slides Key Switch V/SUSPENDED COMFORT FLOOR PAD Acid Battery Prep nk Stability Casters Tire: Poly Press On 12.0" X L: Polyurethane High Durometer TYPE E d - Continuous Hold E KIT mm) Load Backrest Fixed Nonnector: SB 350 (Red) MTROL WITH MECHANICAL TILLER Language Markings G ON DRIVE UNIT COMPARTMENT BUTTONS (ON SIDE OF CHASSIS)	55 55 55 55 55 55 55 55 55 55 55 55 55
		Qty 1 1 1 1 1 1 1 1 1 1 1 1 1	Type           EA	Weight         HM (X)           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -	NMFCSHRINK WRAIALARM TRAV.JUNGHEINRI6 000 lb.Electric PProgrammin31.7X13.5XPallet EntStandard FPLATFORM V24V Lead FProTracLinSTD DriveSTD LD WHUL RATEDHigh SpeeLITERATOR60" (1524Battery CCOAST CONEnglish IKNEE PADSFROPICK F	Item Description P HOLDER (NO OPT MOUNTING EL-BOTH DIRECTIONS CH 6000# WALKIE END RIDER Capacity End Rider with 48" X ower Steering g For High Level Performance 31.5" - 1430 Battery rry Slides Key Switch V/SUSPENDED COMFORT FLOOR PAD Acid Battery Prep nk Stability Casters Tire: Poly Press On 12.0" X L: Polyurethane High Durometer TYPE E d - Continuous Hold E KIT mm) Load Backrest Fixed Nonnector: SB 350 (Red) MTROL WITH MECHANICAL TILLER Language Markings G ON DRIVE UNIT COMPARTMENT BUTTONS (ON SIDE OF CHASSIS)	55 55 55 55 55 55 55 55 55 55 55 55 55
		Qty 1 1 1 1 1 1 1 1 1 1 1 1 1	Type           EA	Weight         HM (X)           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -	NMFCSHRINK WRAIALARM TRAV.JUNGHEINRI6 000 lb.Electric PProgrammin31.7X13.5XPallet EntStandard FPLATFORM V24V Lead FProTracLinSTD DriveSTD LD WHUL RATEDHigh SpeeLITERATOR60" (1524Battery CCOAST CONEnglish IKNEE PADSFROPICK F	Item Description P HOLDER (NO OPT MOUNTING EL-BOTH DIRECTIONS CH 6000# WALKIE END RIDER Capacity End Rider with 48" X ower Steering g For High Level Performance 31.5" - 1430 Battery rry Slides Key Switch V/SUSPENDED COMFORT FLOOR PAD Acid Battery Prep nk Stability Casters Tire: Poly Press On 12.0" X L: Polyurethane High Durometer TYPE E d - Continuous Hold E KIT mm) Load Backrest Fixed Nonnector: SB 350 (Red) MTROL WITH MECHANICAL TILLER Language Markings G ON DRIVE UNIT COMPARTMENT BUTTONS (ON SIDE OF CHASSIS)	55 55 55 55 55 55 55 55 55 55 55 55 55

Page 11 of 16

UNDERLYING BILL OF LADING         Carrier: KCH TREE           Shipper         Pickup Date: 04/10/2024           Mitsubilshi Logisnext Americas (Houston) Inc.         References           B013 Brittmore Road         Rouston, TX 77043 USA         Pickup Date: 04/10/2024           Prolift, Inc.         Dilvery Date: 04/02/24         Delivery Date: 04/02/24           Number: WRI4         -4         Scial Number: ECR327A           Model Number: Sobolity USA         Delivery Date: 04/02/24         Delivery Date: 04/02/24           See Master BOL For Bill To         Prepaid         Prepaid           Special Instructions: Contact Phone Number: 585-254-4950;Order Type:         Accessorials           Special Instructions: Contact Phone Number: S85-254-4950;Order Type:         Prepaid						BOL NO: 1546468 Stop Number: 3	N, INC
Binper       Consigner       Period       Bin Bollender Barbary Rochester, NI 16013 USA       Accessorial       Deck Master Bol. for Bill To       Period       Immediate Barbary Rochester Bol. for Bill To       Period Intracter Bolen Rechest: 55-254-49500 codes Type: Doctomedrizes to Ship Date: 2024001 countors: Heast: Writen Witever       Deck Master Bol. for Bill To       Consigner       Period Intracter Bolen Rechest: 55-254-49500 codes Type: Doctomedrizes to Ship Date: 2024001 countors: Heast: Writen Witever       Date: State to Bill To       Consigner       Period Intracter Bolen Rochest: Formation	an frank					Stop Number: KCH TRANSPORTATIO	8
Number     Number     References       Consigner     Industrial In				VING BILL OF LADI	NG	Rickup Date: 04/10/2024	
Number:	HINK HA	Here and the second	UNDERL	Shipper		Delivery Date: 04/11/2024	
Visit IN 17041 USA     Serial Number: CCR327A Model Number: CCR327A Load ID: NNISIDIRATE       Prolift, In: III Ballend: Tartway Rochester, NT 14615 USA     End ID: NNISIDIRATE       Builto     Propart       See Nauver Bol: for Bill TO     Propart       See Nauver Bol: for Bill TO     Propart       Special Instructions: Special Instructions: Contact Enone Number: 161-254-4550,0rder Type: Date: 2020401;Customer Name: WRIGHT WISNER     Accessorial       Special Instructions: I EA 64     ENN No     Item Description     I       Very     Visit HM(X)     NMPC     Item Description     I       Very     Visit Allow     Status Travel Contact Enone Number: 161-254-4550,0rder Type: Contact Enone Number: 562,000 Ho.     I       Special Instructions: I Contact Enone Number: 161-254-4550,0rder Type: Contact Enone Number: 562,000 Ho.     I     Accessorial       Special Instructions: I EA 64     Status Travel Marker Misser     I       I EA 64     Status Travel Marker Enon Ritors       I EA 64     Flort Contact Enone Number: 562,000 Ho.       I EA 64     Flort Contact Marker Enon Ritors       I EA 64     Flort Contact Enone Number: 562,000 Ho.       I EA 64     Flort Contact Marker Y Enone Ritors       I EA 64     Flort Contact Enone Number: 562,000 Flore Paol       I EA 64     Flort Entry Sillede       I EA 64     Sto D Drive Thre: Folly Press On 12.0" X			+ Imerica	s (Houston) InC.			-
Visit TX T70043 USA     Berial Number: CCR327A Model Number: CCR327A Load TD: NNISIDIBA07B       Prolift, In: 111 Hollend: Tartway Rochester, NI 14615 USA     End To: 100 Proparts       Builto     Proparts       Product Rol. For Bill T0     Accessorial       See Nauter Bol. For Bill T0     Proparts       See Nauter Bol. For Bill T0     Proparts       Product Rol. For Bill T0     Proparts       See Nauter Bol. For Bill T0     Proparts       See Nauter Bol. For Bill T0     Accessorial       Sec Nauter Bol. For Bill T0     Proparts       Sec Nauter Bol. For Bill T0     Accessorial       Sec Nauter Bol. For Bill T0     Proparts       Sec Nauter Bol. For Bill T0     Accessorial       Sec Nauter Bol. For Bol. Social Sec Nauter Bol Riber Sec Nauter Bol	tsubi	shi Logish	ad			PO Number: WW+4	
Model Number: 200 more than a second	OUSTO	n. TX 77043	USA				
Contgue     Load D: RNISION       Prolife, Inc.     Hill Bollender Farkway Rochester, NY 14615 UGA     Hill To     Freight Terms       bee Master Boll for Bill To     Breight Cerms     Accessorials       Special Instructions: JContact Phone Number: 585-254-435500 cder Type: Contact:Ready to Ship Date: 20240401/Customer Hase: mIGHT WISNER     Accessorials       Ver     Therwellows: JContact Phone Number: 585-254-435500 cder Type: Customer:Ready to Ship Date: 20240401/Customer Hase: mIGHT WISNER     I       Ver     Therwellows: JContact Phone Number: 585-254-435500 cder Type: Customer:Ready to Ship Date: 20240401/Customer Hase: mIGHT WISNER     I       Ver     Therwellows: JContact Phone Number: 585-254-435500 cder Type: Customer:Ready to Ship Date: 20240401/Customer Hase: mIGHT WISNER     I       Ver     Therwellows: JContact Phone Number: 585-254-435500 cder Type: Customer:Ready to Ship Date: 20240401/Customer Hase: mIGHT WISNER     I       Ver     Therwellows: JContact Phone Number: 585-254-435500 cder Type: Customer:Ready to Ship Date: 20240401/Customer Hase: mIGHT WISNER     I       Ver     Therwellows: JContact Phone Number: 585-254-435500 cder Type: Customer:Ready to Ship Date: 20240401/Customer Hase: mIGHT WISNER     I       Ver     Therwellows: JContact Phone Number: 585-254-435500 cder Type: Customer:Ready to Ship Date: 20240401/Customer:Ready Type: State: State: Stat	Quere						
Consigned         Prolift, Inc.         Notes Parkway         Rochester, NY 10013 USA         Number: Sector Park 1000         Special Instructions: :Contact: Phone Number: 589-254-4950;Order Type:         Contact: Phone Number: 589-254-4950;Order Type:         Contact: Phone Number: 589-254-4950;Order Type:         Special Instructions: :Contact: Phone Number: S89-254-4950;Order Type:         Contact: Phone Number: 589-254-4950;Order Type:         Contact: Phone Number: S89-254-4950;Order Type:         Contact: Phone Number: S120;Order Type: <th></th> <th></th> <th></th> <th></th> <th>the subscription of the second</th> <th>Load ID: HNIS10184070</th> <th></th>					the subscription of the second	Load ID: HNIS10184070	
Prolify, Inc.     Number     Provide Terms       Incohester, NY 14615     USA       See Master BDL for Bill To     Freight Terms       Special Instructions:     Contact Phone Number: 589-264-4350.00 rder Type:       Special Instructions:     Contact Phone Number: Status       Special Instructions:     Contact Phone Number: Status       1     EA     64       1     EA <td< th=""><th></th><th></th><th></th><th>Consignee</th><th>SUM STREET, ST</th><th></th><th>3.1</th></td<>				Consignee	SUM STREET, ST		3.1
II Hollender Fernans Rochester, NY 14615 USA         Freight Terms Freight Terms         See Naster BOL for Bill To         Accessorials         Special Instructions: :Contact Phone Number: 585-254-4950;Order Type: Customer; Ready to Ship Date: 20240401;Customer Name: #RIGHT WISNER         Optimized Sector State Phone Number: 585-254-4950;Order Type: Customer; Ready to Ship Date: 20240401;Customer Name: #RIGHT WISNER         Optimized Sector State Phone Number: 585-254-4950;Order Type: Customer; Ready to Ship Date: 20240401;Customer Name: #RIGHT WISNER         Optimized Sector State Phone Number: 585-254-4950;Order Type: Customer; Ready to Ship Date: 20240401;Customer Name: #RIGHT WISNER         Optimized Sector State Phone Number: 585-254-4950;Order Type: Customer; Ready to Ship Date: 20240401;Customer Name: #RIGHT WISNER         Optimized Sector State Phone Number: 585-254-4950;Order Type: Customer; Ready to Ship Date: 20240401;Customer Name: #RIGHT WISNER         Optimized Sector State Phone Number: 585-254-4950;Order Type: Customer; Ready to Ship Date: 20240401;Customer Sector Se			20050000				
Rechester, Nr 1462     Null To     Freight Terms Drepaid       See Naster BOL Tor Hill To     Propaid       Special Instructions: Contact Enone Number: 581-224-4355;0rder Type: Customer: Ready to Ship Date: 202401/rCustomer Name: walleht MISNER     Accessorials       Vor     Vor     Note Number: 581-224-4355;0rder Type: Customer: Ready to Ship Date: 202401/rCustomer Name: walleht MISNER     I       1     EA     64     Shrink WRAP HOLDER (NO OFF MOUNTING ALARM TRAVEL-BOTH DIRCTIONS     I       1     EA     64     JUNGH BRICHOW MISNER     I       1     EA     64     JUNGH BRICHOW MISNER     NM       1     EA     64     JUNGH BRICHOW MISNET END RIDER       1     EA     64     Programing For High Level Performance       1     EA     64     Programing For High Level Performance       1     EA     64     Programing For High Level Performance       1     EA     64     FATTORM WORSPERDE COMPORT FLOOR FAD       1     EA     64     FATTORM WORSPERD COMFORT FLOOR FAD       1     EA     64     FATTORM WORSPERD COMFORT FLOOR FAD       1 <td></td> <td></td> <td>arkway</td> <td></td> <td></td> <td></td> <td></td>			arkway				
Builto     Preprint       Der Naster BOL for Hill To     Preprint       Precisi Instructions: :Contact Phone Number: 585-254-4550;0rder Type: Customer:Ready to Ship Date: 20240401;Customer Hame: wRIGHT WISNER     Accessorial       Precisi Instructions: :Contact Phone Number: 585-254-4550;0rder Type: Customer:Ready to Ship Date: 20240401;Customer Hame: wRIGHT WISNER     N       Precisi Instructions: :Contact Phone Number: S85-254-4550;0rder Type: Customer:Ready to Ship Date: 20240401;Customer Hame: wRIGHT WISNER     N       Precisi Instructions: :Contact Phone Number: S85-254-4550;0rder Type: Customer:Ready to Ship Date: 20240401;Customer Hame: wRIGHT WISNER     N       Precisi Instructions: :Contact Phone Number: S85-254-4550;0rder Type: Customer:Ready to Ship Date: 20240401;Customer Hame: wRIGHT WISNER     N       Precisi Instructions: :Contact Phone Number: S85-254-4550;0rder Type: Customer:Ready to Ship Date: 20240401;Customer Hame: WRIGHT WISNER     N       Precisi Instructions: :Contact Phone Number: S85-254-4550;0rder Type: Customer:Ready to Ship Date: 20240401;Customer Hame: WRIGHT WISNER     N       Precisi Instruction: :Contact Phone Number: S85-254-4550;0rder Type: Customer:Ready Hame: Ready H	Roch	ester, NY 1	4615 USA				
Bull To         Prepaid           See Naster BOL for Bill To         Accessorials           Special Instructions: Contact Phone Number: 585-254-4350;Order Type: CustomerReady to Ship Date: 20240401;Customer Name: wRIGHT WISNER         I           CustomerReady to Ship Date: 20240401;Customer Name: wRIGHT WISNER         I           1         EA         64							
Bull To     Prepaid       See Naster BOL for Bill To     Accessorials       Special Instructions: Contact Phone Number: 585-254-4350;Order Type: Customer:Ready to Ship Date: 20240401;Customer Name: wRIGHT WISNER     I       Customer:Ready to Ship Date: 20240401;Customer Name: wRIGHT WISNER     I       Very     Veight HM(X)     NMFC     Item Description     I       1     EA     64     ALARN TRAVEL-BOTH DIRECTIONS     JUNCHEINNICH, GOOL# WAIKHE END RIDER       1     EA     64     JUNCHEINNICH, GOOL# WAIKHE END RIDER <th>1</th> <th></th> <th></th> <th></th> <th>Freight Terr</th> <th>ns</th> <th></th>	1				Freight Terr	ns	
Dee Naster Holl for Bill To       Accessorials       Special Instructions: Contact Phone Number: 585-254-4950;Order Type: Customer:Ready to Ship Date: 20240401;Customer Name: WRIGHT WISNER       Or Type Wright HM (X) MMFC Item Description I East 64       Type Wright HM (X) MMFC       1     EA     64       1     EA		and the second	Bil	1To	Prepaid		
Special Instructions: :Contact Phone Number: 585-254-4950; Order Type: Decisal Instructions: :Contact Phone Number: 585-254-4950; Order Type: Customer; Ready to Ship Date: : 20240401; Customer Name: WHICHT WISNES       No.     Nmme     Immediate Structure Number: Structure Name: WHICHT WISNES       No.     Nmme     Immediate Structure Nume: WHICHT WISNES       No.     Structure Nume: WHICHT WISNES       No.     Nmme     Immediate Structure Nume: WHICHT WISNES       No.     Nmme     Structure Nume: Structure Nume: Structure	-	Mastar BOL	for Bill To	)			
Special Instructions:     Contact Enone Number:     S85-254-4950;0rder Type:       Custamer:Ready to Ship Date:     20240401;Customer Name:     WRIGHT WISNER       Qv     Type     Weight     HM (X)     NMFC     Item Description     I       1     EA     64     SHRINK WRAP HolDER (NO OPT MOUNTING       1     EA     64     JURGEINRICH, 6000# WALKIE END RIDER       1     EA     64     Forgramming For High Level Performance       1     EA     64     Programming For High Level Performance       1     EA     64     PLATFORM W/SUSPENDED COMFORT FLOOR PAD       1     EA     64     PLATFORM W/SUSPENDED COMFORT FLOOR PAD       1     EA     64     Standard Key Switch       1     EA     64     CURTECHINES       1     EA     64     UL RATED TYPE E       1     EA     64     CUR ATED TYPE E       1     EA     64 <th>See</th> <th>Master bos</th> <th></th> <th></th> <th></th> <th></th> <th></th>	See	Master bos					
Special Instructions:     Contact Enone Number:     S85-254-4950;0rder Type:       Cystamer:Ready to Ship Date:     20240401;Customer Name:     WRIGHT WISNER       I     EA     64     SHRINK WAP HolDER (NO OPT MOUNTING       1     EA     64     JURGEINRICH, GOOOf WALKIE END RIDER       1     EA     64     JURGEINRICH, GOOOf WALKIE END RIDER       1     EA     64     JURGEINRICH, GOOOf WALKIE END RIDER       1     EA     64     Floctric Power Steering       1     EA     64     Programming For High Level Performance       1     EA     64     Programming For High Level Performance       1     EA     64     Platter Stides       1     EA     64     Plattery Slides       1     EA     64     Plattery Slides       1     EA     64     Plattery Slides       1     EA     64     Standard Key Switch							
Special Instructions:     Contact Phone Number:     585-254-4980.07 der Type:       Destanter:Ready to Ship Date:     20240401;Customer Name:     WRIGHT WISNER       Versioner:Ready to Ship Date:     20240401;Customer Name:     WRIGHT WISNER       Versioner:Ready to Ship Date:     20240401;Customer Name:     WRIGHT WISNER       Versioner:Ready to Ship Date:     20240401;Customer Name:     WRIGHT WISNER       1     EA     64     SHRINK WRAP HolDER (NO OPT MOUNTING       1     EA     64     JURGHEINRICH GOOD! WAIKHE END RIDER       1     EA     64     JURGHEINRICH GOOD! WAIKHE END RIDER       1     EA     64     Flectric Power Steering       1     EA     64     Programming For High Level Performance       1     EA     64     Flectric Power Steering       1     EA     64     Flectric Stip       1     EA     64     Flectric Stip							
Obschmetrikeady ED Ship Obtor StateVeryTypeWeightHM (X)NMFCItem DescriptionL1EA64SHRINK WRAP HOLDER (NO OF MOUNTING ALARM TRAVEL-BOTH DIRECTIONS1EA64JUNGHEINRICH, 6000# WALKIE END RIDER1EA64JUNGHEINRICH, 6000# WALKIE END RIDER1EA64Stansming For High Level Performance1EA64Programming For High Level Performance1EA64Standard Key Switch1EA64Standard Key Switch1EA64Pallet Entry Slides1EA64Standard Key Switch1EA64Stondard Key Switch1EA64Stondard Key Switch1EA64Stondard Key Switch1EA64Stondard Key Switch1EA64Stondard Key Switch1EA64Stondard Key Switch1EA64Ston Drive Tire: Foly Press On 12.0" X3EA64Ston Drive Tire: Foly Press On 12.0" X1EA64Ston Drive Tire: Stol Stone1EA64Ston Drive Tire: Stol Stone1EA64Stone1EA<						Accessorials	AN CAR
QrTypeWeightHM(X)NMC1EA54SHEINK WRAP HOLDER (NO OPT MOUNTING1EA64JUNGHEINRICH 60004 WALKTE END RIDER1EA64JUNGHEINRICH 60004 WALKTE END RIDER1EA64Good b. Capacity End Rider with 48" X1EA64Electric Power Steering1EA64Programming For High Level Performance1EA64Programming For High Level Performance1EA64Standard Key Switch1EA64PLATFORN W/SUSPENDED COMFORT FLOOR PAD1EA64Standard Key Switch1EA64CATTORILIK Stability Casters1EA64STD Drive Tire; Poly Press On 12.0" X1EA64UL RATED TYPE E1EA64LITERATURE KIT1EA64GOT (1524 mm) Load Backrest Fixed1EA64COAST CONTROL WITH MECHANICAL TILLER1EA64COAST CONTROL WITH MECHANICAL TILLER<	Sp	ecial Instru ustomer;Read	y to Ship Da	te: 20240401;Cust	omer Name: WRIGHT WISNE		
1EA64ALARM TRAVEL-BOTH DIRECTIONS1EA64JUNGHEINRICH 6000# WALKIE END RIDER1EA646 000 lb. Capacity End Rider with 48" X1EA64Electric Power Steering1EA64Programming For High Level Performance1EA64Pallet Entry Slides1EA64Standard Key Switch1EA64PATFORM W/SUSPENDED COMFORT FLOOR PAD1EA64PATFORM W/SUSPENDED COMFORT FLOOR PAD1EA64Standard Key Switch1EA64PATFORM W/SUSPENDED COMFORT FLOOR PAD1EA64Standard Key Switch1EA64StD Drive Tire; Poly Press On 12.0" X1EA64STD Drive Tire; Poly Press On 12.0" X1EA64High Speed - Continuous Hold1EA64High Speed - Continuous Hold1EA64GU (1524 mm) Load Backrest Fixed1EA64GOAST CONTROL WITH MECHANICAL TILLER1EA64COAST CONTROL WITH MECHANICAL TILLER1EA64English Language Markings1EA64FADISA ON DRIVE UNIT COMPARTMENT1EA64FADISA ON DRIVE UNIT COMPARTMENT1EA64FADISA ON DRIVE UNIT COMPARTMENT1EA64FADISA ON DRIVE UNIT COMPARTMENT1EA64FADISA ON DRIVE UNIT COMPARTMENT1E	1				Contraction of the second state	and the second	LTL
1EA64JUNCHEINRICH 6000# WALKIE END RIDER1EA646 000 lb. Capacity End Rider with 48" X1EA64Electric Power Steering1EA64Programming For High Level Performance1EA64Programming For High Level Performance1EA64Programming For High Level Performance1EA64Programming For High Level Performance1EA64Pallet Entry Slides1EA64Standard Key Switch1EA64PLATFORM WSUSPENDED COMFORT FLOOR PAD1EA64ProTracLink Stability Casters1EA64STD Drive Tire; Poly Press on 12.0" X1EA64UL RATED TYPE E1EA64UL RATED TYPE E1EA64LITERATURE KIT1EA64COAST CONTROL WITH MECHANICAL TILLER1EA64COAST CONTROL WITH MECHANICAL TILLER1EA64KNEE PADS ON DRIVE UNIT COMPARTMENT1EA64KNEE PADS ON DRIVE UNIT COMPARTMENT231466TOTAL PALLET AT THE PALL	t		Contraction of the local division of the loc	and the second second	NMEC	Item Description	
1EA646 000 lb. Capacity End Rider with 48" X1EA64Electric Power Steering1EA64Programming For High Level Performance1EA64Standard Key Switch1EA64Pallet Entry Slides1EA64Platform W/SUSPENDED COMFORT FLOOR PAD1EA64PLATFORM W/SUSPENDED COMFORT FLOOR PAD1EA64Standard Key Switch1EA64Standard Key Switch1EA6	t	Qty	Туре	Weight HM (X)	NMFC SHRINK WRA	Item Description	55
1EA64Electric Power Steering1EA64Programming For High Level Performance1EA6431.7X13.5X31.5" = 1430 Battery1EA64Pallet Entry Slides1EA64Standard Key Switch1EA64PLATFORM W/SUSPENDED COMFORT FLOOR PAD1EA64PLATFORM W/SUSPENDED COMFORT FLOOR PAD1EA64PLATFORM W/SUSPENDED COMFORT FLOOR PAD1EA64Standard Key Switch1EA64PLATFORM W/SUSPENDED COMFORT FLOOR PAD1EA64STD Drive Tire; Poly Press On 12.0" X1EA64STD Drive Tire; Poly Press On 12.0" X1EA64STD LD WHL: Polyurethane High Durometer1EA64LITERATURE KIT1EA64LITERATURE KIT1EA64GO" (1524 mm) Load Backrest Fixed1EA64COAST CONTROL WITH MECHANICAL TILLER1EA64English Language Markings1EA64English Language Markings1EA64FINDTONS (ON SIDE OF CHASSIS)23L466TOTAL PALETARS		Qty 1	Type EA	Weight     HM (X)       64	NMFC SHRINK WRA	Item Description P HOLDER (NO OPT MOUNTING EL-BOTH DIRECTIONS	55 55
1       EA       64       Programming For High Level Performance         1       EA       64       31,7X13.5X31.5" - 1430 Battery         1       EA       64       Pallet Entry Slides         1       EA       64       Platform W/SUSPENDED COMFORT FLOOR PAD         1       EA       64       Platform W/SUSPENDED COMFORT FLOOR PAD         1       EA       64       Platform W/SUSPENDED COMFORT FLOOR PAD         1       EA       64       ProTraclink Stability Casters         1       EA       64       STD Drive Tire; Poly Press On 12.0" X         1       EA       64       STD Drive Tire; Poly Press On 12.0" X         1       EA       64       STD LD WHL: Polyurethane High Durometer         1       EA       64       UL RATED TYPE E         1       EA       64       LITERATURE KIT         1       EA       64       Battery Connector; SB 350 (Red)         1       EA       64       Coast CONTROL WITH MECHANICAL TILLER         1       EA       64       English Language Markings         1       EA       64       English Language Markings         1       EA       64       FNOPICK BUTTONS (ON SIDE OF CHASSIS)	Two The	Qty 1	Type EA EA	Weight         HM (X)           64         64           64         64           64         64	NMFC SHRINK WRA ALARM TRAV JUNGHEINRI	Item Description P HOLDER (NO OPT MOUNTING EL-BOTH DIRECTIONS CH.6000# WALKIE END RIDER	55 55 55
1EA6431.7X13.5X31.5" - 1430 Battery1EA64Pallet Entry Slides1EA64Standard Key Switch1EA64PLATFORM W/SUSPENDED COMFORT FLOOR PAD1EA64PLATFORM W/SUSPENDED COMFORT FLOOR PAD1EA64STD Drive Tire: Poly Press on 12.0" X1EA64STD DD WHL: Polyurethane High Durometer1EA64UL RATED TYPE E1EA64UL RATED TYPE E1EA64High Speed - Continuous Hold1EA64Entery Connector: SB 350 (Red)1EA64COAST CONTROL WITH MECHANICAL TILLER1EA64English Language Markings1EA64FNOPICK BUTTONS (ON SIDE OF CHASSIS)23L466TOTAL PALATENCE		Qty 1 1 1 1	Type EA EA EA EA	Weight         HM (X)           64         64           64         64           64         64           64         64	NMFC SHRINK WRA ALARM TRAV JUNGHEINRI 6 000 lb.	Item Description P HOLDER (NO OPT MOUNTING EL-BOTH DIRECTIONS CH.6000# WALKIE END RIDER Capacity End Rider with 48" X	55 55 55 55
1EA64Pallet Entry Slides1EA64Standard Key Switch1EA64PLATFORM W/SUSPENDED COMFORT FLOOR PAD1EA6424V Lead Acid Battery Prep1EA6424V Lead Acid Battery Prep1EA64ProTracLink Stability Casters1EA64STD Drive Tire; Poly Press on 12.0" X1EA64STD Dive Tire; Poly Press on 12.0" X1EA64UL RATED TYPE E1EA64UL RATED TYPE E1EA64LITERATURE KIT1EA64Battery Connector: SB 350 (Red)1EA64COAST CONTROL WITH MECHANICAL TILLER1EA64English Language Markings1EA64FNOPICK BUTTONS (ON SIDE OF CHASSIS)231,466TOTAL PALATENCE	and in the second se	Qty 1 1 1 1	Type EA EA EA EA EA	Weight         HM (X)           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -	NMFC SHRINK WRA ALARM TRAV JUNGHEINRI 6 000 lb. Electric P	Item Description P HOLDER (NO OPT MOUNTING EL-BOTH DIRECTIONS CH 6000# WALKIE END RIDER Capacity End Rider with 48" X ower Steering	55 55 55 55 55
1EA64Standard Key Switch1EA64PLATFORM W/SUSPENDED COMFORT FLOOR PAD1EA6424V Lead Acid Battery Prep1EA64ProTracLink Stability Casters1EA64STD Drive Tire: Poly Press On 12.0" X1EA64STD Dive Tire: Poly Press On 12.0" X1EA64STD LD WHL: Polyurethane High Durometer1EA64UL RATED TYPE E1EA64LITERATURE KIT1EA64G0" (1524 mm) Load Backrest Fixed1EA64Battery Connector: SB 350 (Red)1EA64English Language Markings1EA64English Language Markings1EA64FNOPICK BUTTONS (ON SIDE OF CHASSIS)231,466TOTAL PALLET ACC		Qty 1 1 1 1 1 1	Type EA EA EA EA EA EA EA	Weight         HM (X)           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -	NMFC SHRINK WRA ALARM TRAV JUNGHEINRI 6 000 lb. Electric P Programmin	Item Description P HOLDER (NO OPT MOUNTING EL-BOTH DIRECTIONS CH.6000# WALKIE END RIDER Capacity End Rider with 48" X ower Steering g For High Level Performance	55 55 55 55 55 55
1EA64PLATFORM W/SUSPENDED COMFORT FLOOR PAD1EA6424V Lead Acid Battery Prep1EA64ProTracLink Stability Casters1EA64STD Drive Tire; Poly Press On 12.0" X1EA64STD Dive Tire; Poly Press On 12.0" X1EA64STD LD WHL: Polyurethane High Durometer1EA64UL RATED TYPE E1EA64High Speed - Continuous Hold1EA64LITERATURE KIT1EA64Battery Connector: SB 350 (Red)1EA64COAST CONTROL WITH MECHANICAL TILLER1EA64English Language Markings1EA64FNOPICK BUTTONS (ON SIDE OF CHASSIS)231,466TOTAL PALATER ACK		Qty 1 1 1 1 1 1	Type EA EA EA EA EA EA EA	Weight         HM (X)           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -	NMFC SHRINK WRA ALARM TRAV JUNGHEINRI 6 000 lb. Electric P Programmin 31.7X13.5X	Item Description P HOLDER (NO OPT MOUNTING EL-BOTH DIRECTIONS CH 6000# WALKIE END RIDER Capacity End Rider with 48" X ower Steering IG For High Level Performance (31.5" - 1430 Battery	55 55 55 55 55 55
1EA6424V Lead Acid Battery Prep1EA64ProTracLink Stability Casters1EA64STD Drive Tire; Poly Press On 12.0" X1EA64STD LD WHL: Polyurethane High Durometer1EA64UL RATED TYPE E1EA64LITERATURE KIT1EA64G0" (1524 mm) Load Backrest Fixed1EA64Battery Connector: SB 350 (Red)1EA64English Language Markings1EA64English Language Markings1EA64PROPICK BUTTONS (ON SIDE OF CHASSIS)231,466TOTAL PALLET ACK		Qty 1 1 1 1 1 1 1 1 1 1	Type EA EA EA EA EA EA EA EA EA	Weight         HM (X)           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -	NMFC SHRINK WRA ALARM TRAV JUNGHEINRI 6 000 lb. Electric P Programmin 31.7X13.5X Pallet Ent	Item Description P HOLDER (NO OPT MOUNTING EL-BOTH DIRECTIONS CH 6000# WALKIE END RIDER Capacity End Rider with 48" X ower Steering IG For High Level Performance 31.5" - 1430 Battery rry Slides	55 55 55 55 55 55 55 55
1EA64STD Drive Tire; Poly Press On 12.0" X1EA64STD LD WHL: Polyurethane High Durometer1EA64UL RATED TYPE E1EA64High Speed - Continuous Hold1EA64LITERATURE KIT1EA6460" (1524 mm) Load Backrest Fixed1EA64Battery Connector: SB 350 (Red)1EA64COAST CONTROL WITH MECHANICAL TILLER1EA64English Language Markings1EA64PROPICK BUTTONS (ON SIDE OF CHASSIS)231,466TOTAL PALLET ALS		Qty 1 1 1 1 1 1 1 1 1 1 1	Type EA EA EA EA EA EA EA EA EA	Weight         HM (X)           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -	NMFC SHRINK WRA ALARM TRAV JUNGHEINRI 6 000 lb. Electric P Programmin 31.7X13.5X Pallet Ent Standard F	Item Description P HOLDER (NO OPT MOUNTING EL-BOTH DIRECTIONS CH 6000# WALKIE END RIDER Capacity End Rider with 48" X ower Steering IG For High Level Performance G1.5" - 1430 Battery rry Slides Key Switch	55 55 55 55 55 55 55 55 55
1     EA     64     STD LD WHL: Polyurethane High Durometer       1     EA     64     UL RATED TYPE E       1     EA     64     High Speed - Continuous Hold       1     EA     64     LITERATURE KIT       1     EA     64     LITERATURE KIT       1     EA     64     G0" (1524 mm) Load Backrest Fixed       1     EA     64     Battery Connector: SB 350 (Red)       1     EA     64     COAST CONTROL WITH MECHANICAL TILLER       1     EA     64     English Language Markings       1     EA     64     FROPICK BUTTONS (ON SIDE OF CHASSIS)       23     1.466     TOTAL PALLET TOTAL		Qty 1 1 1 1 1 1 1 1 1 1 1 1	Type           EA	Weight         HM (X)           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -	NMFC SHRINK WRA ALARM TRAV JUNGHEINRI 6 000 lb. Electric P Programmin 31.7X13.5X Pallet Ent Standard M PLATFORM W	Item Description P HOLDER (NO OPT MOUNTING EL-BOTH DIRECTIONS CH 6000# WALKIE END RIDER Capacity End Rider with 48" X ower Steering IG For High Level Performance 31.5" - 1430 Battery rry Slides Key Switch V/SUSPENDED COMFORT FLOOR PAD	55 55 55 55 55 55 55 55 55
1     EA     64     UL RATED TYPE E       1     EA     64     High Speed - Continuous Hold       1     EA     64     LITERATURE KIT       1     EA     64     LITERATURE KIT       1     EA     64     60" (1524 mm) Load Backrest Fixed       1     EA     64     Battery Connector: SB 350 (Red)       1     EA     64     COAST CONTROL WITH MECHANICAL TILLER       1     EA     64     English Language Markings       1     EA     64     PROPICK BUTTONS (ON SIDE OF CHASSIS)       23     1,466     TOTAL PALLET ALSE		Qty 1 1 1 1 1 1 1 1 1 1 1 1 1	Type           EA	Weight         HM (X)           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -	NMFC SHRINK WRA ALARM TRAV JUNGHEINRI 6 000 lb. Electric P Programmin 31.7X13.5X Pallet Ent Standard F PLATFORM V 24V Lead / ProTracLin	Item Description P HOLDER (NO OPT MOUNTING EL-BOTH DIRECTIONS CH 6000# WALKIE END RIDER Capacity End Rider with 48" X ower Steering IG For High Level Performance (31.5" - 1430 Battery try Slides Key Switch W/SUSPENDED COMFORT FLOOR PAD Acid Battery Prep hk Stability Casters	55 55 55 55 55 55 55 55 55 55
1     EA     64     UL RATED TYPE E       1     EA     64     High Speed - Continuous Hold       1     EA     64     LITERATURE KIT       1     EA     64     LITERATURE KIT       1     EA     64     60" (1524 mm) Load Backrest Fixed       1     EA     64     Battery Connector: SB 350 (Red)       1     EA     64     COAST CONTROL WITH MECHANICAL TILLER       1     EA     64     English Language Markings       1     EA     64     PROPICK BUTTONS (ON SIDE OF CHASSIS)       23     1,466     TOTAL PALLET ALSE		Qty 1 1 1 1 1 1 1 1 1 1 1 1 1	Type           EA	Weight         HM (X)           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -	NMFC SHRINK WRA ALARM TRAV JUNGHEINRI 6 000 lb. Electric P Programmin 31.7X13.5X Pallet Ent Standard F PLATFORM V 24V Lead A ProTracLin STD Drive	Item Description P HOLDER (NO OPT MOUNTING EL-BOTH DIRECTIONS CH 6000# WALKIE END RIDER Capacity End Rider with 48" X ower Steering g For High Level Performance 31.5" - 1430 Battery rry Slides Key Switch V/SUSPENDED COMFORT FLOOR PAD Acid Battery Prep nk Stability Casters Tire: Poly Press On 12.0" X	55 55 55 55 55 55 55 55 55 55 55
1     EA     64     LITERATURE KIT       1     EA     64     LITERATURE KIT       1     EA     64     60" (1524 mm) Load Backrest Fixed       1     EA     64     Battery Connector: SB 350 (Red)       1     EA     64     COAST CONTROL WITH MECHANICAL TILLER       1     EA     64     English Language Markings       1     EA     64     KNEE PADS ON DRIVE UNIT COMPARTMENT       1     EA     64     PROPICK BUTTONS (ON SIDE OF CHASSIS)       23     1,466     TOTAL PALLET AND		Qty 1 1 1 1 1 1 1 1 1 1 1 1 1	Type EA EA EA EA EA EA EA EA EA EA EA EA EA	Weight         HM (X)           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64	NMFC SHRINK WRA ALARM TRAV JUNGHEINRI 6 000 lb. Electric P Programmin 31.7X13.5X Pallet Ent Standard P PLATFORM V 24V Lead A ProTracLin STD Drive STD LD WH	Item Description P HOLDER (NO OPT MOUNTING EL-BOTH DIRECTIONS CH 6000# WALKIE END RIDER Capacity End Rider with 48" X ower Steering g For High Level Performance 31.5" - 1430 Battery rry Slides Key Switch V/SUSPENDED COMFORT FLOOR PAD Acid Battery Prep nk Stability Casters Tire: Poly Press On 12.0" X L: Polyurethane High Durometer	55 55 55 55 55 55 55 55 55 55 55 55
1     EA     64     ETHEMIORE KIT       1     EA     64     60" (1524 mm) Load Backrest Fixed       1     EA     64     Battery Connector: SB 350 (Red)       1     EA     64     COAST CONTROL WITH MECHANICAL TILLER       1     EA     64     English Language Markings       1     EA     64     KNEE PADS ON DRIVE UNIT COMPARTMENT       1     EA     64     PROPICK BUTTONS (ON SIDE OF CHASSIS)       23     1,466     TOTAL BALLET ALSO		Qty 1 1 1 1 1 1 1 1 1 1 1 1 1	Type EA EA EA EA EA EA EA EA EA EA EA EA EA	Weight         HM (X)           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64	NMFC SHRINK WRA ALARM TRAV JUNGHEINRI 6 000 lb. Electric P Programmin 31.7X13.5X Pallet Ent Standard ¥ PLATFORM ¥ 24V Lead ¥ ProTracLin STD Drive STD LD WH UL RATED	Item Description P HOLDER (NO OPT MOUNTING EL-BOTH DIRECTIONS CH 6000# WALKIE END RIDER Capacity End Rider with 48" X ower Steering g For High Level Performance (31.5" - 1430 Battery rry Slides Key Switch V/SUSPENDED COMFORT FLOOR PAD Acid Battery Prep nk Stability Casters Tire: Poly Press On 12.0" X L: Polyurethane High Durometer TYPE E	55 55 55 55 55 55 55 55 55 55 55 55 55
1     EA     64     Battery Connector: SB 350 (Red)       1     EA     64     COAST CONTROL WITH MECHANICAL TILLER       1     EA     64     English Language Markings       1     EA     64     KNEE PADS ON DRIVE UNIT COMPARTMENT       1     EA     64     PROPICK BUTTONS (ON SIDE OF CHASSIS)       23     1,466     TOTAL PALLET 212		Qty 1 1 1 1 1 1 1 1 1 1 1 1 1	Type EA EA EA EA EA EA EA EA EA EA EA EA EA	Weight         HM (X)           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64	NMFC SHRINK WRA ALARM TRAV JUNGHEINRI 6 000 lb. Electric P Programmin 31.7X13.5X Pallet Ent Standard F PLATFORM V 24V Lead A ProTraclin STD Drive STD LD WH UL RATED High Spee	Item Description P HOLDER (NO OPT MOUNTING EL-BOTH DIRECTIONS CH 6000# WALKIE END RIDER Capacity End Rider with 48" X ower Steering g For High Level Performance 31.5" - 1430 Battery try Slides Key Switch V/SUSPENDED COMFORT FLOOR PAD Acid Battery Prep nk Stability Casters Tire: Poly Press On 12.0" X L: Polyurethane High Durometer TYPE E d - Continuous Hold	55 55 55 55 55 55 55 55 55 55 55 55 55
1     EA     64     COAST CONTROL WITH MECHANICAL TILLER       1     EA     64     English Language Markings       1     EA     64     KNEE PADS ON DRIVE UNIT COMPARTMENT       1     EA     64     PROPICK BUTTONS (ON SIDE OF CHASSIS)       23     1,466     TOTAL PALLET 236		Qty 1 1 1 1 1 1 1 1 1 1 1 1 1	Type           EA	Weight         HM (X)           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64	NMFC SHRINK WRA ALARM TRAV JUNGHEINRI 6 000 lb. Electric P Programmin 31.7X13.5X Pallet Ent Standard F PLATFORM W 24V Lead A ProTracLin STD Drive STD LD WH UL RATED High Spee LITERATUR	Item Description P HOLDER (NO OPT MOUNTING EL-BOTH DIRECTIONS CH 6000# WALKIE END RIDER Capacity End Rider with 48" X ower Steering g For High Level Performance 331.5" - 1430 Battery try Slides Key Switch W/SUSPENDED COMFORT FLOOR PAD Acid Battery Prep nk Stability Casters Tire: Poly Press On 12.0" X L: Polyurethane High Durometer TYPE E d - Continuous Hold E KIT	55 55 55 55 55 55 55 55 55 55 55 55 55
1     EA     64     English Language Markings       1     EA     64     KNEE PADS ON DRIVE UNIT COMPARTMENT       23     1,466     TOTAL PALLET 210		Qty 1 1 1 1 1 1 1 1 1 1 1 1 1	Type EA EA EA EA EA EA EA EA EA EA EA EA EA	Weight         HM (X)           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64	NMFC SHRINK WRA ALARM TRAV JUNGHEINRI 6 000 lb. Electric P Programmin 31.7X13.5X Pallet Ent Standard F PLATFORM # 24V Lead # ProTracLin STD Drive STD LD WH UL RATED High Spee LITERATUR 60" (1524	Item Description P HOLDER (NO OPT MOUNTING EL-BOTH DIRECTIONS CH. 6000 # WALKIE END RIDER Capacity End Rider with 48" X ower Steering g For High Level Performance 31.5" - 1430 Battery try Slides Key Switch N/SUSPENDED COMFORT FLOOR PAD Acid Battery Prep nk Stability Casters Tire: Poly Press On 12.0" X L: Polyurethane High Durometer TYPE E d - Continuous Hold E KIT mm) Load Backrest Fixed	LTL 55 55 55 55 55 55 55 55 55 55 55 55 55
1         EA         64         FROPICK BUTTONS (ON SIDE OF CHASSIS)           23         1,466         TOTAL PALLET 220		Qty 1 1 1 1 1 1 1 1 1 1 1 1 1	Type           EA	Weight         HM (X)           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64	NMFC SHRINK WRA ALARM TRAV JUNGHEINRI 6 000 lb. Electric P Programmin 31.7X13.5X Pallet Ent Standard F PLATFORM W 24V Lead A ProTracLin STD Drive STD LD WH UL RATED High Spee LITERATUR 60" (1524 Battery C	Item Description P HOLDER (NO OPT MOUNTING EL-BOTH DIRECTIONS CH. 6000# WALKIE END RIDER Capacity End Rider with 48" X ower Steering g For High Level Performance 331.5" - 1430 Battery try Slides Key Switch N/SUSPENDED COMFORT FLOOR PAD Acid Battery Prep nk Stability Casters Tire: Poly Press On 12.0" X L: Polyurethane High Durometer TYPE E d - Continuous Hold E KIT mm) Load Backrest Fixed Sonnector: SB 350 (Red)	55 55 55 55 55 55 55 55 55 55 55 55 55
23 1,466 TOTAL PALLET 210		Qty 1 1 1 1 1 1 1 1 1 1 1 1 1	Type           EA	Weight         HM (X)           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         - <tr t="">           64         -</tr>	NMFC SHRINK WRA ALARM TRAV JUNGHEINRI 6 000 lb. Electric P Programmin 31.7X13.5X Pallet Ent Standard F PLATFORM Ø 24V Lead Ø ProTracLin STD Drive STD LD WH UL RATED High Spee LITERATUR 60" (1524 Battery C COAST CON	Item Description P HOLDER (NO OPT MOUNTING EL-BOTH DIRECTIONS CH.6000# WALKIE END RIDER Capacity End Rider with 48" X ower Steering g For High Level Performance 31.5" - 1430 Battery Sty Slides Key Switch M/SUSPENDED COMFORT FLOOR PAD Acid Battery Prep nk Stability Casters Tire: Poly Press On 12.0" X L: Polyurethane High Durometer TYPE E d - Continuous Hold E KIT mm) Load Backrest Fixed Connector: SB 350 (Red) STROL WITH MECHANICAL TILLEP	55 55 55 55 55 55 55 55 55 55 55 55 55
		Qty 1 1 1 1 1 1 1 1 1 1 1 1 1	Type           EA	Weight         HM (X)           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         - <tr t="">          64         -</tr>	NMFC SHRINK WRA ALARM TRAV JUNGHEINRI 6 000 lb. Electric P Programmin 31.7X13.5X Pallet Ent Standard F PLATFORM V 24V Lead J ProTracLin STD Drive STD LD WH UL RATED High Spee LITERATUR 60" (1524 Battery C COAST CON English 1	Item Description P HOLDER (NO OPT MOUNTING EL-BOTH DIRECTIONS CH.6000# WALKIE END RIDER Capacity End Rider with 48" X ower Steering g For High Level Performance 31.5" - 1430 Battery Sty Slides Key Switch M/SUSPENDED COMFORT FLOOR PAD Acid Battery Prep nk Stability Casters Tire: Poly Press On 12.0" X L: Polyurethane High Durometer TYPE E d - Continuous Hold E KIT mm) Load Backrest Fixed Sonnector: SB 350 (Red) MTROL WITH MECHANICAL TILLER Language Markings	55 55 55 55 55 55 55 55 55 55 55 55 55
GRAND TOTALS:		Qty 1 1 1 1 1 1 1 1 1 1 1 1 1	Type           EA	Weight         HM (X)           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         - <tr t="">          64         -</tr>	NMFC SHRINK WRA ALARM TRAV JUNGHEINRI 6 000 lb. Electric P Programmin 31.7X13.5X Pallet Ent Standard F PLATFORM V 24V Lead F ProTracLin STD Drive STD LD WH UL RATED High Spee LITERATUR 60" (1524 Battery C COAST CON English I KNEE PADS	Item Description P HOLDER (NO OPT MOUNTING EL-BOTH DIRECTIONS CH.6000# WALKIE END RIDER Capacity End Rider with 48" X ower Steering g For High Level Performance 31.5" - 1430 Battery Sty Slides Key Switch M/SUSPENDED COMFORT FLOOR PAD Acid Battery Prep nk Stability Casters Tire: Poly Press On 12.0" X L: Polyurethane High Durometer TYPE E d - Continuous Hold E KIT mm) Load Backrest Fixed Sonnector: SB 350 (Red) MTROL WITH MECHANICAL TILLER Language Markings S ON DRIVE UNIT COMPAREMENTE	55 55 55 55 55 55 55 55 55 55 55 55 55
		Qty 1 1 1 1 1 1 1 1 1 1 1 1 1	Type           EA	Weight         HM (X)           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -	NMFCSHRINK WRAIALARM TRAV.JUNGHEINRI6 000 lb.Electric PProgrammin31.7X13.5XPallet EntStandard FPLATFORM V24V Lead FProTracLinSTD DriveSTD LD WHUL RATEDHigh SpeeLITERATOR60" (1524Battery CCOAST CONEnglish IKNEE PADSFROPICK F	Item Description P HOLDER (NO OPT MOUNTING EL-BOTH DIRECTIONS CH 6000# WALKIE END RIDER Capacity End Rider with 48" X ower Steering g For High Level Performance 31.5" - 1430 Battery rry Slides Key Switch V/SUSPENDED COMFORT FLOOR PAD Acid Battery Prep nk Stability Casters Tire: Poly Press On 12.0" X L: Polyurethane High Durometer TYPE E d - Continuous Hold E KIT mm) Load Backrest Fixed Nonnector: SB 350 (Red) MTROL WITH MECHANICAL TILLER Language Markings G ON DRIVE UNIT COMPARTMENT BUTTONS (ON SIDE OF CHASSIS)	55 55 55 55 55 55 55 55 55 55 55 55 55
		Qty 1 1 1 1 1 1 1 1 1 1 1 1 1	Type           EA	Weight         HM (X)           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -	NMFCSHRINK WRAIALARM TRAV.JUNGHEINRI6 000 lb.Electric PProgrammin31.7X13.5XPallet EntStandard FPLATFORM V24V Lead FProTracLinSTD DriveSTD LD WHUL RATEDHigh SpeeLITERATOR60" (1524Battery CCOAST CONEnglish IKNEE PADSFROPICK F	Item Description P HOLDER (NO OPT MOUNTING EL-BOTH DIRECTIONS CH 6000# WALKIE END RIDER Capacity End Rider with 48" X ower Steering g For High Level Performance 31.5" - 1430 Battery rry Slides Key Switch V/SUSPENDED COMFORT FLOOR PAD Acid Battery Prep nk Stability Casters Tire: Poly Press On 12.0" X L: Polyurethane High Durometer TYPE E d - Continuous Hold E KIT mm) Load Backrest Fixed Nonnector: SB 350 (Red) MTROL WITH MECHANICAL TILLER Language Markings G ON DRIVE UNIT COMPARTMENT BUTTONS (ON SIDE OF CHASSIS)	55 55 55 55 55 55 55 55 55 55 55 55 55
		Qty 1 1 1 1 1 1 1 1 1 1 1 1 1	Type           EA	Weight         HM (X)           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -           64         -	NMFCSHRINK WRAIALARM TRAV.JUNGHEINRI6 000 lb.Electric PProgrammin31.7X13.5XPallet EntStandard FPLATFORM V24V Lead FProTracLinSTD DriveSTD LD WHUL RATEDHigh SpeeLITERATOR60" (1524Battery CCOAST CONEnglish IKNEE PADSFROPICK F	Item Description P HOLDER (NO OPT MOUNTING EL-BOTH DIRECTIONS CH 6000# WALKIE END RIDER Capacity End Rider with 48" X ower Steering g For High Level Performance 31.5" - 1430 Battery rry Slides Key Switch V/SUSPENDED COMFORT FLOOR PAD Acid Battery Prep nk Stability Casters Tire: Poly Press On 12.0" X L: Polyurethane High Durometer TYPE E d - Continuous Hold E KIT mm) Load Backrest Fixed Nonnector: SB 350 (Red) MTROL WITH MECHANICAL TILLER Language Markings G ON DRIVE UNIT COMPARTMENT BUTTONS (ON SIDE OF CHASSIS)	55 55 55 55 55 55 55 55 55 55 55 55 55

Page 11 of 16

			in the second	
				Land
				Ast.
N. S. S. S. S.				
	1.11			
	1 1	1/	.11	
	4 det	16-	4/15/20	/
Seal Number Arrived On Trailer;	Completed by Re	acciving Party Breaking Seal	111-1	Ten St. Margan
Name:		Seal Intact? Y or N (circle one) Signature	Date/Time:	
Where the rate is dependent on value, ship property isspecifically stated by the shipper COD Remit To:	pers are required to state specifically in write to be not exceeding per	ting the agreed or declared value of the	property as follows: "The agreed or	declared value of the
COD Fee: Col	lection Type:	COD Amount:		
Note: Liability limitation for loss or damage i Received, subject to individually determined upon in writing between the carrier and ship	rates or contracts that have been agreed per, if applicable, otherwise to the rates.	SECTION 7: The carrier shall not n this shipment without payment of fr	take delivery of Trailer Loaded	Freight Counted
classifications and rules that have been esta the shipper, on request, and to all applicable	poished by the carner and are available to estate and federal regulations.	other lawful charges. Shipper:	by Shipper	by Shipper
Shipper Signature / Date This is to certify that the above named matumarked and labeled, and are in proper com applicable regulations of the Department of	dition for transportation according to the	Transportation emergency response	ackages and required placards. Ca was made available and/or carrier t	rrier certifies has the Department of
approace regulations of the population of	1001	rioperty described above is recei	ved in good order, except as noted	
Shipper: <u>GMI</u> It is mutually agreed as to each carrier of all property, that each service to be performed	F/PU/	Carrier:		

A CONTRACTOR OF A CONTRACT			No. 1. C. M.
	1	1	1
	4 Val	$\leq 11$	15/7/1
		$\sim$ $11$	109
	Completed by Rec	eiving Party Breaking Seal	Date/Time:
Seal Number Arrived On T			
Name:	Frailer:	Seal Intact? Y or N (circle one) [ Signature	ws: "The agreed or declared value of the
Name: Where the rate is dependent property isspecifically state COD Remit To:	Frailer: ent on value, shippers are required to state specifically in writin ed by the shipper to be not exceeding per	Seal Intact? Y or N (circle one) Signature In the agreed or declared value of the property as follo	ws: "The agreed or declared value of the
Name: Where the rate is dependent property isspecifically state COD Remit To: COD Fee:	Trailer: ent on value, shippers are required to state specifically in writin ed by the shipper to be not exceeding per Collection Type:	Seal Intact? Y or N (circle one) Signature The agreed or declared value of the property as folio COD Amount: JSC 14706(c)(1)(A) and (B).	
Name: Where the rate is dependent property isspecifically state COD Remit To: COD Fee: Note: Liability limitation for Received, subject to indivi upon in writing between th	Trailer: ent on value, shippers are required to state specifically in writined by the shipper to be not exceeding per Collection Type: r loss or damage in this shipment may be applicable. See 49 to dually determined rates or contracts that have been agreed the carrier and shipper, if applicable, otherwise to the rates, available to the rates available to the rates.	Seal Intact? Y or N (circle one) Signature The agreed or declared value of the property as follo COD Amount: SEC 14706(c)(1)(A) and (B). SECTION 7: The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges.	Trailer Loaded Freight Counted
Name: Where the rate is dependence property isspecifically stat COD Remit To: COD Fee: Note: Liability limitation for Received, subject to indivi upon in writing between the classifications and rules the the shipper, on request, and the shipper.	Trailer: ent on value, shippers are required to state specifically in writin ed by the shipper to be not exceedingper Collection Type: rloss or damage in this shipment may be applicable. See 49 C dually determined rates or contracts that have been agreed the carrier and shipper, if applicable, otherwise to the rates, at have been established by the carrier and are available to nd to all applicable state and federal regulations.	Seal Intact? Y or N (circle one) Signature The agreed or declared value of the property as follo COD Amount: SECTION 7: The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges. Shipper: Carrier Signature / Pickup Date Carrier acknowledges receipt of packages and ren	Trailer Loaded Freight Counter by Shipperby Shipper by Driverby Driver
Name: Where the rate is dependent property isspecifically state COD Remit To: COD Fee: Note: Liability limitation for Received, subject to indivi upon in writing between the classifications and rules the the shipper, on request, and Shipper Signature / Date This is to certify that the	Trailer: ent on value, shippers are required to state specifically in writined by the shipper to be not exceeding per Collection Type: r loss or damage in this shipment may be applicable. See 49 to dually determined rates or contracts that have been agreed the carrier and shipper, if applicable, otherwise to the rates, available to the rates available to the rates.	Seal Intact? Y or N (circle one) Signature Ing the agreed or declared value of the property as folio COD Amount: USC 14706(c)(1)(A) and (B). SECTION 7: The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges. Shipper:	Trailer Loaded Freight Counter by Shipperby Shipper by Driverby Driver ulred placards. Carrier certifies ble and/or carrier has the Department o equivalent documentation in vehicle.

shi Logisnext		UNDERLYING BILD OF LICE	Inc.	Carrier: KCH TRANSPONDER Pickup Date: 04/10/2024 Date: 04/11/2024	0/2024	
1810 Brittmoré Road Houston, TX 77043 USA	t Americ USA			Delivery January References PO Number: S0829118-001-7 Serial Number: AUB2650966 Model Number: TX40M	References 50829118-001-711540 .er: AUB2650966 .r: TX40M .r: TX40M TS10184078	-711540 66
Buffalo Materials Handling 125 Taylor Drive Depew, NY 14043 USA	andling A	Consignee		00000		-17
Mactor BOL for	Rill	Bill To		Freight Terms Prepaid		
4 0 4 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7				1/12/4		
Special Instructions Special Instructio Inventory; Ready to	ons: ;Co	ntact Phone Nu ate 20240405	poid Instructions Special Instructions: ;Contact Phone Number: 716-894-6370;Order Type: Inventory;Ready to Ship Date 20240405;Customer Name: Buffalo		Accessorials	
erials Handling		Waicht HM	HMCONNNEC	Item Description		LTL Class
	EA		2	FKS 1.6"X3.9"X42" HOOK PALLET		55.0
	EA	230	Ř	Rear LED Working Light W/LED Door Crob Hondle With Horn Button	1 0 1	55.0
	EA	230	F 2	LITERATURE KIT	. LOII	55.0
	EA	230		English Language Markings		55.0
	EA	230	) 0	Casedae Jo nany-On StdeShifter STANDARD LOAD BACKREST	H	55.0
-1	EA	230	Ϋ́,	36/48V Lead Acid Battery Prep		55.0
1 -	EA	230 230	η 0 Γ	3/.0" WIDE ITA CLASS II HOOK TYPE Standard Overhead Guard	YPE	55.0
1	EA	230	Ж	Reverse Activated Blue Spotlight	ht	55.0 55.0
1	EA F.A	230	0 +	UNICARRIER 4000 LB 3 WHL ELE		55.0
1	EA	230	1 0	UL RATED TYPE E	0" FFH	55.0
1	EA	230	.α. τ	Amber Strobe Light with Guard OHG	OHG	55.0
1	EA	230	ŋщ	J-Section Valve Fire Extinguisher		55.0
1	EA	230	Ē	Full Suspension Cloth Seat	uard	55.0
1	EA	230	6	4 000 LB 36/48V Electric 3 Whee	3 Wheel Lift	55.0
1	EA	230	0.1 5	Single Function Internal Hosing	9 - UTTL	55.0 EF 0
1	EA	230	T	100 Forward LED Working Lights On Forward Active	OHO UO	55.0
1	EA	230	- 11	Rear View Mirrors (2002)	ht	55.0
1	EA	230	3	Standard Lugged Electric Cuers	(	55.0
1	EA	230		Standard Tilt Cylinders	on Tires	55.0
7	EA	230		Standard Orange Seat Belt		55.0
				HIECTFONIC Backup Smart Alarm		0.02 0.0

				_	L NO: 1544929	
<u>)</u>				BO	Number: 3 ier: KCH TRANSPORTATION, Date: 04/10/2024	INC.
				Stop	Number: 5	144
		OFLADING		Carr	ier: KCH 1142- up Date: 04/10/2024 - Date: 04/11/2024	ALCONTRACTOR
	UNDERLYIN	G BILL OF LADING		Pick	up Date: 04/11/2024	
subishi Logisne D. Brittmore Roa	Unter	Shipper		Den	References	
i logisne	ext Americas (	Houseen		PO	Number: WW ECR3278	
0 Brittmore Roa	ad			Ser	Number: WW ECRO ial Number: 82805740	
0 Brittmore Roo ston, TX 77043	03.4			Mod	ial Number: ECR327A Nel Number: ECR327A ad ID: HNIS10184078	
			in the second	Loa	ad ID: HNISIOL	
		Consignee	CARGE CONTRACTOR			
rolift, Inc.	arkway					
Prolift,Inc. 111 Hollender P Rochester, NY 1	4615 USA					
KOCHESCO				100 March 100 Ma		
		1000 State State	F	Prepaid		
See Master BOI	Bill T	ſo		prepara		
and the second second					Accessorials	A CONTRACTOR OF THE OWNER
					Accessorials	
tructio	195	Number:	585-254-4950	);Order Type:	Accessorials	
Special Instruction	ns ructions: ;Con	tact Phone Number: e: 20240322;Customy	585-254-4950 er Name: WRIC	D;Order Type: GHT WISNER		LTL Class
Special Instruction Special Inst Customer;Rea	ns ructions: ;Con dy to Ship Dat	tact Phone Number: e: 20240322;Custom		It	em Description	LTL Class 55.0
Customer, neo		tact Phone Number: .e: 20240322;Custom Weight HM(X)	NMFC	It	em Description	the standard of the
Qty	nns ructions: ;Con ddy to Ship Dat Type EA	matrix	NMIFC E	It lectric Power	em Description Steering (ON SIDE OF CHASSIS)	55.0
Qty 1	Туре	Weight HM (X)	NMFC E P	It lectric Power ROPICK BUTTONS ligh Speed - Co	em Description Steering (ON SIDE OF CHASSIS)	55.0 55.0
Qty	Type EA	Weight         HM (X)           64         64           64         64           64         64	NMFC E P	It lectric Power S PROPICK BUTTONS High Speed - Co	em Description Steering (ON SIDE OF CHASSIS) ntinuous Hold	55.0 55.0 55.0
Qty 1	Type EA EA EA EA	Weight         HM (X)           64         64           64         64           64         64           64         64	NMFC E H	It lectric Power PROPICK BUTTONS High Speed - Co LITERATURE KIT English Languag	em Description Steering (ON SIDE OF CHASSIS) ntinuous Hold ge Markings	55.0 55.0 55.0 55.0 55.0 55.0
Qty 1	Type EA EA EA EA EA	Weight         HM (X)           64         64           64         64           64         64           64         64           64         64           64         64	NMFC E P H	In lectric Power S PROPICK BUTTONS High Speed - Co LITERATURE KIT English Languag Standard Key St	em Description Steering (ON SIDE OF CHASSIS) Intinuous Hold ge Markings witch r High Level Performance	55.0 55.0 55.0 55.0 55.0 55.0 55.0
Qty 1 1 1 1 1 1 1	Type EA EA EA EA EA EA EA	Weight         HM (X)           64         64           64         64           64         64           64         64	NMFC E P H	In lectric Power S PROPICK BUTTONS High Speed - Co LITERATURE KIT English Languag Standard Key St	em Description Steering (ON SIDE OF CHASSIS) Intinuous Hold ge Markings witch r High Level Performance	55.0 55.0 55.0 55.0 55.0 55.0 55.0
Qty 1 1 1 1 1 1 1 1 1	Type EA EA EA EA EA EA EA EA	Weight         HM (X)           64         64           64         64           64         64           64         64           64         64           64         64           64         64	NMFC E P H	It lectric Power S PROPICK BUTTONS digh Speed - Co LITERATURE KIT English Languac Standard Key SP Programming Fo 6 000 lb. Capa	em Description Steering (ON SIDE OF CHASSIS) intinuous Hold ge Markings witch r High Level Performance city End Rider with 48" X	55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0
Qty 1 1 1 1 1 1 1 1 1 1 1 1 1	Type EA EA EA EA EA EA EA	Weight         HM (X)           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64	NMFC E P H	It lectric Power S PROPICK BUTTONS High Speed - Co LITERATURE KIT English Languad Standard Key SP Programming Fo 6 000 lb. Capa 24V Lead Acid	em Description Steering (ON SIDE OF CHASSIS) intinuous Hold ge Markings witch r High Level Performance city End Rider with 48" X Battery Prep	55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0
Qty 1 1 1 1 1 1 1 1 1 1 1 1 1	Type EA EA EA EA EA EA EA EA EA	Weight         HM (X)           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64	NMFC E P H	It lectric Power S PROPICK BUTTONS High Speed - Co LITERATURE KIT English Languag Standard Key SP Programming Fo 6 000 lb. Capa 24V Lead Acid 31.7X13.5X31.5 JUNGHEINRICH	em Description Steering (ON SIDE OF CHASSIS) intinuous Hold ge Markings witch r High Level Performance city End Rider with 48" X Battery Prep 5" - 1430 Battery 6000# WALKIE END RIDER	55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0
Qty 1 1 1 1 1 1 1 1 1 1 1 1 1	Type EA EA EA EA EA EA EA EA EA EA	Weight         HM (X)           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64	NMFC E P H	It lectric Power S PROPICK BUTTONS High Speed - Co LITERATURE KIT English Languag Standard Key SP Programming Fo 6 000 lb. Capa 24V Lead Acid 31.7X13.5X31.5 JUNGHEINRICH	em Description Steering (ON SIDE OF CHASSIS) intinuous Hold ge Markings witch r High Level Performance city End Rider with 48" X Battery Prep	55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0
Qty 1 1 1 1 1 1 1 1 1 1 1 1 1	Type EA EA EA EA EA EA EA EA EA EA EA EA EA	Weight         HM (X)           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64	NMFC E P H	In lectric Power S PROPICK BUTTONS digh Speed - Co LITERATURE KIT English Languag Standard Key S Programming Fo 6 000 lb. Capa 24V Lead Acid 31.7X13.5X31.5 JUNGHEINRICH S SHRINK WRAP H Pallet Entry	em Description Steering (ON SIDE OF CHASSIS) intinuous Hold ge Markings witch r High Level Performance city End Rider with 48" X Battery Prep 5" - 1430 Battery 6000# WALKIE END RIDER OLDER (NO OPT MOUNTING Slides	55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0
Qty 1 1 1 1 1 1 1 1 1 1 1 1 1	Type EA EA EA EA EA EA EA EA EA EA EA EA EA	Weight         HM (X)           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64	NMFC E P H	It lectric Power S PROPICK BUTTONS High Speed - Co LITERATURE KIT English Languag Standard Key SP Programming Fo 6 000 lb. Capa 24V Lead Acid 31.7X13.5X31.5 JUNGHEINRICH SHRINK WRAP H Pallet Entry PLATFORM W/SU	em Description Steering (ON SIDE OF CHASSIS) intinuous Hold ge Markings witch r High Level Performance city End Rider with 48" X Battery Prep 5" - 1430 Battery 6000# WALKIE END RIDER OLDER (NO OPT MOUNTING Slides SPENDED COMFORT FLOOR PAD	55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0
Qty 1 1 1 1 1 1 1 1 1 1 1 1 1	Type EA EA EA EA EA EA EA EA EA EA EA EA EA	Weight         HM (X)           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64	NMFC E P H	It lectric Power S PROPICK BUTTONS High Speed - Co LITERATURE KIT English Languag Standard Key SP Programming Fo 6 000 lb. Capa 24V Lead Acid 31.7X13.5X31.5 JUNGHEINRICH SHRINK WRAP H Pallet Entry PLATFORM W/SU ALARM TRAVEL-	em Description Steering (ON SIDE OF CHASSIS) intinuous Hold ge Markings witch r High Level Performance city End Rider with 48" X Battery Prep 5" - 1430 Battery 6000# WALKIE END RIDER OLDER (NO OPT MOUNTING Slides ISPENDED COMFORT FLOOR PAD -BOTH DIRECTIONS	55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0
Qty 1 1 1 1 1 1 1 1 1 1 1 1 1	Type EA EA EA EA EA EA EA EA EA EA EA EA EA	Weight         HM (X)           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64	NMFC E P H	It lectric Power 3 PROPICK BUTTONS High Speed - Co LITERATURE KIT English Languag Standard Key St Programming Fo 6 000 lb. Capa 24V Lead Acid 31.7X13.5X31.5 JUNGHEINRICH SHRINK WRAP H Pallet Entry PLATFORM W/SU ALARM TRAVEL- 60" (1524 mm)	em Description Steering (ON SIDE OF CHASSIS) intinuous Hold ge MarkingS witch r High Level Performance city End Rider with 48" X Battery Prep 5" - 1430 Battery 6000# WALKIE END RIDER OLDER (NO OPT MOUNTING Slides ISPENDED COMFORT FLOOR PAD -BOTH DIRECTIONS ) Load Backrest Fixed	55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0
Qty 1 1 1 1 1 1 1 1 1 1 1 1 1	Type EA EA EA EA EA EA EA EA EA EA EA EA EA	Weight         HM (X)           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64	NMFC E P H	It lectric Power 3 PROPICK BUTTONS High Speed - Co LITERATURE KIT English Languar Standard Key SP Programming Fo 6 000 lb. Capa 24V Lead Acid 31.7X13.5X31.5 JUNGHEINRICH SHRINK WRAP H Pallet Entry PLATFORM W/SU ALARM TRAVEL- 60" (1524 mm KNEE PADS ON	em Description Steering (ON SIDE OF CHASSIS) intinuous Hold ge MarkingS witch r High Level Performance city End Rider with 48" X Battery Prep 5" - 1430 Battery 6000# WALKIE END RIDER OLDER (NO OPT MOUNTING Slides SPENDED COMFORT FLOOR PAD -BOTH DIRECTIONS ) Load Backrest Fixed DRIVE UNIT COMPARTMENT	55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0
Qty 1 1 1 1 1 1 1 1 1 1 1 1 1	Type EA EA EA EA EA EA EA EA EA EA EA EA EA	Weight         HM (X)           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64	NMFC E P H	In lectric Power S PROPICK BUTTONS High Speed - Co LITERATURE KIT English Languar Standard Key SP Programming Fo 6 000 lb. Capa 24V Lead Acid 31.7X13.5X31.5 JUNGHEINRICH SHRINK WRAP H Pallet Entry PLATFORM W/SU ALARM TRAVEL- 60" (1524 mm KNEE PADS ON STD Drive Ti	em Description Steering (ON SIDE OF CHASSIS) intinuous Hold ge MarkingS witch r High Level Performance city End Rider with 48" X Battery Prep 5" - 1430 Battery 6000 # WALKIE END RIDER OLDER (NO OPT MOUNTING Slides SPENDED COMFORT FLOOR PAD -BOTH DIRECTIONS ) Load Backrest Fixed DRIVE UNIT COMPARTMENT re: Poly Press On 12.0" X	55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0
Qty 1 1 1 1 1 1 1 1 1 1 1 1 1	Type EA EA EA EA EA EA EA EA EA EA EA EA EA	Weight         HM (X)           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64	NMFC E P H	It lectric Power PROPICK BUTTONS High Speed - Co LITERATURE KIT English Languac Standard Key SP Programming Fo 6 000 lb. Capa 24V Lead Acid 31.7X13.5X31.5 JUNGHEINRICH SHRINK WRAP H Pallet Entry PLATFORM W/SU ALARM TRAVEL- 60" (1524 mm KNEE PADS ON STD Drive Ti STD LD WHL:	em Description Steering (ON SIDE OF CHASSIS) intinuous Hold ge Markings witch r High Level Performance city End Rider with 48" X Battery Prep 5" - 1430 Battery 6000# WALKIE END RIDER OLDER (NO OPT MOUNTING Slides OSPENDED COMFORT FLOOR PAD -BOTH DIRECTIONS ) Load Backrest Fixed DRIVE UNIT COMPARTMENT re: Poly Press On 12.0" X Polyurethane High Duromet	55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0
Qty 1 1 1 1 1 1 1 1 1 1 1 1 1	Type           EA           EA	Weight         HM (X)           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64	NMFC E P H	It lectric Power S ROPICK BUTTONS High Speed - Co LITERATURE KIT English Languag Standard Key Su Programming Fo 6 000 lb. Capa 24V Lead Acid 31.7X13.5X31.5 JUNGHEINRICH SHRINK WRAP H Pallet Entry PLATFORM W/SU ALARM TRAVEL- 60" (1524 mm) KNEE PADS ON STD Drive Ti STD LD WHL: COAST CONTRO	em Description Steering (ON SIDE OF CHASSIS) intinuous Hold ge Markings witch r High Level Performance city End Rider with 48" X Battery Prep 5" - 1430 Battery 6000# WALKIE END RIDER OLDER (NO OPT MOUNTING Slides SPENDED COMFORT FLOOR PAD BOTH DIRECTIONS ) Load Backrest Fixed DRIVE UNIT COMPARTMENT re: Poly Press On 12.0" X Polyurethane High Durometion L WITH MECHANICAL TILLER	55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0
Qty 1 1 1 1 1 1 1 1 1 1 1 1 1	Type           EA	Weight         HM (X)           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64	NMFC E P H	It lectric Power S PROPICK BUTTONS digh Speed - Co LITERATURE KIT English Languag Standard Key Su Programming Fo 6 000 lb. Capa 24V Lead Acid 31.7X13.5X31.5 JUNGHEINRICH SHRINK WRAP H Pallet Entry PLATFORM W/SU ALARM TRAVEL- 60" (1524 mm) KNEE PADS ON STD Drive Ti STD LD WHL: COAST CONTRO Battery Cont	em Description Steering (ON SIDE OF CHASSIS) intinuous Hold ge Markings witch r High Level Performance city End Rider with 48" X Battery Prep 5" - 1430 Battery 6000# WALKIE END RIDER OLDER (NO OPT MOUNTING Slides SPENDED COMFORT FLOOR PAD BOTH DIRECTIONS ) Load Backrest Fixed DRIVE UNIT COMPARTMENT re: Poly Press On 12.0" X Polyurethane High Duromet DL WITH MECHANICAL TILLER mector: SB 350 (Red)	55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0
Qty 1 1 1 1 1 1 1 1 1 1 1 1 1	Type           EA           EA	Weight         HM (X)           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64           64         64	NMFC E P H	It lectric Power S PROPICK BUTTONS digh Speed - Co LITERATURE KIT English Languag Standard Key Su Programming Fo 6 000 lb. Capa 24V Lead Acid 31.7X13.5X31.5 JUNGHEINRICH SHRINK WRAP H Pallet Entry PLATFORM W/SU ALARM TRAVEL- 60" (1524 mm) KNEE PADS ON STD Drive Ti STD LD WHL: COAST CONTRO Battery Cont	em Description Steering (ON SIDE OF CHASSIS) intinuous Hold ge MarkingS witch r High Level Performance city End Rider with 48" X Battery Prep 5" - 1430 Battery 6000# WALKIE END RIDER OLDER (NO OPT MOUNTING Slides SPENDED COMFORT FLOOR PAD BOTH DIRECTIONS ) Load Backrest Fixed DRIVE UNIT COMPARTMENT re: Poly Press On 12.0" X Polyurethane High Durometed OL WITH MECHANICAL TILLER meetor: SB 350 (Red) Stability Casters	55.0 55.0 55.0 55.0 55.0 55.0 55.0 55.0

8