Royal 3inc.

Bill to: ARMSTRONG TRANSPORT GROUP INC 86 WILKINSON CT, CONCORD, NC, 28025 Invoice Date: 06/17/2024 Invoice #: #2911736-1 Terms: NET 30 Due Date: 07/17/2024

Date	Customer Ref #	Origin - Destination	Quantity	Rate	Amount
06/14/2024		740 N Wise Dr, Sumter, SC, 29153 - 1001 Equestrian Drive, Henderson, NV, 89002			
			1	\$3,300.00	\$3,300.00

TOTAL	
\$3,300.00	

PLEASE NOTE

The right to payment under this invoice has been assigned to Compass payment Solutions LLC (CFS) and all payments hereunder are to be directed to the assignee at the address noted below. Remittances to other than CFS do not constitute payment of this invoice. CFS must be given notification of any claims, agreements or merchandise returns which would affect the payment of all or part of this Invoice on the due date. COMPASS FUNDING SOLUTIONS LLC P.O.BOX 205154 DALLAS, TX 75320-5154 Tel: 844-899-8092



FOR LOAD INFORMATION:

Kevin Fanning Email: kfanning@armstrongtransport.com Carrier Rate Confirmation Load #2911736-1

Rate: \$3,300.00 USD Generated: 6/13/2024, 2:23:56 PM

ZIGI FREI	GHT INC DBA ROYAL3 I	NC	MC: 944686 DOT: 2828543	INVOICE INSTRUCTIONS
Attn: Mike Z Phone: 630-4 Email: mike.z	485-7370 z@royal3inc.com			Why wait 30 days to get paid? Armstrong offers QuickPay via TriumphPay at just 2.5%. Have your funds within two business days. Email: <u>ap@armstrongtransport.com</u>
Mode: Full Tru Equipment: V Product: SHE Temperature: Driver:	53, 53' Van			QuickPay: <u>quickpay@armstrongtransport.com</u> Mail: 1120 S Tryon Street, Suite 500 Charlotte, NC 28203 All invoices submitted via email and mail will be paid in net 31-day terms. Any invoice submitted for QuickPay will be processed in 1-2 business days.
Truck #: Trailer #:				Please reference the Armstrong load number (#2911736- 1) on your invoice. Advances: EFS checks will be charged the larger of \$5 or
RATE DETAIL	S			4%.
				Check Payment Status
Line Haul Total:			USD \$3,300.00 USD \$3,300.00	Online: <u>https://www.atgfr8.com/CarrierPortal</u> Email: <u>payments@armstrongtransport.com</u>
				General load questions:
SPECIAL INST	TRUCTIONS:			kfanning@armstrongtransport.com
				CORPORATE INFORMATION
				****For specific information about this load, please contact (Kevin Fanning) at (kfanning@armstrongtransport.com)**** Armstrong Transport Group MC: 555609 P: 877-240-1181 carriers@armstrongtransport.com
				www.armstrongtransport.com
STOPS				
Stop	Location	Time	Items	Net Weight Pick/Drop #
6/14/2024 Pickup	LJs Solutions Mary 740 N Wise Dr Sumter, SC, 29153 803-773-9625	0700-1500 FCFS	• 1 Units (FTL SKIDS OF SHELVING)	24000.00lbs
6/17/2024 Dropoff	Tractor Supply Co. Store #2712 1001 Equestrian Drive Henderson, NV, 89002	0800-1200 FCFS	1 Units (FTL SKIDS OF SHELVING)	24000.00lbs
	Plea	se Sign and En	nail to Kevin Fanning (kfanning@armstrongtranspor	t.com)

 Carrier Signature
 Driver Phone #

 ZIGI FREIGHT INC DBA ROYAL3 INC
 Kevin Fanning

 Carrier Name
 Agent Name

All rates referenced here amend Armstrong Transport Group, LLC's (hereinafter "Armstrong") Carrier Agreement. Armstrong is a freight broker (MC No.: 555609), as defined by 49 CFR § 371.2, and is not a motor carrier. All freight moved for Armstrong and its cus bage shire for a stated otherwise, all loads are to be hauled using a dedicated trailer.

Loads must be delivered on the delivery dates and times referenced herein. Loads that do not meet the set date, time, or exclusivity criteria, will be subject to any and all applicable fines, unless waived in writing and acknowledged by an Armstrong agent. Any and all relevant exclusions on a carrier's cargo insurance policy must be disclosed. Cargo claims that result in a denial of coverage by the carrier's cargo insurance policy are the exclusive responsibility of the carrier. Carriers shall, at their own cost and expense, procure and maintain all such licenses and permits required to haul the freight referenced herein. UNAUTHORIZED REBROKERING IS PROHIBITED AND WILL CONSTITUTE FORFEITURE OF LINE HAUL TO THE HAULING CARRIER. CARRIERS THAT VIOLATE MAP 21, AS DEFINED 49 CFR 371.2, ARE SUBJECT TO FINES, WILL BE REPORTED AND SHALL BE DEACTIVATED IN ARMSTRONG'S SYSTEM IMMEDIATELY.

PLEASE NOTE: DOUBLE BROKERING IS PROHIBITED AND WILL CONSTITUTE FORFEITURE OF PAYMENT.

Vs

			-			
	Ship Via	Ship Date	S	.O. No.	P.O. No.	BILLING
	Dedicated-PPA	6/14/2024	1	59701	700332001 / 70	Prepaid
SHIPPER (FROM)		CONSIGNEE	(TO)			
LJS Solutions, LLC 740 North Wise Dri Sumter, SC 29153 803-773-9625	ve, Bldg B	Tractor Supp Store #2712 1001 Eques Henderson,	trian D	rive	la contra	
BILL TO IF DIFFER	RENT FROM ABOVE					
LJS Solutions, LLC PO Box 969 Sumter, SC 29151 803-773-9625		Driver Name: Driver Cell: Truck #: Trailer #:				
SPECIAL INSTRU	CTIONS					
				S.		
# of Skids	Description		Qu	antity	Freight Class	Total Weight
21 55.25	Rolled Beam, 4.65"D x 108"L, Cap 6220 Dipped Galvanized)/pr, Hot		51	125	24000
21 5K. 25 3 curts	Rolled Beam, 4.65"D x 108"L, Cap 6220 Rolled Beam, 4.65"D x 54"L, Cap 12000 Column Protector, 18" Bolt-On, Yellow, 5/16" Joint Cap Nut, Zinc	D/pr, Orange		150 8 35 70		
	5/16" Joint Connector, Zinc 5/16 x 1.25 Fender Washer, Zinc			70 70		
	Rolled Frame, 42"D x 48"H, 3" x 1-5/8" 7.5" x 3/8" FP, Cap 16,700# @ 48", HD Rolled Frame, 42"D x 120"H, 3" x 1-5/8" 7.5" x 3/5" FP, Cap 16,700# @ 48", HD	Galv. " col., 5" x		8 13		
	Particle Board, Coated, One Shelf Leve 108"L	il, 39"D X		24		
*THIS SHIPMENT	IS NOT STACKABLE			SHIPPER SIGNATU	RE	
0 0 0 0	PLEASE PLACE PRO LABEL HERE			DRIVER	Brill	c6-14-2
This BOL certifies the market	at the above named materials are properly classifie and labeled, and are in proper condition for trans	ed, described, pac sportation.	kaged,		cknowledges receipt of p d on this BOL and were	

Page 1

	Ship Via	Ship Date	S.O. No.	P.O. No.	BILLING
	Dedicated-PPA	6/14/2024	59701	700332001 / 70	Prepaid
SHIPPER (FROM)		CONSIGNEE	(TO)		
LJS Solutions, LLC 740 North Wise Dri Sumter, SC 29153 803-773-9625		Tractor Sup Store #2712 1001 Eques Henderson,	trian Drive		
BILL TO IF DIFFE	RENT FROM ABOVE	1			
LJS Solutions, LLC PO Box 969 Sumter, SC 29151 803-773-9625	л.,	Driver Name: Driver Cell: Truck #: Trailer #:			
SPECIAL INSTRU	CTIONS				
# - 6 0 12 - 12	900 6/n/2	2/ }	FT /ON	/ Freight Class	Total Weight
# of Skids	Description	lan Llat	Quantity	125	24000
21 5K. 23	Rolled Beam, 4.65"D x 108"L, Cap 6220 Dipped Galvanized				24000
3 carts	Rolled Beam, 4.65"D x 108"L, Cap 6220 Rolled Beam, 4.65"D x 54"L, Cap 12000 Column Protector, 18" Bolt-On, Yellow, V	/pr, Orange	150 8		
	5/16" Joint Cap Nut, Zinc 5/16" Joint Connector, Zinc 5/16 x 1.25 Fender Washer, Zinc		70 70 70		
	Rolled Frame, 42"D x 48"H, 3" x 1-5/8" C 7.5" x 3/8" FP, Cap 16,700# @ 48", HD Rolled Frame, 42"D x 120"H, 3" x 1-5/8" 7.5" x 3/5" FP, Cap 16,700# @ 48", HD	Galv. col., 5" x	8 13	Entreligion de la política de la	
	Particle Board, Coated, One Shelf Level 108"L	, 39"D X	24		
*THIS SHIPMENT	IS NOT STACKABLE		SHIPPER SIGNATUR	RE	
	PLEASE PLACE PRO LABEL HERE		DRIVER	Brulle	6-14-2
This BOL certifies tha marked	t the above named materials are properly classified and labeled, and are in proper condition for transp	d, described, pack portation.	aged, Carrier ac noted	knowledges receipt of pa I on this BOL and were lo	ckages matches items aded undamaged.

3

	Ship Via	Ship Date	S.O. No.	P.O. No.	BILLING	
	Dedicated-PPA	6/14/2024	59701	700332001 / 70	Prepaid	
SHIPPER (FROM)		CONSIGNEE	(TO)			
LJS Solutions, LLC 740 North Wise Drive, Bldg B Sumter, SC 29153 803-773-9625		Tractor Supp Store #2712 1001 Equestr Henderson, N	ian Drive			
BILL TO IF DIFFER	RENT FROM ABOVE					
LJS Solutions, LLC PO Box 969 Sumter, SC 29151 803-773-9625		Driver Name: Driver Cell: Truck #: Trailer #:				
SPECIAL INSTRU	CTIONS					
# of Skids	Description		Quantity	Freight Class	Total Weight	
	Particle Board, Coated, One Shelf Level, 54"L	, 39"D X	3			
	4' Step Fiberglass Ladder, 300# Capacity 6' Step Fiberglass Ladder, 300# Capacity		1 1			
	Sign Easel, 24-1/4" Wide x 42" High. Incl hardware. 2 x HINGE1X3-75, 2 x NYLON-INSERT LOCKNUT1/4X20, 2 x BOLTHXD1/4X1-1 WIRELKCLVPIN1_4X2-3_8, 4 x PLASTICCAP3/4X3/4INSERT, 500-009	l/2, 2 x	en mérican en			
	Widespan Anchor Plate, (WS1241GLV), Galvanized (includes 1 each of 1/4x2.5 s head bolt, 1/4 nut, and 1/4x.734 washer) *Hardware for widespan anchor plate* Bolt, Pan Head, Slotted, 1/4-20 x 2.5 zinc	lotted pan	60 60			
	Nut, Hex, 1/4-20 Washer, Flat, 1/4" (.250"), Zinc	100.000	60 60 60			
*THIS SHIPMENT I	IS NOT STACKABLE		SHIPPER SIGNATURE			
	PLEASE PLACE PRO LABEL HERE		DRIVER			
This BOL certifies that marked	t the above named materials are properly classified, and labeled, and are in proper condition for transpo	described, package ortation.	d, Carrier ackno noted on	wledges receipt of packages this BOL and were loaded	ges matches items d undamaged.	

	Ship Via	Ship Date	S.O. No.	P.O. No.	BILLING
	Dedicated-PPA	6/14/2024	59701	700332001 / 70	Prepaid
SHIPPER (FRO	Л)	CONSIGNEE ((TO)		
LJS Solutions, Ll 740 North Wise I Sumter, SC 2915 803-773-9625	Drive, Bldg B	Tractor Suppl Store #2712 1001 Equestri Henderson, N	ian Drive		
BILL TO IF DIFFERENT FROM ABOVE					
LJS Solutions, LL PO Box 969 Sumter, SC 2915 803-773-9625		Driver Name: Driver Cell: Truck #: Trailer #:			
PECIAL INSTRU					
# of Skids	Description		Quantity	Freight Class	Total Weigh
	Floor Anchor, Simpson Strong, Titen, HI		70		
	Anchor 1/2"x 4" Floor Anchor, Mech Galvanized Screw A 1/2"x 4"	Anchor	52		
	Floor Anchor, Hilti KH-EZ Screw Anchor Multi-Purpose Anchor Plate Kit, Includes	(1) Anchor	60 750		n alfin settin sentantini Tarih settin sentan
	Plate and (2) TSCANCHOR3/8X4, Galva	3/8" A" or	1 500	NUMBER OF STREET, STREE	
	Floor Anchor, Hilti KH-EZ Screw Anchor Dewalt Screw Anchor, 3889 (PFM14112)	3/8"x 4" or	1,500		and the second second
	Floor Anchor, Hilti KH-EZ Screw Anchor Dewalt Screw Anchor, 3889 (PFM14112)	3/8"x 4" or 80) HOLD			
	Floor Anchor, Hilti KH-EZ Screw Anchor Dewalt Screw Anchor, 3889 (PFM14112) FOR RAPID INSTALLATION	3/8"x 4" or 80) HOLD			
	Floor Anchor, Hilti KH-EZ Screw Anchor Dewalt Screw Anchor, 3889 (PFM14112) FOR RAPID INSTALLATION SHIM, 5" x 7-1/2" x 1/16" (2 holes), Galva Drop pin for Beams 18" custom row spacer with one each 5/ carriage bolt, CBOLT5/16-18X4Z5 5/16" flanged nut, NUTSERFLNG5/16-18Z and SCREWHHSDS12-14X3/4	3/8"x 4" or 80) HOLD anized 16"x4" serrated	150		
	Floor Anchor, Hilti KH-EZ Screw Anchor Dewalt Screw Anchor, 3889 (PFM14112) FOR RAPID INSTALLATION SHIM, 5" x 7-1/2" x 1/16" (2 holes), Galva Drop pin for Beams 18" custom row spacer with one each 5/1 carriage bolt, CBOLT5/16-18X4Z5 5/16"	3/8"x 4" or 80) HOLD anized 16"x4" serrated	150 366		
(Sama Sakarta Sakarta)	Floor Anchor, Hilti KH-EZ Screw Anchor Dewalt Screw Anchor, 3889 (PFM14112) FOR RAPID INSTALLATION SHIM, 5" x 7-1/2" x 1/16" (2 holes), Galva Drop pin for Beams 18" custom row spacer with one each 5/ carriage bolt, CBOLT5/16-18X4Z5 5/16" flanged nut, NUTSERFLNG5/16-18Z and SCREWHHSDS12-14X3/4	3/8"x 4" or 80) HOLD anized 16"x4" serrated	150 366 23		
(Sama Sakarta Sakarta)	Floor Anchor, Hilti KH-EZ Screw Anchor Dewalt Screw Anchor, 3889 (PFM14112) FOR RAPID INSTALLATION SHIM, 5" x 7-1/2" x 1/16" (2 holes), Galva Drop pin for Beams 18" custom row spacer with one each 5/- carriage bolt, CBOLT5/16-18X4Z5 5/16" flanged nut, NUTSERFLNG5/16-18Z and SCREWHHSDS12-14X3/4 Bolt, Carriage, 5/16-18 x 4", Zinc, Grade	3/8"x 4" or 80) HOLD anized 16"x4" serrated	150 366 23 23 23 SHIPPER		

enderstander and and a state

	Ship Via	Ship Date	S.O. No.	P.O. No.	BILLING
	Dedicated-PPA	6/14/2024	59701	700332001 / 70.	Prepaid
HIPPER (FROM)		CONSIGNEE	(TO)		
JS Solutions, LLC '40 North Wise Drive, Bldg B Sumter, SC 29153 903-773-9625		Tractor Supp Store #2712 1001 Equesti Henderson, N	rian Drive		
ILL TO IF DIFFEF	RENT FROM ABOVE				
JS Solutions, LLC 20 Box 969 Sumter, SC 29151 303-773-9625		Driver Name: Driver Cell: Truck #: Trailer #:			
# of Skids	Description		Quantity	Freight Class	Total Weight
	Nut, Hex, Ser/Flanged, Case Hardened,		23		
an a	Zinc Screw, Tek, 1/4" x 3/4"		23		and the second second
	Heavy Duty Horizontal backstop 2" x 108 Offset - Yellow, 900-098 Horizontal backstop 2" x 54", with 3" Offs 900-165	", with 3"	102 2		
	Bolt, Hex Head, Cap Screw, 7/16-14 x 4", Grade 5 Nut, Ser/Flanged, Case Hardened, 7/16-		208 208		
	Beverage Cart, Rolling (Red Frame/Black		2	anera persona di superiore de la superiore de Nota a la superiore de la superio	odilaisutiittis atta ontaa. Mittiga metrikka taa saasee
	500-006 Snack Cart, Rolling (Red Frame/Black St 500-005	ustine liestos a net	8	hain dhinn an an an a	linger and the second
	SEISMIC Rolled Frame, 42"D x 120"H, 3' 5" x 7-1/2" Seismic Footplate, Cap 26,20 Lake Green	0# @48",	35 5	araanan dahaa	
			SHIPPER		
THIS SHIPMENT I	S NOT STACKABLE		SIGNATURE	L,	

193664992

Ship Via	Ship Date	S.O. No.	P.O. No.	BILLING
Dedicated-PPA	6/14/2024	59701	700332001 / 70	Prepaid
SHIPPER (FROM)	CONSIGNEE	то)		
LJS Solutions, LLC 740 North Wise Drive, Bldg B Sumter, SC 29153 803-773-9625	Tractor Suppl Store #2712 1001 Equestri Henderson, N	ian Drive		
BILL TO IF DIFFERENT FROM ABOVE				
LJS Solutions, LLC PO Box 969 Sumter, SC 29151 803-773-9625	Driver Name: Driver Cell: Truck #: Trailer #:			
SPECIAL INSTRUCTIONS				

# of Skids	Description	Quantity	Freight Class	Total Weight
# OI SKIUS	Gate Rack, 6" W x 60" Long, Yellow, 900-008	14		Maria Cal
	Riding Lawn Mower Ramp - Gray, 900-023 (REV.A)	1		
	Spreader Bar (Galvanized), 900-007	1 (1)		
	T Post Rack, 48"W x 48"L, Galvanized, 501-003 1" x 34" Rod with Red Cap used with Wood and T Post Rack	6 24	alan dari da San San San San San San San San San Sa	
	Wood Post Rack, 58"W x 60"L, Galvanized, 501-004 1" x 34" Rod with Red Cap used with Wood and T	5 20		
	1" x 34" Rod with Red Cap used with Wood and P Post Rack			and and a second se
	Wire Deck, 42"D x 52"W, W/F, 3-CHNL, 2500# Capacity, Hot Dipped Galvanized Wire Deck, 42"D x 52"W, W/F, 3-CHNL, 2700# Capacity, 14 Gauge, Pre-Galvanized	34 103		
HIS SHIPMENT	IS NOT STACKABLE	SHIPPER SIGNATUR	E	
	PLEASE PLACE PRO LABEL HERE	DRIVER SIGNATUR	E	
	at the above named materials are properly classified, described, packa ed and labeled, and are in proper condition for transportation.	ged, Carrier ack	nowledges receipt of pace on this BOL and were loa	ckages matches items aded undamaged.

	Ship Via	Ship Date	S.O. No.	P.O. No.	BILLING		
	Dedicated-PPA	6/14/2024	59701	700332001 / 70	Prepaid		
SHIPPER (FROM)	CONSIGNEE	(TO)				
JS Solutions, LLC 40 North Wise Drive, Bldg B Sumter, SC 29153 903-773-9625		Store #2712 1001 Equestr	Tractor Supply Co. Store #2712 1001 Equestrian Drive Henderson, NV 89002				
ILL TO IF DIFFE	ERENT FROM ABOVE						
JS Solutions, LL O Box 969 Sumter, SC 2915 03-773-9625		Driver Name: Driver Cell: Truck #: Trailer #:					
# of Skids	Description		Quantity	Freight Class	Total Weight		
	Crossbar, Low Profile Top Hat, 42", galvanized, w/ Tek Screw and hex h	nead washer (2	105				
an a	ea), 610 Cap	MARCENCE CONTRACTOR	den iveze e determinente e	arati biyaka kumula dita shirika .	a Bill and State State State		
	 ea), 610 Cap 4"x2" label - to be attached to front of beam for weight limit 4"x2" label - to be attached to front of beam for weight limit 	of a 108" x 4.65"	75 4				
	4"x2" label - to be attached to front beam for weight limit 4"x2" label - to be attached to front (of a 108" x 4.65" of a 54" x 4.65"					
	4"x2" label - to be attached to front of beam for weight limit 4"x2" label - to be attached to front of beam for weight limit BOPIS Locker, Left Side, Melamine	of a 108" x 4.65" of a 54" x 4.65" Sides with	75 4 1				
	4"x2" label - to be attached to front of beam for weight limit 4"x2" label - to be attached to front of beam for weight limit BOPIS Locker, Left Side, Melamine Signage, Red and Black BOPIS Locker, Middle, Melamine Si	of a 108" x 4.65" of a 54" x 4.65" Sides with ides with	75 4 1				
	4"x2" label - to be attached to front of beam for weight limit 4"x2" label - to be attached to front of beam for weight limit BOPIS Locker, Left Side, Melamine Signage, Red and Black BOPIS Locker, Middle, Melamine Si Signage, Red and Black BOPIS Locker, Right Side, Melamin	of a 108" x 4.65" of a 54" x 4.65" Sides with ides with e Sides with DPIS Locker 5, 3MM White	75 4 1				
THIS SHIPMENT	4"x2" label - to be attached to front of beam for weight limit 4"x2" label - to be attached to front of beam for weight limit BOPIS Locker, Left Side, Melamine Signage, Red and Black BOPIS Locker, Middle, Melamine Si Signage, Red and Black BOPIS Locker, Right Side, Melamin Signage, Red and Black Signage, Red and Black Signage, Side Panel Sign Kit for BO -11898, Locker Side Panel 36 x 47.5	of a 108" x 4.65" of a 54" x 4.65" Sides with ides with e Sides with DPIS Locker 5, 3MM White	75 4 1				
THIS SHIPMEN	4"x2" label - to be attached to front of beam for weight limit 4"x2" label - to be attached to front of beam for weight limit BOPIS Locker, Left Side, Melamine Signage, Red and Black BOPIS Locker, Middle, Melamine Si Signage, Red and Black BOPIS Locker, Right Side, Melamin Signage, Red and Black Signage, Red and Black Signage, Side Panel Sign Kit for BO -11898, Locker Side Panel 36 x 47.5 PVC, Digital Print 1/0, Includes Instr	of a 108" x 4.65" of a 54" x 4.65" Sides with ides with e Sides with PPIS Locker 5, 3MM White ruction Sheet	75 4 1 1 1 1 1 5HIPPER				

MORE REPORTED IN CALIFY

an and states the

	Ship Via	Ship Date		S.O. No.	P.O. No.	BILLING
	Dedicated-PPA	6/14/2024		59701	700332001 / 70	Prepaid
SHIPPER (FROM)		CONSIGNE	E (TO)	1		
LJS Solutions, LLC 740 North Wise Driv Sumter, SC 29153 803-773-9625	ve, Bldg B	Tractor Sup Store #2712 1001 Eques Henderson,	2 strian I	Drive		
BILL TO IF DIFFER	RENT FROM ABOVE					
LJS Solutions, LLC PO Box 969 Sumter, SC 29151 803-773-9625		Driver Name Driver Cell: Truck #: Trailer #:	:			
SPECIAL INSTRU	CTIONS					
# of Skids	Description Signage, Shop & Manage Sign Kit for BC		Q	uantity	Freight Class	Total Weight
	- 11897, Header 1 (24x7), Front Panel 1 3MM White PVC, Digital Print 1/0, Includ Instruction Sheet Signage, Online Order Sign Kit for BOPIS 11896, Header 1 (24x7), Front Panel 1 (2 3MM White PVC, Digital Print 1/0, Includ Instruction Sheet 12' Battery Rack Section, Includes Hardw Series, Black, 22-0429 Freight Trucking- Anchor plate PO7000332797	(20 x 36), les S Locker - 20 x 36), les ware, X		2		
*THIS SHIPMENT	IS NOT STACKABLE			SHIPPER SIGNATURE	=	
				SIGNATURE	-	
	PLEASE PLACE PRO LABEL HERE			DRIVER SIGNATURE	Ξ	
	t the above named materials are properly classified, and labeled, and are in proper condition for transpo		aged,	Carrier ackn noted or	owledges receipt of pack n this BOL and were load	ages matches items ed undamaged.

Page 7