

Bill to: COVAR TRANSPORTATION 2189 CLEVELAND ST, Clearwater, FL, 33765 Invoice Date: 06/17/2024 Invoice #: 23184331 Terms: NET 30 Due Date: 07/17/2024

Date	Customer Ref #	Origin - Destination	Quantity	Rate	Amount
06/16/2024		11700 E 47TH AVE DENVER - 502 CENTER STREET CARLSBAD			
			1	\$900.00	\$900.00

TOTAL	
\$900.00	

PLEASE NOTE

The right to payment under this invoice has been assigned to Compass payment Solutions LLC (CFS) and all payments hereunder are to be directed to the assignee at the address noted below. Remittances to other than CFS do not constitute payment of this invoice. CFS must be given notification of any claims, agreements or merchandise returns which would affect the payment of all or part of this Invoice on the due date.

COMPASS FUNDING SOLUTIONS LLC P.O.BOX 205154 DALLAS, TX 75320-5154

Tel: 844-899-8092

COVAR TRANSPORTATION 1785 NORTHPOINTE PARKWAY **LUTZ, FL 33558**





Trailer:

770

Page 1

94923

Load Confirmation: Date Sent: 06/14/2024 02:59PM 23184331

Carrier Name: **ROYAL3 INC**

727-240-3366

CHICAGO IL 60638

Dispatch Name: Jack

Dispatch Phone: (630) 485-7370

646-705-5833 **Driver Cell:**

PLFE Pur Vbl PET DC60(32x0.5L) Order Order: 23184331 Commodity:

> Miles: 577.0 Trailer: Van (DAT) 44365.0 PU# 884733463 Weight:

PO# 578850 Temp:

WF30 US PL NW DENVER FACTORY PU₁ Name: 06/16/2024 11:00AM Date:

Address: 11700 E 47TH AVE

> DENVER CO 80239 Contact:

Phone: Driver Load: No driver loading or unload

Tractor:

Driver Name: remy

Reference number: IK T884733463

Reference number: 0001443060 OQ

SO 2 **BRININSTOOL EQUIPMENT SALES** 06/17/2024 07:00AM Name: Date:

Address: **502 CENTER AVE** 06/17/2024 04:00PM

CARLSBAD NM 88220 Contact:

Phone: Driver Load: No driver loading or unload

Reference number: AO FCFS: 0700 - 1600

Reference number: IK T884733463

Reference number: OQ 0001443060

Payment \$900.00 \$900.00 Carrier Freight Pay:

Total Carrier Pay:

Load Specific Requirements

Type Applies to



FOOD - Food Grade/Clean/Dry/Odorless/No HolesBoth Shipper and Consignee

Load Specific Requirements

Type Applies to

10YR - Trailer less than 10 years old Both Shipper and Consignee

Load Specific Requirements

Type Applies to

VEST - Reflective Vest Both Shipper and Consignee

Load Specific Requirements

Type Applies to

CTS - Closed toe shoes Both Shipper and Consignee

Carrier Instructions and Requirements: This form must be completed and returned before driver can be loaded.

WF30 US PL NW DENVER FACTORY - APPOINTMENT ID - 39565532

WF30 US PL NW DENVER FACTORY - TOTAL DISTANCE = 583 MI

WF30 US PL NW DENVER FACTORY - LIVELOAD

WF30 US PL NW DENVER FACTORY - It is required by Blue Triton that all drivers entering any facility/yard must w WF30 US PL NW DENVER FACTORY - ear a HI VIS VEST and closed toe shoes. It is also recommended they

wear a bump

WF30 US PL NW DENVER FACTORY - cap.

WF30 US PL NW DENVER FACTORY - BlueTriton mandates that all drivers accessing any origin and destination must w

WF30 US PL NW DENVER FACTORY - ear a high-visibility vest along with closed-toe shoes.

WF30 US PL NW DENVER FACTORY - It is required by Blue Triton that all drivers entering any facility/yard must w WF30 US PL NW DENVER FACTORY - ear a HI VIS VEST and closed toe shoes. It is also recommended they

wear a bump

WF30 US PL NW DENVER FACTORY - cap.

WF30 US PL NW DENVER FACTORY - Must Depart Time: 2024-06-17 06:46 WF30 US PL NW DENVER FACTORY - Latest Arrival Time: 2024-06-17 05:31

23780331

Please Sign: ASTA MIJAC

Driver Name: remy

Driver Cell: 646-705-5833

Driver Email: Tractor #: 770 Trailer #: 94923

() Decline

(X) Accept

Attention: Braedon Morecraft

727-240-3366

Operations@covartransport.com

MCLÉOD SOFTWARE



Yard Safety Rules



Safety First – Safety Always – Safely is How We Work



1. Wear reflective vest always while on premises.

- a. Reflective vest increases the visibility of pedestrians in the yard no matter time of day or weather conditions.
- b. Pedestrians are to follow designated walk paths when marked in the yard. These paths are designed to minimize interaction with equipment in the yard.
- c. Pedestrians need to verify they are seen by drivers and are to avoid entering drive path from between vehicles where driver cannot see them.



2. Wear close-toed shoes always while on premises.


a. Drivers and pedestrians at all BlueTriton facilities are required to always wear close-toed shoes, while in the yard or inside the facilities, i.e. boots, sneakers or tennis shoes.




Zephyrhills

3. Follow speed limit - 10 mph (16 kph).

- a. If there is a conflicting speed limit sign in the yard, note that our yards have all adopted the 10-mph speed limit.
- b. This speed limit allows for timely movement of vehicles while being at a speed that provides for quick stopping when reacting to a situation that may be encountered or develop in the yard.









4. Only bring serviceable equipment onto the property.



- a. Verify equipment has a current annual DOT inspection and is in good condition prior to bringing onto BlueTriton Brands site.
- b. Trailers are to be clean and ready for a food grade load when they arrive on site.
- c. If a trailer has been repaired, verify it was repaired properly and will be able to safely handle the weight of a water load.

5. Maintenance to trucks and trailers is prohibited.

- a. Repairs to trucks or trailers while on site at a BlueTriton facility is strictly prohibited.
- d. 6. Slide tandems to ICC bar prior to loading.







- a. Other drivers are not to provide assistance with sliding of trailer tandems to prevent caught in between/pinch point injury.
- b. If trailer tandem slide or lock pins not working properly, red tag trailer and contact dock office for assistance.
- c. Trailer tandems are to be slid to the rear even if tractor will remain connected to the trailer during loading for the safety of the forklift operators as transition from the dock to the trailer with 2 pallets of
- d. Use the designated tandem sliding location in the yard, if so designated, and recommended to only slide tandems in a level area.



7. Use of wheel chock

- a. Trucks/Trailers should be equipped with wheel chocks.
- b. If dock locks are unavailable or inoperable at any BlueTriton loading/unloading facility, wheel chocks are to be in place prior to loading.



8. Load Stabilization equipment ready and in good working order.

a. Have ready load stabilization bars, straps, etc. to secure freight prior to departing loading facility



9. Maintain 3 points of contact when entering/exiting cab.

- a. Drivers are to face the cab during entry and exit while maintaining 3 points of contact.
- b. Drivers should never jump off equipment.
- c. If snow or ice needs to be removed from equipment, then recommend that it is either done from the ground or while maintaining 3 points of contact.
- d. Drivers should not be climbing on ICC bar or into back of trailer.



10. Perform tug test/visual inspection to ensure trailer connection.

- a. Verify fifth wheel lock release handle is fully in with no tension on the spring.
- b. If so equipped, verify lock nut on front of fifth wheel plate is tight against the front of the fifth wheel and the safety pin moved towards the center of the fifth wheel.
- c. Verify there is no gap between the top of the fifth wheel and the trailer plate.
- d. If safe to do so, visually verify fifth wheel jaw locks fully around the king pin.
- e. Perform tug test to check trailer connection.
- f. If there are any issues with trailer height, notify the dock office or yard jockey for assistance so driver does not try to manually adjust landing gear height of a loaded trailer.

11. Spotting or assisted backing is not permitted


- a. No one should be spotting or guiding a vehicle while backing or any maneuver to avoid being struck by moving equipment.
- b. Driver is advised to position vehicle for a sight side back whenever possible so has best visibility of backing area.
- c. Second preferred backing maneuver is a straight back with least preferred being a blind side back.
- d. Never go behind a backing vehicle whether on foot or driving.
- e. If driver is unsure of vehicle position/clearance, they are to score a GOAL for safety Get Out And Look!











- a. Trailer doors should be opened as close to the loading dock to back to as possible.
- b. Verify trailer door is properly secured before moving and take weather conditions into consideration when handling trailer doors.
- c. If trailer door becomes unhooked, immediately stop to assess situation, and contact dock office if trailer door restraint not functioning properly.
- d. Never drive excessive distances with trailer doors open and always verify trailer doors closed before leave yard.



13. Wait for dock light to be green before pulling from dock.

- a. Verify dock light green and been given paperwork before pulling from loading dock.
- b. If unsure safe to pull away from loading dock, check with dock office.



14. Follow your training. Ask dock office if you need assistance.

- a. If a situation arises where a driver needs assistance, they are to request assistance from the dock office.
- b. If there are any issues with trailer height, notify the dock office or yard jockey for assistance so driver does not try to manually adjust landing gear height of a loaded trailer.



15. Report all accidents, fuel spills and safety hazards to the shipping office immediately.

a. We need to be informed of all incidents in the yard so they can be investigated to identify learnings to prevent future recurrence.



16. No idling while on property.

- a. Vehicles are not to be idling while being loaded, waiting for a load or unattended.
- b. Unattended vehicles are not to be left running.
- c. Driver to verify parking brake set before exiting cab.
- d. Idling to build air pressure and perform pre-trip inspection is acceptable but should not exceed 3-5 minutes.



17. Cell Phone usage prohibited while walking and driving.

a. Drivers and passengers are prohibited from being utilized while walking or driver in all BlueTriton Brands yard.

18. Follow State and Local policies regarding facial protection.

a. It is recommended at each BlueTriton facility that drivers wear facial protection when inside.

RATE CONFIRMATION AGREEMENT FOR COVAR TRANSPORTATION

ALL LOADS REQUIRE MACRO-POINT TO BE TRACKED BY DRIVER CELL OR TRACTOR NUMBER

All communication should include your booking rep and Operations@covartransport.com

Afterhours is available till 22:00 nightly and resumes at 0600:00am following day. If you have a late-night lumper that you will need a comcheck or relay code payment issued by CoVar; please requests prior to 22:00

For assistance for Lumper payments please send your CoVar order number and amount for lumper payment to: Operations@covartransport.com

- If you need a comcheck for any lumpers, late fees, or accessorials it will be a \$10 fee per transaction. Lumper receipts must be submitted within 48 hours of delivery to be reimbursed/or paid out or payment will not be processed.
- If you can pay the lumper yourself, please submit your lumper receipt and load number. CoVar will send you an updated rate confirmation for reimbursement.

Maximum layover is \$200/day. Maximum Truck Order Not Used is \$150 unless otherwise specified. Any detention requests must be notified at time of occurrence, times for in and out must be signed, your time will need to show you arrived before your appointment time. CoVar will cross reference your times with Macro-Point tracking. Note that detention pay is not guaranteed at all facilities. Detention is paid at \$30/hr and starts two hours after appointment time. Additional stop off pay is \$50.

If shipper and receiver address do not match on the Bill of Lading, you must notify your booking rep to confirm the correct address.

CoVar is a licensed freight broker (MC895138), who does not condone any driver to operate a commercial motor vehicle, when the driver reports that he/she would not be able to drive due to hours of service, vehicle maintenance, fatigue, or equipment regulations. Carrier's motor vehicle equipment shall be dedicated to CoVar's exclusive use while transportation freight tendered by CoVar. Double Brokering is strictly prohibited. This load confirmation is subject to the terms of the agreement for motor contract carrier services previously executed between our companies. If there is a violation, carrier shall forfeit its right to be paid for transportation services.

Carrier's cargo insurance policy must not exclude from coverage any commodities or cargo carried on this order. If carrier's cargo insurance policy contains a schedule of covered vehicles, carrier will not transport any cargo on this shipment using a vehicle that is not listed as a scheduled vehicle on carrier's cargo insurance policy.

Invoice Instructions:

Please send all invoices to: Accounting@covartransport.com

- CoVar Load # 231***** must be in the subject line of your invoice email to accounting in order to avoid processing delays
- Submit your invoice with invoice number, amount, lumper/accessorial and remit address.
- BOL must be legible with clear signatures and/or stamps proving order was delivered to destination.
- All lumper receipts must have the lumper service FEIN number listed along with the correct PO number that matches your BOL.
- CoVar offers Quickpay at 3%. First time carriers are not eligible for Quickpay through CoVar.

In order to expedite quicker payment, please download and use the LogixAnywhere App to upload the BOL, prior to leaving the final destination.

once installed open LogixAnywhere, enter the code "CVBG" and your email; take a picture of the BOL and submit.











BILL OF LADING

BlueTriton Brands INC

SHIP FROM: U.S. Pt. Denivor Factory 11700 E 47th Ave Denivor CO 80239-3015 CARRIER: (CV8G) COVAR TRANSPORTATION 1785 NORTHPOINTE PKWY 11785 NORTHPOINTE PKWY 11	SHIP TO: Brininstool Equipment Sales Brininstool Equipment Sales Brininstool Equipment Sales CARLSBAD NM 88220-6106 S75 8873550 Pur Vbi PET DC60(32x0.5L)LCP BB US	BOL: 81728199 Load No: T884733463 Ship Date: 06/16/2024 Cust, P.O. No: 578850 Req, Arr. Date/Time: 06/17/2024 07:90 Vehicle No: W94923 Appt Confirmation No: FCFS: 0700 - 1600 1,140 1,140 1,140 COMBINED PRICHET WEIGHT COMBINED PALLET WEIGHT		Freight Terms: DDP SO/STO No: 1443060 00 Seal #1: 22824048 Seal #2: ICS	1999 1999 1999
er Eadlory h Ave 015 015 VAR TRANSPORTA 742	Brintstool Equipment Serve CARL SBAD NM 88220-6106 575 8873550 Pur Vbi PET DC60(32x0.5L)LCP BB US	Ship Date: 06/16/2024 Cust. P.O. No: 578850 Req. Arr. Date/Time: 06 Vehicle No: W94923 Appt Confirmation No: FC Appt Confirmation No: FC COMBINED PRODUC: COMBINED PRICETY		13. 17. 13. 1	1999 1999 1999
S9-3015 S9-3015 COVAR TRANSPORTA ORTHPOINTE PRWY S8-5742 RIAL 17273	CARLSBAD NM 88220-6106 575 8873550 E Pur Vbi PET DC60(32x0.5L)LCP BB US	Ship Date: 06/16/2024 Cust. P.O. No: 578850 Req. Arr. Date/Time: 06 Appt Confirmation No: FC Appt Confirmation No: FC COMBINED PRODUC COMBINED PRUDUC		Sto No: 144306 Sto No: 144306 Seal #1: 228240 LoM ICS	05 846 B 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
THANSPORTA	575 8873550 SRIPTION E Pur Vbi PET DC60(32x0.5L)LCP BB US	Cust. P.O. No: 578850 Req. Arr. Date/Time: 06 Vehicle No: W94923 Appt Confirmation No: FC Appt Confirmation Uo: FC COMBINED PRODUC: COMBINED PRODUC:		Seal #1: 228240 Seal #2: LoM ICS	048 1.8 1.8
THROUTE PKWY S742 L	RIPTION E Put Vbi PET DC60(32x0.5L)LCP BB US	Appt Confirmation No: FC Appt Confirmation No: FC OOMBINED PRODUC COMBINED PRUETY	177/2024 07:00:00 FS: 0700 - 1600 140 140 T WEIGHT	Seal #1: 228240 Loom ICS	88 B B B B B B B B B B B B B B B B B B
VVAR TRANSPORTA THPOINTE PKWY 5742 L	CRIPTION E Pur Vbi PET DC60(32x0.5L)LCP BB US	Appt Confirmation No: FC Appt Confirmation No: FC OMBINED PRODUC COMBINED PRODUC COMBINED PALLETY	FS: 0700 - 1600 140 140 T WEIGHT	Seal #2:	8 8
	E Pur Vbi PET DC60(32x0.5L)LCP BB US	Appt Confirmation No: FO OTH 1,1	FS: 0700 - 1600 140 140 T WEIGHT	ICS ICS	EB BB
410	PUT VIN PET DOBO(32x0.5L)LCP BB US	OOMBINED PRODUC	40 140 T WEIGHT	ICS	89
410	- Pur Vol PET DOGO(32x0,5L)LOP BB US	COMBINED PRODUC	140 140 T WEIGHT	ICS	81
068274734410		COMBINED PRODUC	140 T WEIGHT	ICS	9 9
SUMMARY TOTAL		COMBINED PRODUCTOMBINED PALLET V	TWEIGHT		18 18
		GROSS CARGO WEIGHT	SHT	43,092 1,272.971 44,364,971	18
PALLET COUNT: 19 CHEP PROTECT PRODUCT FROM FREEZING CARRIER MUST CALL FOR DELIVERY APPT	OHEP REEZING LLVERY APPT				
				STA	STORE
Z024 Time:	11:00:00 Carrier Check In Time: Date 06/16/2024	Time 06:58:53	Carrier Check Out Time: Date 06/16/2024	te: Time 11:13:04	304
Driver's Name Prinsec TA Remy Signature. TA Remy Truck Number 770 Carrier's Name; CVBG	RECEVED, subject to the written RECEVED, subject to the written I transportation contract between the Shipper and the Carrier if applicable of the written and conditions of the shipper and and and conditions of the shipper and subject to the terms and conditions of the shipper and subject to the property described herein, in spatient good order, except as noted contents of packages unknown), marked, consigned and described herein, shipper and subject to any classifications of shifts except as repetitive to any classifications of shifts except as specifically assigned to it writing by the sippor and the Sanfer S	or the written or if applicable or if applicable and confilers of dipment for date of shipment for date of shipment for date of shipment for date of shipment and control or and contents of marked, consigned marked, consigned marked, consigned marked, consigned for except as not	Non-recourse. If the shipment is to be delivered to the consignor, the consignor shall sign the following statements: The carrier shall not make delivery of this shipment charges, without payment of freight and all other lawful consignor Signature. Blue Triton Brands INC	shipment is to be do it recourse on the of the following statem make delivery of thi eight and all other! BlueTriton Brandi	onsignor, the nents: is shipment lawful

BILL OF LADING

Page 1 of 1

BlueTriton Brands INC

SHIP FROM: US PL Denver Factory 11700 E 47th Ave CO 80239-3015

SHIP TO: Brininstool Equipment Sales 502 CENTER AVE CARLSBAD NM 88220-6106

575 8873550

BOL: 81728199

Load No: T884733463

Ship Date: 06/16/2024

Cust. P.O. No: 578850

Delivery No:

81728199

Freight Terms: DDP

SO/STO No: 1443060

CARRIER:

FL 33558-5742

(CVBG) COVAR TRANSPORTATION 1785 NORTHPOINTE PKWY

Req. Arr. Date/Time:

06/17/2024 07:00:00

Seal #1: 22824048

Seal #2:

Vehicle No: W94923

Appt Confirmation No: FCFS: 0700 - 1600

		QTY	UoM	
MATERIAL	DESCRIPTION		100	
12531273	PLFE Pur Vbl PET DC60(32x0.5L)LCP BB US	1,140	ICS	
068274734410		1,140	ICS	
SUMMARY TOTAL				

43,092 LB COMBINED PRODUCT WEIGHT LB 1,272.971 COMBINED PALLET WEIGHT LB 44,364.971 GROSS CARGO WEIGHT

PALLET COUNT: 19

PROTECT PRODUCT FROM FREEZING

CARRIER MUST CALL FOR DELIVERY APPT

Genethen Stent Josathan Hurt

STORE STAMP

Appointment Pickup Time: Date 06/16/2024 Time 11:00:00

Carrier Check In Time:

Date 06/16/2024

Time 06:58:53

Carrier Check Out Time: Date 06/16/2024

Time 11:13:04

Driver's Name

Printed: TA Remy

signature: TA Remy

Truck Number: 770

Carrier's Name: CVBG

RECEIVED, subject to the written RECEIVED, subject to the whiten transportation contract between the Shipper and the Carrier if applicable otherwise to the terms and conditions of otherwise to the terms and conditions of the shipper's standard transportation contract in effect on the date of shipment which is available to the Carrier on request, the property described herein, in apparent good order, except as noted (contents and condition of contents of packages unknown), marked, consigned and destined as shown herein. This Bill of Lading is not subject to any classifications or tariffs except as specifically assigned to in writing by the shipper and the Carrier.

Non-recourse: If the shipment is to be delivered to the consignee without recourse on the consignor, the consignor shall sign the following statements:

The carrier shall not make delivery of this shipment without payment of freight and all other lawful charges.

Consignor Signature_BlueTriton Brands INC