



Bill to:
NATIONWIDE LOGISTICS, LLC/OH
,
,
,

Invoice Date: 07/22/2024
Invoice #: 548911
Terms: NET 30
Due Date: 08/22/2024

Date	Customer Ref #	Origin - Destination	Quantity	Rate	Amount
07/19/2024		582 Willamette Rd, Bennettsville, SC 29512 - 39 Graphic Place, Moonachie, NJ 07074			
			1	\$1,500.00	\$1,500.00

TOTAL
\$1,500.00

PLEASE NOTE

The right to payment under this invoice has been assigned to Compass payment Solutions LLC (CFS) and all payments hereunder are to be directed to the assignee at the address noted below. Remittances to other than CFS do not constitute payment of this invoice. CFS must be given notification of any claims, agreements or merchandise returns which would affect the payment of all or part of this Invoice on the due date.

COMPASS FUNDING SOLUTIONS LLC
P.O.BOX 205154
DALLAS, TX 75320-5154
Tel: 844-899-8092



A Bridgeway Company

NATIONWIDE LOGISTICS LLC
P.O. BOX 14508
CINCINNATI OH 45250

PRO # 548911

Rate Confirmation

07/19/24 09:37:32 (EST)

F
R
O
M

ADAM KING
(855) 426-8657 X 108 (p)
(888) 759-9777 (f)
ratecon@lucent-logistics.com

C
A
R
R
I
E
R

BRZ
(708) 303-5150 (p) Att: STEVE
MC # 86875 Truck # 826
DOT 3119062 Trailer # H03249
Driver REVENET Cell # (786) 389-9288

Size & Type: 53' VAN
Pieces:

Description: PARTICLE BOARD
Weight: 44000

Miles: 607

CHARGES		DISPATCH NOTES
LINE HAUL RATE	1500.00	MACROPOINT TRACKING REQUIRED.
TOTAL RATE	1500.00	

PICK 1

ARAUCO - CPB
582 WILLAMETTE RD
BENNETTSVILLE SC 29512
Hours : 0700-2100
No Touch Pick Up SAP Number 12443773

Appointment 07/19/24 @ 13:00
Appt Notes: BY APPT
Pieces: 1190
Weight: 45479
Seal # 708-852-5525
Ref # 12443773

STOP 1

MANHATTAN DOOR CORPORA
39 GRAPHIC PLACE
MOONACHIE NJ 07074
No Touch Pick Up SAP Number 12443773

Appointment 07/22/24 @ 08:00
Appt Notes: CONFIRMED 0800
Pieces: 1190
Weight: 45479
Seal # 708-852-5525
Ref # 44114

8' TARPS REQUIRED ON FLATBED ORDERS .
4 STRAPS REQUIRED (MINIMUM) ON VAN ORDERS
TARP PHOTOS'S REQUIRED PRIOR TO DRIVER LEAVING THE SHIPPER.
A \$50 FINE MAY BE IMPOSED IF YOU CONTACT SHIPPER OR RECEIVER
DIRECTLY WITHOUT AN OK FROM YOUR BROKER.

MACROPOINT TRACKING REQUIRED

****PLEASE HAVE DRIVER CALL 855.426.8657 OPT 2 FOR DISPATCH & PICK UP INFO****

****LOAD REQUIRES (3) 6FT TARPS OR (2) 8FT TARPS TO COVER****

****DISREGARD TARP COMMENT IF THIS IS A VAN LOAD SWING DOOR TRAILER ONLY****

**** DRIVER MUST SEND PHOTO OF FULLY COVERED PRODUCT BEFORE LEAVING PICKUP****

A \$50 FINE MAY BE IMPOSED IF YOU CONTACT THE SHIPPER OR RECEIVER DIRECTLY
WITHOUT AN OK FROM YOUR BROKER.

****TARPED LOADS REQUIRE PIC OF TARPED LOAD WITH EITHER THE BOL OR PIECE OF
PAPER WITH DATE/TIME AS PROOF OF LIFE BEFORE LEAVING SHIPPER - FAILURE TO DO
SO WILL RESULT IN \$250 FINE****

This rate confirmation supplements any Broker-Carrier Agreement signed by and
between NWL and the Carrier listed herein and on the Bill of Lading issued in
connection with the subject load. THIS RATE CONFIRMATION IS ALSO SUBJECT TO
NWL'S STANDARD TERMS AND CONDITIONS FOR MOTOR CARRIERS WHICH CAN BE FOUND
AT: <http://www.nationwidelogistics.net/terms> BY SIGNING THIS RATE CONFIRMATION

(Rate Confirmation Details on Next Page)

Carrier Signature _____

Date _____ / _____ / _____
M D

Doc ID: 26240719003710509
Send Carrier Bills to the Address Above
Sertifi Electronic Signature

PRO # 548911

must appear on all Invoices



A Bridgeway Company

NATIONWIDE LOGISTICS LLC
P.O. BOX 14508
CINCINNATI OH 45250

PRO # 548911

Rate Confirmation

07/19/24 09:37:32 (EST)

F
R
O
M

ADAM KING
(855) 426-8657 X 108 (p)
(888) 759-9777 (f)
ratecon@lucent-logistics.com

C
A
R
R
I
E
R

BRZ
(708) 303-5150 (p) Att: STEVE

MC # 86875 Truck # 826
DOT 3119062 Trailer # H03249
Driver REVENET Cell # (786) 389-9288

OR BY ACCEPTING AND PICKING UP THE SUBJECT LOAD, CARRIER AGREES TO AND ACCEPTS ALL PROVISIONS OF SUCH TERMS AND CONDITIONS. NWL AGREES TO PAY THE RATE AND CHARGES SHOW HEREON (SUBJECT TO SET OFF FOR FREIGHT CLAIMS AND OTHER SET-OFF RIGHTS AS LISTED IN THE TERMS AND CONDITIONS) AND NO different tariff, rate or schedule of rates shall apply. Due to the nature of the business, time is of the essence with respect to the freight. NWL reserves the right to impose reasonable and industry accepted fees upon the Carrier for late pickup or late delivery. Carrier agrees that the freight will not be re-brokered, interlined, reassigned or subcontracted.

**For Standard Pay, please email your invoices to docs@nationwidelogistics.net
**For Quick Pay, please email your invoices to quickpay@nationwidelogistics.net

**If originals are required for payment on this shipment, please mail your invoice to us.

**For payment inquiries, payment method changes, and/or remittance address changes, please log on to TriumphPay at secure.TriumphPay.com. Notice of Assignments (NOA) and Letters of Release (LOR) must be sent to noa@nationwidelogistics.net for processing.

Carrier Signature _____

Date _____ / _____ / _____
M D

Doc ID: 26240719003710509
Send Carrier Bills to the Address Above
Sertifi Electronic Signature

PRO # 548911

must appear on all Invoices

E-Signed : 07/19/2024 08:40 AM CDT

Steve Tatum

steve@rtbrz.com
IP: 108.181.57.195

Sertifi Electronic Signature
DocID: 20240719083710909

arauco

POINT OF ORIGIN
Carolina PB
582 Willamette Rd.
Bennettsville, SC 29512
USA
Phone: (843)479-3800
Fax : (843)479-5555

PAGE 1/2

BILL OF LADING
85280542

SHIPMENT#
12443773

RECEIVED, subject to applicable classifications, tariffs, circulars, letter quotes and/or contractual agreements in effect on the date at the shipping point hereof, in apparent good order, except as noted, (contents and condition of contents of packages unknown marked consigned, and destined as indicated hereof, which said carrier (the word carrier being understood throughout this contract meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery said destination, if on its route, otherwise to deliver to another carrier on the route to said destination. It is mutually agreed as to each carrier of all or any of said property, that every service to be performed hereof shall be subject to all the terms and conditions of the Uniform Bill of Lading set forth (1) in Uniform Freight Classification in effect on the date hereof, if this is a rail or a rail water shipment, or (2) in the applicable motor carrier classification of tariff if this is a minor carrier shipment. Shipper's signature hereof certifies that he/she is familiar with all the terms and conditions of the said bill of lading, set for in the classification or tariff which governs the transportation of this shipment, and the said terms and conditions are hereby agreed to by the shipper and accepted for himself/herself and his/her assigns. Shipper's signature hereof signifies its intent to apply Conditions of Section 7 of applicable bill of lading i.e., the carrier shall not make delivery of this shipment without payment of freight and other lawful charges.

X _____ (Loaders Signature)

I have checked this load Re: Bill of Lading 85280542 Being Transported by: NATIONWIDE LOGISTICS
I have securely tarped, plastic wrapped and strapped this load adequately for safe travel to it's destination.
This load is to be delivered to the above consignee on: 23.07.2024

X _____ (Date)
X _____ (Truck Drivers Signature)

SHIP TO: MANHATTAN DOOR CORPORATION 109 KERO ROAD CARLSTADT, NJ US 07072 US PHONE: 800-360-3932 FAX: 800-360-3932 CONTACT: Steve Packin	SOLD TO: D&M LUMBER PRODUCTS CO. INC. PO BOX 25494 BROOKLYN, NY US 11202 US PHONE: 1-718-386-6119 FAX: CONTACT: Steve Packin	SHIPDATE: 19.07.2024 CAR/TRUCK#: 826 RAILCAR/TRAILER#: H03249 SEAL: BL SALES PERSON: MIKE FRANK INCOTERMS: FOB BROOKLYN NY SHIP VIA: Truck - Van CARRIER: NATIONWIDE LOGISTICS TMC LOAD: 482339603
--	---	--

SHIPPING INSTRUCTIONS:
DELIVERY APPOINTMENT REQUIRED
1-718-963-1111 OPTION 2
OR EMAIL JACOB SKLAR -

LINE	SKU	DESCRIPTION	PSC	ORDER QTY	SHIPPED QTY	SHIPPED VOLUME	# OF SU(s)	WEIGHT (LB)
------	-----	-------------	-----	-----------	-------------	----------------	------------	-------------

SALES ORDER : 5978308 PO# : Arauco-701
10 4036494-AA0035 UltraPB Doorcore LD1 YES 1190 PCS 1155 PCS 35.805 M3 33 44142
1.125" 22x76-3/4"
PSC MIX CREDIT : SAI-COC-003948
Cust. PO:44114

Batch:	3001488154	SU#/QTY:	3113160364/35	PCS 3113160367/35	PCS 3113160363/35	PCS 3113160380/35	PCS 3113160383/35	PCS
Batch:	3001488154	SU#/QTY:	3113160382/35	PCS 3113160381/35	PCS 3113160365/35	PCS 3113160377/35	PCS	
Batch:	3001500224	SU#/QTY:	3113178754/35	PCS 3113178752/35	PCS 3113178763/35	PCS 3113178764/35	PCS 3113178773/35	PCS
Batch:	3001500224	SU#/QTY:	3113178771/35	PCS 3113178775/35	PCS 3113178772/35	PCS 3113178760/35	PCS 3113178759/35	PCS
Batch:	3001500224	SU#/QTY:	3113178750/35	PCS 3113178751/35	PCS 3113178769/35	PCS 3113178768/35	PCS 3113178758/35	PCS
Batch:	3001500224	SU#/QTY:	3113178757/35	PCS 3113178746/35	PCS 3113178749/35	PCS 3113178744/35	PCS 3113178745/35	PCS
Batch:	3001500224	SU#/QTY:	3113178756/35	PCS 3113178755/35	PCS 3113178765/35	PCS 3113178767/35	PCS	

TOTAL# OF TOTAL
SU(s) WEIGHT
33 44142

Arauco NA Particleboard and MDF Contains 100% Recycled and/or recovered Fibers and is Eco-Certified Composite (CPA ECC 4-19) standard. EPA recognized and CARB approved Third Party Certifier TPC-1, EPA TSCA Title VI certified/Certifie conforme au titre VI de la TSCA. Complies with CARB ATCM 93120.

Arauco NA TFL panels, molding, painted, beadboard or otherwise finished panels are produced with TSCA Title VI Compliant/Conforme au titre de la TSCA CARB ATCM 93120 substrate.

Vesta ULEF products are manufactured using ULEF resins and are EPA TSCA Title VI certified and comply with CARB ATCM 93120 ULEF formaldehyde emission limits. Vesta NAF products are manufactured using no added formaldehyde-based resins and are EPA TSCA Title VI certified and comply with CARB ATCM 93120 NAF for formaldehyde emission limits.

All shipments will be subject to a Fuel Surcharge

WARNING: Drilling, sawing, sanding or machining wood products can expose you to wood dust, a substance known to the State of California to cause cancer. Decoratively surfaced wood products (for example, decorative papers, or surfaced with paint or print) may also generate other inhalable trace particles which are known to the State of California to cause cancer (for example, airborne inhalable trace particles of titanium dioxide, and/or carbon black). Avoid inhaling wood dust and trace particles by using proper dust collection systems and/or the use of a dust mask or other suitable personal protection equipment. This product can expose you to formaldehyde, a substance known to the State of California to cause cancer. For more information go

19.07.2024 14:58:06

arauco

BILL OF LADING
85280542

SHIPMENT#
12443773

to www.P65Warnings.ca.gov.

Refer to product SDS for further information which can be found on our website: <https://na.arauco.com/>.

Arauco will not be held responsible for deflection or warpage when TFL papers are not the same on both sides of the panel.

Some laminates applied to fire-rated (FR) Particleboard and MDF panels, including Vesta FR panels, may change the flame spread rating. Standard available woodworking glues have been successfully used in lamination. However, some adhesives may have compatibility problems with the chemical system used to manufacture Particleboard FR, MDF FR and Vesta FR. Any adhesive should be tested for compatibility with the chemical system in Particleboard FR, MDF FR and Vesta FR prior to full-scale gluing. Questions should be directed to the glue supplier. When using Particleboard FR, MDF FR or Vesta FR in wall systems, an integral vapor barrier must be a properly installed component of the wall in any of the following conditions: the wall has an exterior side, and the wall separates spaces conditioned unequally. Joints between panels to be designed to accommodate movement of up to .40 percent. Splined or articulated joints for reveals per AWI Section 500, 500A-G-4 #Joints and Transitions# or similar is suggested. Wood veneers and other laminates should be tested for compatibility with Particleboard FR, MDF FR and Vesta FR prior to use. Some wood veneers, laminates, and other types of products may have reactions to surface coatings and finishes, glues, pressing temperatures, moisture, contaminants, the chemical systems used to manufacture Particleboard FR, MDF FR and Vesta FR products, the failure to use UV inhibitors, or due to other causes. Reactions may include discoloration to veneer or laminate. ARAUCO is not responsible for discoloration or for claims associated with discoloration. Please contact your Sales Representative for more information.

19.07.2024 14:58:06

arauco

PAGE 2/2

BILL OF LADING
85280542SHIPMENT#
12443773To: www.855Warnings.08.govRefer to product SDS for further information which can be found on our website: <https://na.arauco.com/>

Arauco will not be held responsible for deflection or warpage when TFL papers are not the same on both sides of the panel.

Some laminates applied to fire-rated (FR) Particleboard and MFC panels, including Vesta FR panels, may change the flame spread rating. Standard available wooddecking glues have been successfully used in lamination. However, some adhesives may have compatibility problems with the chemical system used to manufacture Particleboard FR, MFC FR and Vesta FR. Any adhesive should be tested for compatibility with the chemical system in Particleboard FR, MFC FR and Vesta FR prior to full-scale gluing. Questions should be directed to the glue supplier. When using Particleboard FR, MFC FR or Vesta FR in wall systems, an integral vapor barrier must be a properly installed component of the wall in any of the following conditions: the wall has an exterior side, and the wall separates spaces conditioned differently. Joints between panels to be designed to accommodate movement of up to .40 percent. Spliced or articulated joints for reveals per AWI Section 309, 100A-0-4 Joints And Transitions or similar is suggested. Wood veneers and other laminates should be tested for compatibility with Particleboard FR, MFC FR and Vesta FR prior to use. Some wood veneers, laminates, and other types of products may have reactions to surface coatings and finishes, glues, pressing temperatures, moisture, contaminants, the chemical systems used to manufacture Particleboard FR, MFC FR and Vesta FR products, the failure to use UV inhibitors, or due to other causes. Reactions may include discoloration to veneer or laminate. ARAUCO is not responsible for discoloration or for claims associated with discoloration. Please contact your Sales Representative for more information.

19.07.2024 14:58:06