



Bill to:
TLX LOGISTICS LLC

Invoice Date: 07/31/2024
Invoice #: 32457
Terms: NET 30
Due Date: 08/31/2024

Date	Customer Ref #	Origin - Destination	Quantity	Rate	Amount
07/30/2024		582 Willamette Rd, Bennettsville, SC 29512, USA - 171 E Martin St, Orleans, IN 47452, USA			
			1	\$1,100.00	\$1,100.00

TOTAL
\$1,100.00

PLEASE NOTE

The right to payment under this invoice has been assigned to Compass payment Solutions LLC (CFS) and all payments hereunder are to be directed to the assignee at the address noted below. Remittances to other than CFS do not constitute payment of this invoice. CFS must be given notification of any claims, agreements or merchandise returns which would affect the payment of all or part of this Invoice on the due date.

COMPASS FUNDING SOLUTIONS LLC
P.O.BOX 205154
DALLAS, TX 75320-5154
Tel: 844-899-8092



65 Irby Ave NW Suite 1217
Atlanta, GA 30305

Docket: MC01148295

Phone: tracking@shiptlxlogistics.com

LOAD CONFIRMATION

Load #	32457
Date	07/30/2024
Equipment	Van
Equipment Length	53'
Weight	42500 lbs
Commodity	Dry Goods (General)
Distance	648 miles
Declared Value	100000.00

Carrier Information

ZIGI FREIGHT INC
6850 W 63RD STREET
CHICAGO, IL 60638
(630) 485-7370

MC Number MC00944686
Primary Contact SAm
Phone 630 485 7370 EXT 111
Fax

Driver Julio
Phone 941 2507606
Email undefined
Fax

Notes and References

Notes For all van loads out of Bennettsville, please note the driver is required to have 4 ratchet straps in order to tighten the load down and prevent shifting/damage. Please do not send drivers in unless they have the required straps. Please note the below strap requirement will now be enforced out of Moncure, NC too as well.
If flatbed, must use 8" tarps load must be completely tarped at all times and kept dry. Per Jodi the customer

Reference(s) 483426631
Pickup# 12447857
Delivery# 85286357
PO# CPBPBJASPER072224-8

Stops / Actions

#	Action	Date/Time	Location	Contact
1	Pickup	07/30/24 13:00	Arauco BENNETTSVILLE, SC Carolina Particleboard (CPB) 582 Willamette Rd BENNETTSVILLE, SC, US 29512	Phone: 8034312062
Notes: Appt based then allows work ins until 9 pm Drivers are welcome to check in before or after the pickup appt until 9:00pm require 4 straps on all of our van loads. Driver Instructions: Appt based then allows work ins until 9 pm Drivers are welcome to check in before or after the pickup appt until 9:00pm require 4 straps on all of our van loads.				
2	Delivery	07/31/24	Arauco Orleans, IN FIXDOI 201 E Martin St Orleans, IN, US	No appointment is required. Receiving hours are from 6am to 2pm eastern, first come first served. Contact would be Brandy Allen @ 812-771-4738. Phone: 812-771-4738
Notes: FC/FS 0600-1400 M-F Driver Instructions: FC/FS 0600-1400 M-F				

Pay Items

Description	Notes	Quantity	Rate	Amount
Flat Rate		1	1100.00	1100.00
Total				1100.00

CARRIER MUST PROVIDE TRACKING LINK AT TIME OF LOAD BOOKING OR DRIVER MUST ACCEPT MACROPOINT TRACKING BEFORE DEPARTING FOR PICKUP. FAILURE TO KEEP TRACKING ACTIVE FOR THE ENTIRE DURATION OF THE LOAD WILL RESULT IN A \$250 DEDUCTION ON FINAL SETTLEMENT. CARRIER DISPATCH MUST BE RESPONSIVE WITHIN ONE HOUR FOR EMAIL UPDATES FROM BROKER. CLEAR LEGIBLE POD MUST BE SUBMITTED VIA EMAIL TO THE OPS EMAIL CHAIN THAT RC WAS ISSUED WITHIN 24 HOURS OF DELIVERY. INVOICES ARE DUE WITHIN SEVEN BUSINESS DAYS FROM DELIVERY THEY ARE TO BE SENT TO AP@SHIPTLXLOGISTICS.COM. THERE WILL BE A \$250 LATE FEE FOR TURNING IN LATE PAPERWORK. CARRIER MUST NOTIFY BROKER OF DELAYS AT LOADING/UNLOADING WITHIN AN HOUR OF ARRIVAL-FAILURE TO DO SO WILL RESULT IN A DELAY OR FORFEITURE OF ACCESSORIAL REQUESTS. DRIVERS ARE WELCOME TO TRY AND CHECK IN BEFORE APPOINTMENT TIME; DETENTION WILL START 2 HOURS AFTER LISTED APPT TIME. ***DRIVER MUST DOUBLE CHECK THAT BOL PICKUP NUMBERS AND DELIVERY LOCATION MATCH THE RATE CONFIRMATION BEFORE BEING LOADED***CARRIER MUST NOTIFY BROKER IMMEDIATELY AND BEFORE BEING LOADED IN THE EVENT THAT BOL/PALLET COUNT OR DESTINATION ON BOL DO NOT MATCH OR THERE WILL BE POSSIBLE DEDUCTIONS/CHARGE BACKS TO CARRIER*** WEIGHT LISTED ON RC IS ESTIMATED CUSTOMER RESERVES THE RIGHT TO

LOAD UP TO 45500 LBS. WITHOUT PRIOR NOTICE OR ADDITONAL PAY. DO NOT CONTACT SHIPPER OR RECEIVER DIRECTLY ALL CORRESPONDENCE NEEDS TO GO THROUGH TLX OPERATIONS TEAM.

POD IS REQUIRED WITHIN 24 HOURS OF DELIVERY PLEASE SEND POD TO THE TLX EMAIL CHAIN THAT YOUR RC WAS RECEIVED. INVOICE AND COMPLETED PAPERWORK IS REQUIRED WITHIN 7 BUSINESS DAYS AND MUST BE SENT TO AP@SHIPTLXLOGISTICS.COM elivery please send to ap@shiptlxlogistics.com within 7 days of delivery.

Driver Name	Driver Cell Phone #	
	<i>Samm Stanojevic</i>	
Print Name	Signature	Date

arauco

BILL OF LADING
85286357

SHIPMENT#
12447857

manufacture Particleboard FR, MDF FR and Vesta FR. Any adhesive should be tested for compatibility with the chemical system in Particleboard FR, MDF FR and Vesta FR prior to full-scale gluing. Questions should be directed to the glue supplier. When using Particleboard FR, MDF FR or Vesta FR in wall systems, an integral vapor barrier must be a properly installed component of the wall in any of the following conditions: the wall has an exterior side, and the wall separates spaces conditioned unequally. Joints between panels to be designed to accommodate movement of up to .40 percent. Splined or articulated joints for reveals per ANSI Section 500, 500A-G-4 #Joints and Transitions# or similar is suggested. Wood veneers and other laminates should be tested for compatibility with Particleboard FR, MDF FR and Vesta FR prior to use. Some wood veneers, laminates, and other types of products may have reactions to surface coatings and finishes, glues, pressing temperatures, moisture, contaminants, the chemical systems used to manufacture Particleboard FR, MDF FR and Vesta FR products, the failure to use UV inhibitors, or due to other causes. Reactions may include discoloration to veneer or laminate. ARAUCO is not responsible for discoloration or for claims associated with discoloration. Please contact your Sales Representative for more information.

arauco

POINT OF ORIGIN
Carolina PB
582 Willamette Rd.
Bennettsville, SC 29512
USA
Phone: (843)479-3800
Fax : (843)479-5555

PAGE 1/2

BILL OF LADING
85286357

SHIPMENT#
12447857

RECEIVED, subject to applicable classifications, tariffs, circulars, letter quotes and/or contractual agreements in effect on the date at the shipping point hereof, in apparent good order, except as noted, (contents and condition of contents of packages unknown marked consigned, and destined as indicated hereof, which said carrier (the word carrier being understood throughout this contract meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery said destination, if on its route, otherwise to deliver to another carrier on the route to said destination. It is mutually agreed as to each carrier of all or any of said property, that every service to be performed hereof shall be subject to all the terms and conditions of the Uniform Bill of Lading set forth (1) in Uniform Freight Classification in effect on the date hereof, if this is a rail or a rail water shipment, or (2) in the applicable motor carrier classification of tariff if this is a minor carrier shipment. Shipper's signature hereof certifies that he/she is familiar with all the terms and conditions of the said bill of lading, set forth in the classification or tariff which governs the transportation of this shipment, and the said terms and conditions are hereby agreed to by the shipper and accepted for himself/herself and his/her assigns. Shipper's signature hereof signifies its intent to apply Conditions of Section 7 of applicable bill of lading, *P.I.* The carrier shall not make delivery of this shipment without payment of freight and other lawful charges.

X _____ (Loaders Signature)

I have checked this load Re: Bill of Lading 85286357 Being Transported by: TLX LOGISTICS LLC
I have securely tarped, plastic wrapped and strapped this load adequately for safe travel to it's destination.
This load is to be delivered to the above consignee on: 01.08.2024

X 7-30-24
(Date)

X _____
(Truck Drivers Signature)

SHIP TO:
FIXJSO - JASPER ORLEANS PLANT 15
201 E MARTIN ST
ORLEANS, IN US 47452
US
PHONE:
FAX:
CONTACT: JORDON CLEMENTS

SOLD TO:
JASPER SEATING COMPANY INC JASPER
GROUP, COMMUNITY, JSI KLEM
225 CLAY ST
JASPER, IN US 47546
US
PHONE: 812-482-3204
FAX: 812-482-1548
CONTACT: JORDON CLEMENTS

SHIPDATE: 30.07.2024
CAR/TRUCK#: 765
RAILCAR/TRAILER#: W94936
SEAL:
SALES PERSON: ADRAIN CAMERON
INCOTERMS: DDP JASPER IN
SHIP VIA: Truck - Van
CARRIER: TLX LOGISTICS LLC
TMC LOAD: 483426631

SHIPPING INSTRUCTIONS:
UNLOADING TIMES: 7:00AM-2:00PM, CALL KRIS DILLARD FOR DELIVERY APPT. 812-653-2085.

LINE	SKU	DESCRIPTION	PEC	ORDER QTY	SHIPPED QTY	SHIPPED VOLUME	# OF SU(s)	WEIGHT (LB)
------	-----	-------------	-----	-----------	-------------	----------------	------------	-------------

SALES ORDER : 6070129 PO# : CPBPBJASPER072224-8
10 4001095-JG0030 UltraPB NO 390 PCS 390 PCS 28.470 M3 13 45533
3/4" 61x97"
Customer Part#: 42000040CC

Batch: 3001516152 SU#/QTY: 3113197285/30 PCS 3113197279/30 PCS 3113197295/30 PCS 3113197288/30 PCS 3113197287/30 PCS
Batch: 3001516152 SU#/QTY: 3113197283/30 PCS 3113197281/30 PCS 3113197286/30 PCS 3113197284/30 PCS 3113197268/30 PCS
Batch: 3001516152 SU#/QTY: 3113197270/30 PCS 3113197282/30 PCS 3113197263/30 PCS

TOTAL# OF TOTAL
SU(s) WEIGHT
13 45533

Arauco RA Particleboard and MDF Contains 100% Recycled and/or recovered Fibers and is Eco-Certified Composite (CPA ECC 4-19) standard. EPA recognized and CARB approved Third Party Certifier TPC-1, EPA TSCA Title VI certified/Certified conformance au titre VI de la TSCA. Complies with CARB ATCM 93120.

Arauco RA TFL panels, molding, painted, beadboard or otherwise finished panels are produced with TSCA Title VI Compliant/Conforme au titre de la TSCA CARB ATCM 93120 substrate.

Vesta ULEF products are manufactured using ULEF resins and are EPA TSCA Title VI certified and comply with CARB ATCM 93120 ULEF formaldehyde emission limits. Vesta HMF products are manufactured using no added formaldehyde-based resins and are EPA TSCA Title VI certified and comply with CARB ATCM 93120 NAF for formaldehyde emission limits.

All shipments will be subject to a Fuel Surcharge

WARNING: Drilling, sawing, sanding or machining wood products can expose you to wood dust, a substance known to the State of California to cause cancer. Decoratively surfaced wood products (for example, decorative papers, or surfaced with paint or print) may also generate other inhalable trace particles which are known to the State of California to cause cancer (for example, airborne inhalable trace particles of titanium dioxide, and/or carbon black). Avoid inhaling wood dust and trace particles by using proper dust collection systems and/or the use of a dust mask or other suitable personal protection equipment. This product can expose you to formaldehyde, a substance known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Refer to product SDS for further information which can be found on our website: <https://na.arauco.com/>.

Arauco will not be held responsible for deflection or warpage when TFL papers are not the same on both sides of the panel.

Some laminates applied to fire-rated (FR) Particleboard and MDF panels, including Vesta FR panels, may change the flame spread rating. Standard available woodworking glues have been successfully used in lamination. However, some adhesives may have compatibility problems with the chemical system used to

BILL OF LADING
85286357

SHIPMENT#
12447857

manufacture Particleboard FR, MDF FR and Vesta FR. Any adhesive should be tested for compatibility with the chemical system in Particleboard FR, MDF FR and Vesta FR prior to full-scale gluing. Questions should be directed to the glue supplier. When using Particleboard FR, MDF FR or Vesta FR in wall systems, an integral vapor barrier must be a properly installed component of the wall in any of the following conditions: the wall has an exterior side, and the wall separates spaces conditioned unequally. Joints between panels to be designed to accommodate movement of up to .40 percent. Splined or articulated joints for reveals per ANI Section 500, 500A-G-4 #Joints and Transitions# or similar is suggested. Wood veneers and other laminates should be tested for compatibility with Particleboard FR, MDF FR and Vesta FR prior to use. Some wood veneers, laminates, and other types of products may have reactions to surface coatings, and finishes, glues, pressing temperatures, moisture, contaminants, the chemical systems used to manufacture Particleboard FR, MDF FR and Vesta FR products, the failure to use UV inhibitors, or due to other causes. Reactions may include discoloration to veneer or laminate. ARAUCO is not responsible for discoloration or for claims associated with discoloration. Please contact your Sales Representative for more information.

30.07.2024 15:31:11

arauco

POINT OF ORIGIN
Carolina PB
582 Willamette Rd.
Bennettsville, SC 29512
USA
Phone: (843)479-3800
Fax : (843)479-5555

PAGE 1/2

BILL OF LADING
85286357
SHIPMENT#
12447857

RECEIVED, subject to applicable classifications, tariffs, circulars, letter quotes and/or contractual agreements in effect on the date at the shipping point hereof, in apparent good order, except as noted, (contents and condition of contents of packages unknown marked consigned, and destined as indicated hereof, which said carrier (the word carrier being understood throughout this contract meaning any person or corporation in possession of the property under the contract) agrees to carry to its usual place of delivery said destination, if on its route, otherwise to deliver to another carrier on the route to said destination. It is mutually agreed as to each carrier of all or any of said property, that every service to be performed hereof shall be subject to all the terms and conditions of the Uniform Bill of Lading set forth (1) in Uniform Freight Classification in effect on the date hereof, if this is a rail or a rail water shipment, or (2) in the applicable motor carrier classification of tariff if this is a minor carrier shipment. Shipper's signature hereof certifies that he/she is familiar with all the terms and conditions of the said bill of lading, set forth in the classification or tariff which governs the transportation of this shipment, and the said terms and conditions are hereby agreed to by the shipper and accepted for himself/herself and his/her assigns. Shipper's signature hereof signifies its intent to apply Conditions of Section 7 of applicable bill of lading, PI. The carrier shall not make delivery of this shipment without payment of freight and other lawful charges.

X _____ (Loaders Signature)

I have checked this load Re: Bill of Lading 85286357 Being Transported by: TLX LOGISTICS LLC
I have securely tarped, plastic wrapped and strapped this load adequately for safe travel to it's destination.
This load is to be delivered to the above consignee on: 01.08.2024

X 7-30-24 (Date) X _____ (Truck Drivers Signature)

SHIP TO: FIXJSO - JASPER ORLEANS PLANT 15 201 E MARTIN ST ORLEANS, IN US 47452 US PHONE: FAX: CONTACT: JORDON CLEMENTS	SOLD TO: JASPER SEATING COMPANY INC JASPER GROUP, COMMUNITY, JSI KLEM 225 CLAY ST JASPER, IN US 47546 US PHONE: 812-482-3204 FAX: 812-482-1548 CONTACT: JORDON CLEMENTS	SHIPDATE: 30.07.2024 CAR/TRUCK#: 765 RAILCAR/TRAILER#: W94936 SEAL: SALES PERSON: ADRAIN CAMERON INCOTERMS: DDP JASPER IN SHIP VIA: Truck - Van CARRIER: TLX LOGISTICS LLC TMC LOAD: 483426631
---	---	--

SHIPPING INSTRUCTIONS:
UNLOADING TIMES: 7:00AM-2:00PM, CALL KRIS DILLARD FOR DELIVERY APPT. 812-653-2085.

LINE	SKU	DESCRIPTION	PCS	ORDER QTY	SHIPPED QTY	SHIPPED VOLUME	# OF SU(s)	WEIGHT (LB)
------	-----	-------------	-----	-----------	-------------	----------------	------------	-------------

SALES ORDER : 6070129 PO# : CPBPBJASPER072224-8
10 4001095-JG0030 UltraPB NO 390 PCS 390 PCS 28.470 M3 13 45533
3/4" 61x97"
Customer Part#: 42000040CC
Batch: 3001516152 SU#/QTY: 3113197285/30 PCS 3113197279/30 PCS 3113197295/30 PCS 3113197288/30 PCS 3113197287/30 PCS
Batch: 3001516152 SU#/QTY: 3113197283/30 PCS 3113197281/30 PCS 3113197286/30 PCS 3113197284/30 PCS 3113197268/30 PCS
Batch: 3001516152 SU#/QTY: 3113197270/30 PCS 3113197282/30 PCS 3113197263/30 PCS

Steve Baker
7-31-24
TOTAL# OF TOTAL
SU(s) WEIGHT
13 45533

Arauco NA Particleboard and MDF Contains 100% Recycled and/or recovered Fibers and is Eco-Certified Composite (CPA ECC 4-19) standard. EPA recognized and CARB approved Third Party Certifier TPC-1, EPA TSCA Title VI certified/Certifie conforme au titre VI de la TSCA. Complies with CARB ATCM 93120.

Arauco NA TFL panels, molding, painted, beadboard or otherwise finished panels are produced with TSCA Title VI Compliant/Conforme au titre de la TSCA CARB ATCM 93120 substrate.

Vesta ULEF products are manufactured using ULEF resins and are EPA TSCA Title VI certified and comply with CARB ATCM 93120 ULEF formaldehyde emission limits. Vesta NAF products are manufactured using no added formaldehyde-based resins and are EPA TSCA Title VI certified and comply with CARB ATCM 93120 NAF for formaldehyde emission limits.

All shipments will be subject to a Fuel Surcharge

WARNING: Drilling, sawing, sanding or machining wood products can expose you to wood dust, a substance known to the State of California to cause cancer. Decoratively surfaced wood products (for example, decorative papers, or surfaced with paint or print) may also generate other inhalable trace particles which are known to the State of California to cause cancer (for example, airborne inhalable trace particles of titanium dioxide, and/or carbon black). Avoid inhaling wood dust and trace particles by using proper dust collection systems and/or the use of a dust mask or other suitable personal protection equipment. This product can expose you to formaldehyde, a substance known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Refer to product SDS for further information which can be found on our website: <https://na.arauco.com/>.

Arauco will not be held responsible for deflection or warpage when TFL papers are not the same on both sides of the panel.

Some laminates applied to fire-rated (FR) Particleboard and MDF panels, including Vesta FR panels, may change the flame spread rating. Standard available woodworking glues have been successfully used in lamination. However, some adhesives may have compatibility problems with the chemical system used to

30.07.2024 15:31:11