

### INVOICE

BILL TO: UBER FREIGHT LLC 433 W VAN BUREN ST. SUITE 900 CHICAGO, IL 60607

### INVOICE DATE: 01/30/2025 INVOICE #: B75028 TERMS: NET 30 DUE DATE: 03/02/2025

DATE	CUSTOMER REF#	ORIGIN - DESTINATION	QUANTITY	RATE	AMOUNT
01/29/2025		1100 Wisdom St, Chattanooga, TN 37406 - 1800 S Wolf Rd, Des Plaines, IL 60018, USA			
		Freight Income	1	\$1,000.00	\$1,000.00

TOTAL	
\$1,000.00	

### PLEASE NOTE

The right to payment under this invoice has been assigned to Compass payment Solutions LLC (CFS) and all payments hereunder are to be directed to the assignee at the address noted below. Remittances to other than CFS do not constitute payment of this invoice. CFS must be given notification of any claims, agreements or merchandise returns which would affect the payment of all or part of this Invoice on the due date. COMPASS FUNDING SOLUTIONS LLC P.O.BOX 205154 DALLAS, TX 75320-5154 Tel: 844-899-8092

### **Uber Freight**

Email freight-carrier@uber.com 24/7 Phone Support 844-822-UBER

Rate confirma	ation	Price breakdown	
Agreed upon price		Line Haul	\$1000.00
\$1000.0	00	Total	\$1000.00
Load Number			
3791877	7009		
Master Shipment	TMS Number		
Number	309950393		
309950393			

### Load details

Weight	Distance	Equipment	Packaging count	Packagin	g -	Trailer dimensions
44,520lbs	632mi	VAN	0	OTHER		
Special handling	Tra	iler requirements	Commodity		Driver requ	irements
			BEVERAGES			

### **Additional Requirements**

Trailer length: 53FT, Food grade trailer, Swing doors, Trailer free of damage, Protect from freeze, Tandems slid all the way back, High visibility vest, Closed toed shoes, Must sign in/out time on POD, Must get signature on POD, Straps, Bars, Strict seal policy



### **Pickup Notes**

Pick up: Driver must be fresh on hours. Strict pick up times. \*\*PROTECT FROM FREEZE\*\* - use thermal blankets and/or idle truck if necessary. Any damage to the product could result in a full truckload claim. If you are not comfortable with these requirements, please notify us and you will be removed from the load. Weight subject to change. Equipment: Minimum 2 load locks or bracing equipment required. \*\*Seal Requirements:\*\* Seal required and must remain intact throughout transit or load will be subject to refusal and a claim will be filed. Only authorized personnel may break the seal. \*\*OVERAGES/ DAMAGES\*\* Any product left on the driver's trailer must be reported to Uber Freight immediately so that disposition directions can be provided. Disposing of any product prior to receiving disposition directions from the Uber Freight team could result in a claim. 1. Facility will be

closed for Christmas day 12/25 and New Years Day 1/1. They will cut off shipping/receiving the day before (12/24) at 2000 and resume normal operations the day after at 0800 https://uberfreight.zendesk.com/agent/tickets/64824608

Appointment Confirmation #

2209034

Facility Reference # 309950393, 12669400

PO number

6600066320

Commodity Beverages

0 OTHER 0.0lbs PO 6600066320

### Delivery

### Des Plaines, IL

01/30/2025 @ 08:00 CST

 Shipper
 Stop Type

 LaGrou Distribution
 LIVE

 1800 South Wolf
 Road

 Des Plaines, IL 60018

### **Dropoff Notes**

\*\*Seal Requirements:\*\* Seal required and must remain intact throughout transit or load will be subject to refusal and a claim will be filed. Only authorized personnel may break the seal. \*\*Lumper:\*\* If a lumper is required to re-stack product, Uber Freight must be notified and sent pictures prior to hiring the lumper service in order to be eligible for compensation. \*\*OVERAGES/ DAMAGES\*\* Any product left on the driver's trailer must be reported to Uber Freight immediately so that disposition directions can be provided. Disposing of any product prior to receiving disposition directions from the Uber Freight team could result in a claim. - [Lead Time Restriction/Work-In Policy] (BPO Update): They will do a work-in if the driver will be running late. Debbie also confirmed that the warehouse break is 9:00-9:30 and then 12:00-12:45. 1. - [Lead Time Restriction/Work-In Policy] (BPO Update): If the driver is early or a little bit late, they can be a work in. If the driver arrive after 15:30 then they will be charged \$100. The driver must check in at door 37 - [Lead Time Restriction/Work-In Policy] (BPO Update): As per Debbie Yingling, if the driver get to the facility later than their scheduled appointment, there is a possibility that will be rejected by the facility.

Commodity

### **Beverages** 0 OTHER 0.0lbs PO 6600066320

Appointment Confirmation #

N/A Facility Reference #

12669400

PO number 6600066320

Booked by

MC number 086875 DOT number **3119062** 

Booked on 01/28/2025 @ 11:37 EST

### **Broker: Uber Freight LLC**

### Reefer Requirements (for reefer shipments only)

Carrier's reefer unit must have downloadable readings for supply and return temperatures. Trailers must be pre-cooled to designated temperature prior to pickup and maintained within designated temperature range. Trailer refrigeration must be set to cycle type stated above. Carrier's driver must check set point temperature on BOL. Carrier must immediately notify Uber Freight if there is a discrepancy between the set point temperatures on BOL and this rate confirmation.

### Food & Beverage Requirements (for food & beverage shipments only)

Food grade trailer required. Improper trailer temperature control, unsatisfactory equipment or tampered or unauthorized broken seals shall result in carrier's liability for (at shipper's sole discretion) full or partial loss of or damage to cargo without salvage or inspection.

### Agreement

By picking up the shipment set forth in this rate confirmation, carrier agrees to perform such services pursuant and subject to the terms in this rate confirmation and the broker - motor carrier agreement entered into between carrier and Uber Freight. Uber Freight and carrier have agreed that the compensation indicated herein will apply to the shipment listed on this Rate Confirmation and that it will supersede any prior rate confirmation or agreement and that any rates, terms or conditions of any bill of lading, Conditions of Carriage, Carta de Porte, delivery receipt, Rules Circular, tariff or other document are hereby expressly altered or waived. Unless noted otherwise, all sums are stated and will be paid in USD. The Uber Freight broker - motor carrier agreement is available at <u>t.uber.com/bmca</u>

If you require immediate assistance, please call our 24/7 number: 844-822-UBER

### **Dispatch phone calls**

If the Carrier's designated driver is not using the Uber Freight App, they must call Uber Freight at least 3 hours before the pick-up time specified in the rate confirmation. 24 hour Uber Freight phone line: 844-822-UBER

### Detention

Submit requests for detention payment in the Uber Freight App or at t.uber.com/detention. To qualify for detention, arrive on time to the scheduled appointment and submit your request within 24 hours of delivery, along with the signed BOL showing in and out times. If the carrier's designated driver is not using the Uber Freight App, they must call 844-822-UBER at least 30 minutes prior to entering detention or the request may be denied. Detention starts 2 hours after the scheduled appointment and maxes out at 5 hours

### Accessorial policy

All accessorial requests and receipts must be submitted within 24 hours of delivery and supported by a signed BOL with in and out times to ensure reimbursement. Learn more about accessorial policies by going to https://www.uberfreight.com/support/carrier-account-and-payment-guide.

### Powerloop Empty Trailer Dropoff Location

If a Carrier needs to change the empty trailer drop-off location, due to an upcoming Uber Freight load that requires an empty trailer dropped off, they may make a request by sending an email to powerlooptrailerswaps@uberfreight.com.

### Powerloop Empty Trailer Dropoff Time

After completing a Powerloop load, the carrier can utilize the Powerloop trailer to haul their own backhaul, another Uber Freight load, or return the trailer empty. Carriers can request time extensions (up to 3 days) with our trailers for a fee of \$ 50 a day by emailing powerloop-trailerswaps@uberfreight.com.

### **Powerloop Trailer Toll Charges**

Tolls charged to Powerloop trailers will be automatically deducted from payment for the loads during which the toll events occur. Powerloop will notify you of the charge via email, including information regarding the toll event such as toll authority, location, time, and date of the toll event.

### **Powerloop Trailer - Inspections**

Carrier is required to perform a pre-trip and post-trip inspection of the condition of the trailer that will note all damage and the condition of safety related items including, but not limited to, tires, lugnuts, brakes, air systems, and sliding tandem hook pins that are observable upon reasonable inspection. If Carrier identifies the Trailer requires maintenance during the pre-trip inspection, please contact FYX at 866-498-9525. If Carrier identifies the Trailer requires maintenance

### Cancellations

If a load is cancelled by your carrier, you will be able to rebook the load as long as it's still available. You'll be paid using the same rate as the first booking and will not be allowed to place a bid. If a load is cancelled less than 6 hours from the scheduled pickup, it will be considered a late cancellation and will negatively impact your carrier's reliability score.

### Accounts Payable

Please submit the signed Proof of Delivery via the Uber Freight app. If unable to submit in app, please email it to freight-bol@uber.com. A complete, legible, signed and otherwise acceptable copy of the bill of lading (the POD) is required for payment. Please submit the POD within 24 hours after delivery.

### **Powerloop Trailer Assignment**

Carriers are required to provide the Powerloop trailer number(s) that were utilized on all shipments moved using a Powerloop trailer. Failure to provide the accurate Powerloop trailer number(s) will result in a payment hold for the applicable shipment until the trailer number(s) are provided.

### Powerloop Trailer Late Fee Rates

If Carrier does not return the Trailer as instructed in the Rate Confirmation, use charges may apply according to the Trailer Use Agreement. Request changes to the Dropoff Time or Location by emailing powerloop-trailerswaps@uberfreight.com. If you encounter an unforeseen issue preventing timely return, please contact our support line at 844–822-8237.

### Powerloop Trailer Policy

By picking up the Trailer set forth in this Rate Confirmation, Carrier agrees to use the Trailer pursuant and subject to the terms in this Rate Confirmation and the Trailer Use Agreement entered into between Carrier and Powerloop. during the post-trip inspection, please email powerlooptrailerhealth@uberfreight.com and do not contact FYX.

### Powerloop Trailer - Roadside Maintenance

If maintenance is needed for the Powerloop trailer after the pre-trip inspection or before the post-trip inspection, please contact FYX at 866-498-9525 for roadside service. Carrier will be responsible for the cost of any maintenance or repairs to a Trailer that occurs during the Use Period unless Powerloop determines that such cost arose from Normal Wear and Tear. Carrier will pay any such cost to the third-party maintenance provider or to Powerloop. Carrier will pay FYX directly for tire damage not caused by normal wear and tear, including but not limited to, bald/worn tires, run flat, run to destruction, skid flat/dragging, cut, curbed, impacted, or road hazard. Unless stated otherwise, Powerloop will arrange and coordinate all trailer maintenance and the Carrier is not permitted to perform repairs to the Powerloop trailer. If Carrier performs repairs on the Powerloop trailer, reimbursement is not guaranteed. FYX's services are not available for the Carrier's Power Unit.

### Powerloop Trailer - Accident, Lost, Stolen, and Destroyed

If the Powerloop trailer is involved in an accident, becomes lost or missing, or is destroyed, do not contact FYX. Please notify your auto liability insurance company and follow their instructions. Please also notify the Uber Freight Inbound Support Line at 844-822-8237 and email powerloop-trailerhealth@uberfreight.com.

### **BILL OF LADING**

					- 1 IOO /	0005
	kers - Wisdom Whse	B/L No:	309950393	Date	01/29/	2025
CHATTANO	Stuart Street OGA,TN,37406-1724 423 493-0542 Fax:	Export Refer	ences ER 49CFR			12
Consignee	LO TOO OUTET BA.	CUSTOMER				
LAGROU OPERATIONS NAOU US 3PD DES PLAINES 1800 S WOLF RD DES PLAINES, IL	THRM	DEL.NO.: TU #: BOOKING: STAGE:	80670147 309950393 00000			
US		Point and Co	untry of Origin			
Bill-To		Domestic Ro	uting/Export Instru	ctions/5		
		Temperature	Condition: AMB:1	1/30C, 52	/86F	
		Inland Carrie	r			
Pier	Departure					
Vessel Voy no of flag	Port of Loading	Marks:				
Port of Discharge	Destination DES PLAINES,IL				*	
			*****Page 1 of	1 1	0.57	
PA	RTICULARS FURNISHED BY SHIPPER	S	LB		CFT	Marke and Numbers
			NET GRO	DSS	MEASURE	Marks and Numbers

No of Packages	НМ	Description of packages and goods	WEIGHT	WEIGHT	MENT	VANINO
440.000		PADE ZERO GRAPE 280Z(828ML)PLBT 1LS15 Cust.#389793	42480.000	43200.000	0.000	<u>VAN NO.</u> 97037 <u>SEAL NO.</u> 00130911
24.000		PLT NEW HW 48 X 40 RED Cust.#1250654	1188.000	1188.000	160.008	XCC
		LA GROU DISTRIBUTION AS AGENT FOR OWNER OF GO RECEIPTED FOR QUANTITY ON QUALITY CONDITION OR WE	OODS LY NOT			
		LA GROU DISTRICTION				PLACARD
		QUANTITY RECEIVED QUANTITY DAMAGED QUANTITY SHORT				
						Freight PP

UBER TECHNOLOGIES INC

Certified WT LB: 44388

TOTAL PLTS : 0

TOTAL PKGS: 1464

I HEARBY DECLARE THAT THE CONTENTS OF THIS CONSIGNMENT ARE FULLY AND ACCURATELY DESCRIBED ABOVE BY PROPER SHIPPING NAME, AND ARE CLASSIFIED. PACKAGED, MARKED, AND LABILED, PLACARDED, AND ARE IN ALL RESPECTS IN PROPER CONDITIONS FOR TRANSPORT ACCORDING TO THE APPLICABLE INTERNATIONAL AND NATIONAL

AUTHORIZED PERSON

AUTHORIZED PERSON

THE TERMS AND CONDITIONS OF AFFREIGHTMENT ARE THOSE OF THE CARRIER NAMED ON THE FRONT OF THE BILL OF LADING AS RESULTING FROM THE CARRIER'S SHORT AND LONG FORM BILLS OF LADING AS WELL AS THE CARRIER'S TARIFFS IN EFFECT.

Carrier Acknowledges Receipt of proper placards and Emergency Response Information on this Bill OF Lading as required by DOT.

FOR THE MASTER

Date

EMERGENCY RESPONSE INFORMATION (SEE REVERSE SIDE) MUST ACCOMPANY CARGO TO IT'S FINAL DESTINATION.

24 HOUR EMERGENCY TELEPHONE NUMBER FOR USA Tel. Coca Cola 1-800-924-6804

Canada Tel. Coca Cola 1-877-672-1118

### CONTAINER/VEHICLE LOADS BY VESSEL:

IT IS DECLARED THAT THE PACKING OF THE GOODS INTO THE UNIT HAS BEEN CARRIED OUT IN ACCORDANCE WITH THE PROVISION OF 5.4.2.1 OF THE IMDG CODE .

Authorized Signature

16), 3, PGIII 1), 3, PGIII 3, PGIII 3. PGIII

eat, sparks

gases.

and

Ite ni (te hipping Paper first. If Shipping Pap le number listed in the NAERG. 5 to 50 meters (80 to 160 feet) in al

# PROTECTIVE CLOTHING

10 Pa

E.Y.

ð

Evacuation

NLATE for 800 meters (1/2 m eters (1/2 mile) in all direction

n as n Large Spill
- See the Table of Initial Isolation and Protective Action Distances for
- For non-highlighted substances, increase, in the downwind direction
isolation distance shown under "PUBLIC SAFETY".

Fire If tank, rail car or tank truck is involved in a fire, ISOLATE for 800 meters(1/2 mile). directions also , consider initial evacuation for 800 meters (1/2 mile) in all directions.

2

point: Us

is:

EMERGENCY RESPONSE

3 eact È Fire • Some of the

5

ICes or

10

5

- Large Fires
  Water spray, fog, or alcohol-resistant foam.
  Move containers from fire area if you can do it without risk.
  Dike fire control water for later disposal; do not scatter the mater
  Do not get water inside containers.

# 110v

disco sces or Fire Involving Tanks or Car/Trailer Loads
Fight fire from maximum distance or use unmanned hose holders or mon
Cool containers with flooding quantities of water until well after fire is out.
Withdraw immediately in case of rising sound from venting safety devices of tank.
ALWAYS stay away from tanks engulted in fire.
For massive fire, use unmanned hose holders or monitor nozzles, it this is withdraw from area and let fire burn.

10

### SPILL OR LEAK Fully encapsulation

P ating, vapor protective clothing should be warn for spills.

20

IRST AID

Fire.
ELIMINATE all ignition sources (no smoking, flares, sparks, or flames in All equipment used when handling the product must be grounded.
Do not touch or walk through spilled material.
Stop leak if you can do it without risk.
Prevent entry into waterways, sewers, basements, or confined areas.
A vapor suppressing toam may be used to reduce vapors.
Absorb with earth, sand and other non-combustible material and transferent for Hydrazine).
Use clean non-sparking tools to collect absorbed material.

22

0

o and water nd quiet, personner

3

Move victim to fresh air. Call 911 or emergency medical s Apply artificial respiration if victim Administer oxygen if breathing is Remove and isolate contaminate In case of contact with substance

ntign Large spills. • Dike far ahead of liquid spill for later disposal. • Water spray may reduce vapor, but may not pr

FIRST AID 2

Move voctim to fresh arr.
Move voctim to fresh arr.
Call 911 or emergency medical service.
Call 911 or emergency medical service.
Do not use mouth-to-mouth method if victim ingested or inhaled the substance: induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Administer oxygen if breathing is difficult. Remove and isolate contaminated clothing and shoes.
In case of contact with substance, immediately flush skin or eyes with running water for at least 20 minutes. Keep victim warm and quiet. Effects of exposure (inhalation, ingestion or skin contact) to substance may be delayed. Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.

UN 2924, FLAMMABLE LIQUID, CORPOSIVE, N.O.S. CORPOSIVE, N.O.S. MABLE LIQUID. Ę. UN 2924,

POTENTIAL HAZARIDS

8

FIRE OR EXPLOSION Flammable /combustio

Flammable /combustible material
Maybe ignited by seat sparks or flames.
Vapors main form explosive motures with air
Vapors main form explosive motures with air
Nost vapors are heavier than air. They will spread laury confined areas. (servers, basements, tanks).
Vapor explosion hazard indoors, outdoors, or in servers.
Runoff to server may create fire or explosion hazard
Containers may explode when heated

HEALTH
May cause toxic effects if inhaled or ingested/swatowed
Contact with substance may cause severe burns to skin
Contact will produce initiating, comosive, and/or toxic gases.
Vapors may cause dizziness or suffocation.
Runolf from fire control or dilution water may cause politicity.

PUBLIC SAFETY

Call Emergency Response Telephone Number on Shipping Paper first. If shipping paper not available or no answer, refer to appropriate telephone number listed in the NAERO.
Isolate spill or leak area immediately for at least 50 to 100 meters (160 to 330 feet) in all directions.
Keep unauthorized personnel away.
Stay upwind.
Ventilate closed spaces before entering.

 $\leq$ Wear positive pressure self-contained breatming apparatus (SCBA).
 Wear chemical protective clothing which is specifically recommends it may provide little or no thermal protection.
 Structural firefighter's protective clothing provides limited protection it is not effective in spiil situations.

170

Ξ

ueds, N.O.S. UN 1993,

8.00 35, N.O.S. 6, 9, PG III Flamma Benzald UN 1990.1 NN 1990.

19/06, 3, PG I Acetaldel JN 1089.

3, PG III

N 1180, Efryl Buryra

### 3. PG II NIA. N 1173, E

# POTENTIAL MAZARDS

IE OR EXPLOSION: IGHLY FLAMMABLE: Will be easily igni apors may form explosive mixtures with pors may fo pors may tra st vapors ar

0 rres with air. nition and flash back. They will spread alon s, tanks). gts, than a aseme avel to sou re heavier (sewers, bu

õ 11 a n hazard indoors. ce designated wit

olved in a fire. unoff to sewer

twer may create fire or exp may explode when heated s are lighter than water.

rusorbed through initiate or bur gases abs(

ziness of suffocation. of may cause pollution. ire may prox Vapors may Runoff from

## PUBLIC SAFETY

8 5 D 58 Ċ, telephone Number on shipping to appropriate telephone numbine timediately for at least 25 to 50 swer ak ar

entering of low areas. closed areas before

# PROTECTIVE CLOTHING

-contained breathing apparatus (SCBA). ctive clothing will only provide limited protect) (1) mers

evacuation for at least 300 meters. (1000 feet).

ters (1/2 all direct uck is involved in a fire, ISOLATE for 800 m initial evacuation for 800 meters (1/2 mile) i tank tru insider i

# EMERGENCY RESPONSE

very low flash po ve a ź products I

esistant foam. ray or alcohol-r

later spray, fog av alcohol-resistant foam. Ise water spray or fog, do not use straight streams. Iove containers from fire area if you can do it without risk

rined hose hole er until well afte rom venting sa 70 e Involving Tanks or Car/Trailer Loads ignt fire from maximum distance or use umma bol containers with flooding quantities of wat Virtidraw immediately in case of rising sound

ő 56

20 20 WAYS stay away from the ends of tanks. r massive fire, use unmanned hose holder draw from area and let fire burn.

flam, 2 3 Ite all ignitions sources (no smoking, flares, sparks o oment used when handling the product must be gro-ouch damaged containers or spilled materials. It if you can do it without risk.

ñ. 8

y imo waterways, sewers. basements or o pressing foam may be used to reduce vap wer with dry earth, sand or other noncomb

sparking tools to

### spills

ā in ahead of liquid spill for later disposal spray may reduce vapor, but may not

:0

ĝ

**Bring** 

ng and sh Jiately flue o fresh air. nergency medica I respiration if vic ygen if breathing isolate contamin stact with substar

Dap and

9

tuids, N.O.S. (Key Lime Oil) tuids, N.O.S. (Lemon Oil), 3 tuids, N.O.S. (Orange Oil), 3 0 UN 1993, Flammable Liquids, UN 1993, Flammable Liquids, UN 1993, Flammable L UN 2319, Terpe UN 1993, Flamr

FIRE OR EXPLOSION: HIGHLY FLAMMABLE: Will be easily ignited by new. HIGHLY FLAMMABLE: Will be easily ignited by new. Vapors may fravel to source of ignition and flash back. Vapors may fravel to source of ignition and flash back. Wost vapors are heavier than air. They will spread along grout Controed areas (trivents, basements, tanks). Wapor explosion hazard indoors, outdoors or in server. Purroff to server may create fire or explosion hazard Containers may excide when heated. Containers may excide when heated.

ay irritate or and for toxic HEALTH HEALTH • Innalation or contact with material may • Fire mal produce imitating, corrosive an • Vapors may cause dizziness or suffoca • Runoff from fire control or dilution water PL

PUBLIC SAFETY

Call Emergency response telephone Number on s valiable or no answer reter to appropriate telephon Isolate spill or leak area immediately for at least 2

. . . . . . . .

ver away. Keep unauthorized personnel a
Stay upwind
Keep out of low areas.
Ventilate closed areas before ei

entering.

### DVIHING. PROTECTIVE CL

paratus (SCBA). ovida limited protection.

intained breathing aprive clothing will only pr pressure ( fighters pr Wear positive prefix
 Structural firefix
 EVACUATION
 Large Split
 Consider initial

### 0 initial.

least 300 meters. (1000 feel). Is involved in a fire, ISC all evacuation for 800 m 78 Fire. If tank, rail car or tank truck directions, also consider initi-

### SPONSE 빒 EMERGENCY

very low flas 10 FIRE CAUTION: All these pro fire may be inefficient. Small fires

Dry chemical CO2 water spray or alcohol-real Large fires
Water spray, fog or alcohol-resistant foam.
Water spray or fog, do not use straight s
Move containers from fire area if you can do

<u>1</u>

rs. rout risk.

ed hose holders or monit intit well after fire is out. It venting safety devices ( Fire Involving Tanks or Car/Trailer Loads • Fight fire from maximum distance or use urmany • Cool containers with flooding guantities of water • Withdraw immediately in case of rising sound fro

ALWAYS stay away from the ends of tanks. For massive fire, use unmanned hose holds withdraw from area and let fire burn.

SPILL OR LEAK
Eliminate all ignitions sources (no smoking, flares, All equipment used when handling the product must.
No not touch damaged containers or spilled materia
Do not touch damaged containers or spilled materia
Stop leak # you can oo it without risk.
Prevent entry into waterways, sewers, basements of A vapor suppressing toam may be used to reduce v
Absort or cover with dry earth, sand or other nonco containers.
Use clean non-sparking tools to collect absorbed m

, sparks or fiame at be grounded. tals.

ų.

or contined an vapors.

M 255 Concern Leput Acre. Organic. N.O.S. (Contains Circe Acid., B. POII M 2750 Concerne Leput M O.S. (Prospinier Acid), B. POII M 2750 Concerne Leput M O.S. (Prospinier, Acid), B. POII M 2750 Concerne Lipset M O.S. (Oliverish Capsicum), B. I., POIII M 2750 Concerne Lipset M O.S. (Oliverish Capsicum), B. I., POIII M 2750 Concerne Lipset M 2550 Concerne Capsicum), B. I., POIII M 2750 Concerne Lipset M 2550 Concerne Acid Science, Poiling M 2750 Concerne Lipset M 2550 Concerne Acid Science, Poiling M 2550 Concerne Acid M 2550 Conce	UN 1170, Ethyl Alconol, UN 1993, Flammable LJ UN 1990, Benzaldehydd UN 1993, Flammable LJ UN 1989, Acetaldehyde UN 1180, Ethyl Buryrate UN 1173, Ethyl Buryrate
im but, may decompose upon heating to in shipping paper first. It shipping paper not phone number listed on the inside back cover. It 25 to 50 meters (80 to 160 feet) in all	FIRE OR EXPLOSION: - HIGHLY FLAMMABLE - Vapors may form expli- - Vapors may fravel to e - Most vapors are heavi- contined areas (sewers, - Vapor explosion hazar - Those substance design mvoived in a fire. - Runoff to sewer may c - Runoff to sewer may c
CLOTHING apparatus (SCBA) apparatus (SCBA) ically recommended by the manufacture it ically recommended by the manufacture it protection in the fire bituation only, it is not in substance is possible. In substance is possible.	<ul> <li>MEALTH</li> <li>May cause toxic effect with a lation or contact with the may produce irritation.</li> <li>Vapors may cause dizuse dizuser the contronant the contronant of the may cause dizuser in the contronant the contronant of the cont</li></ul>
The If tank, rail car or tank thack is involved in a fire, ISOUATE for 600 meters(1/2 mile ) in all incitions also , consider initial evacuation for 600 meters (1/2 mile) in all directions. <b>EMERGENCY RESPONSE</b> <b>BIE</b> <b>BIE</b> <b>DIV chemical, Co2, or water spray.</b> <b>DIV chemical, CO2, alcothol-resistant form or water spray.</b>	<ul> <li>Ventilate closed areas</li> <li>Wear positive pressure</li> <li>Structural firefigmers p EVACUATION</li> <li>Large Spill</li> <li>Consider initial downwind</li> <li>FIRE</li> <li>Itank, rail car or tank titank, rail car or tank titank</li> </ul>
named hosa holdens or Monitor nozzles atter until well after fire is cut. d from venting sarlety device or discoloration of fina. fina. fina. fiames , sparks or flames in immediate area). fina. fiames , sparks or flames in immediate area). materials unless wearing appropriate protective materials unless wearing appropriate protective materials unless wearing appropriate for the material area.	FIRE CAUTION: All these pro- fire may be inefficient. Small fires • Dry chemical CO2 wal Large fires • Use water spray or to Use water spray or to • Use water spray or to • Use water spray or to • Use water spray or to • Hove containets from • Fight fire from maxim. • Fight fire from maxim. • Cool containets with () • Withdraw immediately tank.
URST AID Move victim to fresh ar Move victim to fresh ar Call \$11 or emergency medical care. Apply antificial respection if victim is not breathing Op moti use mouth to mouth method if victim is ingested or inhaled substance; induce antificial separation with aid of a pocket mask equilipped with a one-way valve or other proper espiration medical device. Administer carygen if breathing is difficult Remove and solate containmented clothing and shoes in case of contact with substance, immediately flush skin or eyes with noning water for at the solate containmented clothing and shoes in case of contact with substance, immediately flush skin or eyes with noning water for at for minor skin contact, avoid spreading material on unaffected skin. For minor skin contact, avoid spreading material on unaffected skin. These victim warm and guet.	<ul> <li>Mithdraw from area and</li> <li>SPILL OR LEAK</li> <li>Eliminate all ignitions</li> <li>All equipment used w</li> <li>Do not touch damage</li> <li>Stop leak if you can d</li> <li>Prevent entry into wat</li> <li>Prevent entry into wat</li> <li>A vapor suppressing t</li> <li>Absorb or cover with containers.</li> <li>Use clean non-sparks</li> <li>Use far ahead of liquit</li> <li>Water spray may reduited</li> </ul>
	FIRST ALD • Move victim to fresh a • Call 911 or emergence • Call 911 or emergence • Apply artificial respira • Administer oxygen #1 • In case of contact with least 20 minutes. • Wash skin with soap • Wash skin with soap • Wash skin with soap • Ensure that medical p protect themselves. • Effects of exposure in