



YOKOHAMA TIRE CORP.
P.O. BOX 677087



DELIVERY RECEIPT ONLY

DR #: EH00017845

WORK ORDER #: 4780014823

DALLAS, TX

75267-7087

800/423-4544

NATIONAL ACCOUNT

#430

CUSTOMER: ENGLAND LOGISTICS/EC SERVICES
1325 S 4700 W
3010639
TOOELE, UT 84074-0000

ENGLAND LOGISTICS/EC SERVICE
1325 S 4700 W
TOOELE, UT 84074-0000

DR NUMBER: EH00017845

VEHICLE: 2023 HYUNDAI
LICENSE: 455917T TN MILEAGE: 315263
VIN: 3H3V532K3RS121489
Fleet ID PTLZ244787
TERMS: NATIONAL ACCOUNT DELIVERY

WRK ORD DATE: 08/20/24

| PRODUCT | QUANTITY | | |
|---|------------|-------|-------------------|
| CONCERN: LFO TRAILER TIRE REPLACEMENT CAUSE: FLAT SPOTTED CURE: DISMOUNTED AND MOUNTED NEW YOKOHAMA 109L AIRED TIRE TO 100PSI TORQUED WHEEL TO 475FTLBS WITH DRIVER WITNESS FOLLOWED ALL RIST PROCEDURES. WRITER: WILL TECH: JACK UNIT #: PTLZ244787 REFERENCE #: 95324 295/75R22.5G BE 109L TRLR 120110901 | 1 | | |
| MOUNT ONLY VEHICLE MEDIUM TRUCK RSMMW | 1 | 30.00 | 30.00 |
| DISMOUNT ONLY VEHICLE MED TRUCK RSMDM | 1 | 30.00 | 30.00 |
| FEE, TIRE DISPOSAL, MEDIUM TRUCK RSMTD | 1 | 10.00 | 10.00 |
| Registration: Serial 1FABTYJAW3223 | Quantity | 1 | Warranty Period 0 |
| DELIVERY RECEIPT REQUIREMENTS: PO# REQUIRED STARTS WITH "E" FOLLOWED BY 7 DIGITS DELIVERY RECEIPT REQUIREMENTS: PO# REQUIRED STARTS WITH "E" FOLLOWED BY 7 DIGITS DELIVERY RECEIPT REQUIREMENTS: PO# REQUIRED STARTS WITH "E" FOLLOWED BY 7 DIGITS DEL DATE (MMDDYY) | 082024 | | |
| PO NUMBER | | | |
| PO# OBTAINED NAME | | | |
| PO# OBTAINED PHONE | | | |
| VEHICLE # | PTLZ244787 | | |
| VEHICLE LICENSE # | 455917T | | |
| VEHICLE LICENSE STATE | TN | | |
| ODOMETER | 00315263 | | |
| TRAILER NUMBER | PTLZ244787 | | |
| TIRES RECEIVED BY | | | |
| USER PHONE | 2178261090 | | |

DO NOT PAY FROM
THIS DOCUMENT

PRINTED NAME/CUSTOMER SIGNATURE

PAGE: 2
WORK ORDER #: 4780014823

CUSTOMER: ENGLAND LOGISTICS/EC SERVICES SHIP TO: ENGLAND LOGISTICS/EC SERVICE

| PRODUCT | QUANTITY |
|-----------|------------|
| USER NAME | KARIN BRAY |

Customer Signature: _____

EH00017845
0.00

**DO NOT PAY FROM
THIS DOCUMENT**

PRINTED NAME/CUSTOMER SIGNATURE



SAFE & ROAD-READY CHECKLIST

1.833.260.STMP // STMPilot.com

DATE

WORK ORDER NUMBER

General Information

| | | |
|---------------------------------------|-------------------------------------|-------------------------------|
| COMPANY NAME <i>England Logistics</i> | | TRUCK CARE SITE NAME & NUMBER |
| DRIVER'S NAME | | TECHNICIAN'S NAME <i>Jack</i> |
| TRACTOR NUMBER <i>730</i> | TRAILER NUMBER <i>FTL 244787</i> | LAST DOT INSPECTION |
| TRACTOR: | | TRAILER: |

Tractor - Brake & Tire Measurements

| | |
|---|---|
| ____ mm / in Brake Pad/Shoe 32nds L/Steer | ____ mm / in Brake Pad/Shoe 32nds R/Steer |
| ____ mm / in Brake Pad/Shoe 32nds 32nds LFO LFI | ____ mm / in Brake Pad/Shoe 32nds 32nds RFI RFO |
| ____ mm / in Brake Pad/Shoe 32nds 32nds LRO LRI | ____ mm / in Brake Pad/Shoe 32nds 32nds RRI RRO |

Trailer - Brake & Tire Measurements

| | |
|---|---|
| ____ mm / in Brake Pad/Shoe 32nds 32nds LFO LFI | ____ mm / in Brake Pad/Shoe 32nds 32nds RFI RFO |
| ____ mm / in Brake Pad/Shoe 32nds 32nds LRO LRI | ____ mm / in Brake Pad/Shoe 32nds 32nds RRI RRO |


| Checklist | Pass | Caution | Fail | Pass | Caution | Fail |
|--|-------------------------------------|---------|------|------------------|-------------------------------------|------|
| TIRES | <input checked="" type="checkbox"/> | | | WHEEL SEALS | <input checked="" type="checkbox"/> | |
| BRAKES | <input checked="" type="checkbox"/> | | | AIR LEAKS | <input checked="" type="checkbox"/> | |
| HORN | <input checked="" type="checkbox"/> | | | FLUID LEAKS | <input checked="" type="checkbox"/> | |
| WINDSHIELD | <input checked="" type="checkbox"/> | | | LIGHTS | <input checked="" type="checkbox"/> | |
| WINDSHIELD WIPERS | <input checked="" type="checkbox"/> | | | CONSPICUITY TAPE | <input checked="" type="checkbox"/> | |
| MIRRORS | <input checked="" type="checkbox"/> | | | FILTERS | | |
| FIRE EXTINGUISHER | <input checked="" type="checkbox"/> | | | COOLANT | | |
| (3) BIDIRECTIONAL REFLECTIVE TRIANGLES | <input checked="" type="checkbox"/> | | | ELECTRICAL | | |
| EXHAUST | <input checked="" type="checkbox"/> | | | BELTS | | |
| MUD FLAPS | <input checked="" type="checkbox"/> | | | HOSES | | |

Brakes & Tires

Tires cannot be flat. Per appendix G steer tire minimum tread depth is 4/32. Drive and trailer axle minimum depth is 2/32. Inspect tires for exposed belts and no tread for sidewall.

Look for missing or broken components. Free from cracks. Cannot be contaminated with oil or grease. Must be at a thickness greater than 1/4" when measured in the center of the brake lining material. Look for notched wear indicators in center of shoes.

Comments



A Safe & Road-Ready Checkup is intended to prepare your equipment for a Level 1 DOT Inspection. A daily pre-trip and post-trip Safe & Road-Ready Checklist is recommended to keep you safe. This is not a Level 1 DOT Inspection and Southern Tire Mart at Pilot Flying J takes no responsibility as to the safety or road worthiness of your vehicle. Furthermore, Southern Tire Mart at Pilot Flying J does not guarantee your vehicle will pass a Level 1 DOT Inspection.

